

Monthly Food Inspection Report

SPECIAL NOTES:

IN THE NOTES PORTION OF THE REPORT THE FIRST NUMBER LISTED IS THE TOTAL POINTS FOR RED/HIGH RISK ITEMS FOUND . THE SECOND NUMBER IS THE TOTAL POINTS FOR HIGH RISK AND LOW RISK ITEMS.

HIGH RISK ITEMS ARE CORRECTED PRIOR TO THE COMPLETION OF THE INSPECTION. 35 OR MORE HIGH RISK POINTS OR 45 OR MORE TOTAL POINTS REQUIRES A FOLLOW-UP INSPECTION.

Abbreviations

- BHC:** Bare Hand Contact
- DOH:** Washington State Department of Health
- FDA:** Food and Drug Administration
- FWC:** Food Worker Card
- HACCP:** Hazard Analysis Critical Control Point
- PHF:** Potentially Hazardous Food
- PIC:** Person in Charge
- ROP:** Reduced Oxygen Packaging
- RTE:** Ready to Eat
- RTS:** Room Temperature Storage
- USDA:** United States Department of Agriculture
- WAC:** Washington Administrative Code
- WSDA:** Washington State Department of Agriculture

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
40TH AVE. ESPRESSO	Espresso Stand	1207 N 40TH AVE	YAKIMA	6/29/2017	Routine Inspection	0/0
7-ELEVEN #2307-27470C	Mini-mart	810 YAKIMA AV E	YAKIMA	6/21/2017	Routine Inspection	0/0
ABARROTES LA COSTENITA	Grocery Store	0 EUCLID RD & ST HY 1	GRANDVIEW	6/29/2017	Routine Inspection	10/10 No thermometer in reach in refrigerator. Food not properly labeled. PIC to purchase new thermometer and label all dairy products.
				6/29/2017	Routine Inspection	10/10 No thermometer in reach in refrigerator. Food not properly labeled. PIC to purchase new thermometer and label all dairy products.
AM/PM	Mini-mart	1601 W WASHINGTON AVE.	YAKIMA	6/19/2017	Routine Inspection	10/10 PHF in refrigerator at 51 degrees.
APPLE CITY SALAMI	Mobile	FARMERS MARKET	YAKIMA	6/30/2017	Commissary Inspection	0/0 Commissary inspection - no concerns. This operation is colocated at a bakery and is conducting operations as a seasonal operation

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
ARCTIC CIRCLE	Restaurant	3912 W NOB HILL	YAKIMA	6/21/2017	Routine Inspection	0/0
ASHLEY'S BOTANAS LOCAS	Ice Cream Parlor	2301 W NOB HILL BLVD #5	YAKIMA	6/27/2017	Routine Inspection	0/0
BACKWOODS COUNTRY FARE CAFE	Restaurant	913 S. 1ST STREET	YAKIMA	6/21/2017	Routine Inspection	15/15 PHF at 48 degrees in refrigerator, PHF at 130degrees in warmer.
BAMBOO THAI CUISINE	Restaurant/Catering	306 S. 1ST ST.	YAKIMA	6/20/2017	Routine Inspection	5/7 FWC expired for cook. Ensure sanitizing solution is available for cleaning and sanitizing of work areas. Post YHD food license.
BEEM'S VALLEY NUTRITION	Grocery Store	2415 S 14TH STREET	UNION GAP	6/28/2017	Routine Inspection	15/15 No PIC available at time of inspection, cheese past the pull date on shelf for sale
BEST TERIYAKI & YAKISOBA EXPRESS	Restaurant	501 W 1ST AVE.	TOPPENISH	6/21/2017	Routine Inspection	0/0
BLUE HILLS TAQUERIA	Restaurant	1112 1/2 TIETON DR.	YAKIMA	6/27/2017	Routine Inspection	25/25 bare hand contact of ready to eat food by the cook. Corrected by the cook - owner to ensure use of gloves/barriers when preparing food.
BON VINOS BISTRO & BAKERY	Restaurant/Catering	122 16TH ST N	SUNNYSIDE	6/23/2017	Routine Inspection	5/5 Improper cold holding of PHF.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
BONZI'S	Deli	615 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	6/23/2017	Routine Inspection	0/0
BUMPING LAKE MARINA	Mini-mart	1330 BUMPING LAKE RD. - GOOSE PRAIRIE	GOOSE PRAIRIE	6/26/2017	Routine Inspection	0/0
BURGER KING # 8029677	Restaurant	2611 W NOB HILL	YAKIMA	6/29/2017	Routine Inspection	0/0
BURMASTER BAKING CO.	Bakery	605 E. NOB HILL BLVD.	YAKIMA	6/27/2017	Routine Inspection	0/0
CARL'S JR.	Restaurant	2500 YAKIMA VALLEY HWY	SUNNYSIDE	6/29/2017	Routine Inspection	0/0
CASH & CARRY SMART FOODSERVICE# 574	Grocery Store	1406 E. MEAD AVENUE	UNION GAP	6/28/2017	Routine Inspection	10/10 Improper chemical storage above food
COCINA JALICIENSE	Commissary	709 E. NOB HILL BLVD.	YAKIMA	6/1/2017	Routine Inspection	120/140 PIC not knowledgeable of processes and regulations, Hands not washed, Gloves not used handling ready to eat food, Handwash facility not properly stocked, Non-potable hose used, Fruits and vegetables not washed, Food at risk of contamination/adulteration, Raw Species not separated, Fridges above proper cold-holding temperature, No metal stem thermometer, Inadequate equipment for temperature control, Meats not labeled, Food contact surfaces not sanitized, non-food contact surfaces dirty.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
COCO'S	Mini-mart	1502 AHTANUM ROAD	UNION GAP	6/19/2017	Routine Inspection	0/0
COFFEE CRAVINGS	Espresso Stand	118 W. YAKIMA AVE.	YAKIMA	6/29/2017	Routine Inspection	0/0
COWICHE CREEK BREWING COMPANY	Winery	514 THOMPSON ROAD	COWICHE	6/10/2017	Routine Inspection	0/0
CRAFTED	Catering	516 N 35TH AVE.	YAKIMA	6/27/2017	Routine Inspection	Routine inspection attempted on 6/27. This company is in the process of reopening the barrel house on 1st avenue in Yakima. They are hoping to open to the public in Jul/Aug of 2017.
CRAFTED RESTAURANT GROUP	Restaurant	22 N 1ST ST.	YAKIMA	6/30/2017	Pre-Opening Inspection	OK FOR OPENING
CROSSMARK - WALMART # 2269	Grocery Store	1600 E. CHESTNUT AVE.	YAKIMA	6/30/2017	Commissary Inspection	0/0 Commissary check of this operation. It opens on occassion at Walmart
DANIEL'S KITCHEN	Restaurant/Catering	204 E. NACHES AVE.	SELAH	6/9/2017	Routine Inspection	5/11 Improper pooling of eggs, employees eating in food prep area, ice scoop left in ice machine
DEVIN'S SHELL	Mini-mart	900 VINTAGE VALLEY PARKWAY	ZILLAH	6/28/2017	Routine Inspection	5/5 temperature of hot foods in deli case at 128-132 degrees, staff reheated foods to proper temperature.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
DOLLAR TREE # 2387	Grocery Store	703 W. NOB HILL BLVD. - YAKIMA	YAKIMA	6/27/2017	Routine Inspection	0/0
EAST VALLEY ELEMENTARY SCHOOL	School	1951 BEAUDRY RD	YAKIMA	6/2/2017	Routine Inspection	0/0
EL CAMARON	Restaurant	629 E WINE COUNTRY RD.	GRANDVIEW	6/29/2017	Routine Inspection	100/123 PIC needs current FWC. Kitchen needs to be thoroughly cleaned and sanitized. Concerns with room temperature holding of PHF and cross contamination. PIC not checking temperatures of both cold and hot holding. PIC to immediately take FWC class. This facility will have a reinspection within 14 days.
EL MANANTIAL	Juice Bar	912 E. NOB HILL BLVD. - YAKIMA	YAKIMA	6/5/2017	Routine Inspection	0/0
EL MEJOR TAQUITO (MOBILE)	Mobile	821 Yakima Valley HWY Sunnyside	SUNNYSIDE	6/23/2017	Routine Inspection	0/0
EL NAYARIT TOWN	Restaurant	208 S WAPATO AVE. - WAPATO	WAPATO	6/8/2017	Routine Inspection	35/48 FWC needed for all staff, Room temperature storage seafood in bowl at prep table, Need accurate thermometer to check food temperatures, Seafood thawing at room temperature, No sanitizing solution. Owner to correct FWC and purchase thermometer NLT 15 June.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
EL NUEVO AMANECER RESTAURANT	Restaurant	314 S 3RD STREET	YAKIMA	6/17/2017	Routine Inspection	35/45 Improper cooling procedures of cooked meats. Hot holding and cold holding of PHF was out of safe range - PIC reheated foods and placed PHF in cold deli case. No sanitizing solution - PIC prepared solution at urging of inspector. Back storage bins of dry good coated in flour dust and requiring cleaning. Inspector requested the owner to contact YHD to discuss inspection
EL REGRESO DE TORITO	Restaurant	1314 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	6/23/2017	Routine Inspection	50/53 Improper cooling of PHF's, room temperature storage of PHF's, Improper thawing of PHF's
EL TOSTILOCO	Juice Bar	901 SUMMITVIEW AVE. STE. # 160	YAKIMA	6/21/2017	Routine Inspection	5/5 No FWC
ESTUDILLO'S FOOD STORES	Grocery Store	2601 SELLER RD	SUNNYSIDE	6/30/2017	Routine Inspection	0/0
FAMOUS DAVE'S	Rest/Lounge/Catering	1504 E WASHINGTON AVE. - UNION GAP	UNION GAP	6/30/2017	Routine Inspection	35/35 Improperly stocked hand wash sink, RTS of PHF
FLIGHTLINE CONVENIENCE CENTER	Mini-mart	2805 W. WASHINGTON AVE.	YAKIMA	6/29/2017	Routine Inspection	30/30 Hot holding temp is 135F, thermometers must be available to monitor cold holding
FRUTILANDIA LA HUERTA	Ice Cream Parlor	1500 HWY 12	SUNNYSIDE	6/29/2017	Routine Inspection	30/30 Expired FWC, bare hand contact of prepared food. PIC to contact YHD NLT 7 July with current FWC and to instruct staff to use gloves or barriers when handling food.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
GEARJAMMER TRUCK STOP	Mult Food Service	2310 RUDKIN RD.	UNION GAP	6/30/2017	Routine Inspection	10/10 Improperly cold holding PHF
GILBERT ELEMENTARY SCHOOL	School	4400 DOUGLAS DRIVE	YAKIMA	6/5/2017	Routine Inspection	0/0
GLEED MART AND TERIYAKI	Grocery Store	3361 MAPLEWAY	YAKIMA	6/29/2017	Routine Inspection	5/5 Functional thermometer required to observe hot holding temperatures
HOOVER ELEMENTARY SCHOOL	School	400 W. VIOLA	YAKIMA	6/7/2017	Routine Inspection	0/0
JACK'S PLACE CAFE	Restaurant	3060 BROWNSTOWN RD.	BROWNSTOWN	6/8/2017	Routine Inspection	30/51 expired FWC, need thermometers in all refrigeration units, mouse droppings in food preparation area, no sanitizing solution, need general cleaning of restaurant. Strong smell of urine in bathrooms. Packaged food with expired dates in market area - pulled by owner. Intermittent water supply due to well needing repair.
JOY GARDEN	Restaurant	5605 TIETON DR.	YAKIMA	6/2/2017	Routine Inspection	10/10 No meat thermometer, No advisory for raw or undercooked foods
KABOB HOUSE	Rest/Lounge/Catering	2706 W. NOB HILL BLVD. STE. # 103	YAKIMA	6/27/2017	Routine Inspection	25/25 Kabob meat at 107-108 degrees.
KENTUCKY FRIED CHICKEN	Restaurant	415 S ELM	TOPPENISH	6/21/2017	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
Kim's Got Smoke B.B.Q.	Mobile		UNION GAP	6/7/2017	Routine Inspection	5/18 Missing FWC, mislabeled food, food stored on the floor, need permission from owner of the building to use restrooms for customer because seating is provided
KIWANIS PARK CONCESSIONS	Snack Bar - Seasonal	E MAPLE ST & FAIR AVE.	YAKIMA	6/24/2017	Routine Inspection	0/0
KYOTO STEAKHOUSE	Restaurant	2405 W WASHINGTON AVE 150	YAKIMA	6/19/2017	Routine Inspection	0/0
LA ESPIGA DE ORO BAKERY	Bakery	803 W NOB HILL BLVD	YAKIMA	6/29/2017	Routine Inspection	5/5 FWC not current.
La Pasadita Granger Food	Mobile		TOPPENISH	6/30/2017	Pre-Opening Inspection	Inspection done of mobile unit at YHD - no concerns noted. Inspection of commissary for week of 10 July
LA PLAZITA TAQUERIA Y ANTIQUITOS MEXICANOS	Restaurant	505 1ST AVE	ZILLAH	6/27/2017	Routine Inspection	0/0
LAREDO DRIVE-IN	Restaurant	9921 HWY. 12	NACHES	6/8/2017	Routine Inspection	5/5 Expired FWC for 1 employee
LEWISVILLE	Tavern	301 N. 6TH AVENUE	YAKIMA	6/29/2017	Routine Inspection	10/10 Food not at proper cold holding temperature
LOS HERNANDEZ TAMALES	Restaurant/Cateri ng	3706 MAIN ST	UNION GAP	6/17/2017	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
M.O.R.E CAFE & LIQUOR STORE	Restaurant	117 E. 3RD AVENUE	SELAH	6/9/2017	Routine Inspection	0/3 One low hazard item
MAIN STOP ON THE AVE	Restaurant	120 E. YAKIMA AVENUE	YAKIMA	6/16/2017	Pre-Opening Inspection	OK to open
MANHATTAN STATION ESPRESSO	Espresso Stand	416 S. 1ST STREET	SELAH	6/9/2017	Routine Inspection	0/3 Ice scoop stored in ice, CDI
MANY'S MARKET	Mini-mart	811 W. MEAD	YAKIMA	6/29/2017	Routine Inspection	5/5 FWC recently expired.
MARISCOS EL AGUACATE TOWN	Restaurant	110 S. HOLLY DR.	MOXEE	6/9/2017	Routine Inspection	60/65 Expired/missing FWC, improper cooling, room temperature storage
MARISCOS ENCENADA # 1 C84173B	Mobile		MOXEE	6/9/2017	Routine Inspection	0/5 Soda reach in area needs replacement of wood boxes due to mold
MARISCOS ENCENADA # 10 C38386E	Mobile		MOXEE	6/9/2017	Routine Inspection	0/5 replace wooden shelving in ice bin
MARISCOS ENCENADA # 2 B50572N	Mobile		MOXEE	6/9/2017	Routine Inspection	0/5 Replace wood shelving in soda reach in area due to mold

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
MARISCOS ENCENADA # 3 C38384E	Mobile		MOXEE	6/9/2017	Routine Inspection	0/5 Need to replace wood shelving in reach in soda bins due to mold
MARISCOS ENCENADA # 4 B8859U	Mobile		MOXEE	6/9/2017	Routine Inspection	0/5 Replace wooden shelving in ice bin due to mold
MARISCOS ENCENADA # 5 B50575N	Mobile		MOXEE	6/9/2017	Routine Inspection	0/5 replace wooden shelving in ice bin due to mold
MARISCOS ENCENADA # 6 C383855	Mobile		MOXEE	6/9/2017	Routine Inspection	0/5 replace wooden shelving in ice bin due to mold
MARISCOS ENCENADA # 7 B14599X	Mobile		MOXEE	6/9/2017	Routine Inspection	0/5 Replace wooden shelving in ice bin due to mold
MARISCOS ENCENADA # 8 B88592U	Mobile		MOXEE	6/9/2017	Routine Inspection	0/5 replace wooden shelving in ice bin due to mold
MARISCOS ENCENADA # 9 B88475U	Mobile		MOXEE	6/9/2017	Routine Inspection	0/5 Replace wooden shelving in ice bin
McCLURE ELEMENTARY SCHOOL	School	1222 S. 22ND AVE	YAKIMA	6/7/2017	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
MILLER'S DAIRY QUEEN	Restaurant	401 W. 1ST AVENUE	TOPPENISH	6/21/2017	Routine Inspection	0/0
MOD SUPERFAST PIZZA	Restaurant	2550 W. NOB HILL BLVD. STE. # 102 - YAKIMA	YAKIMA	6/15/2017	Routine Inspection	0/0
MOLCAJETES FAMILY MEXICAN RESTAURANT	Restaurant	201 DIVISION STREET	GRANDVIEW	6/29/2017	Routine Inspection	30/32 Improper cooling of beans in containers larger than 2 inches. Stem thermometer was not working (no battery). PIC to contact YHD within 24 hours when thermometer is repaired or purchased
MOXEE MARKET	Grocery Store	105 ILER	MOXEE	6/9/2017	Routine Inspection	0/0
NEW YORK TERIYAKI - SELAH	Restaurant	723 NORTH PARK CENTER	SELAH	6/9/2017	Routine Inspection	0/0
				6/9/2017	Routine Inspection	10/10 Self help lettuce and condiments above 41 degrees
NEWSROOM - WESTPARK	Restaurant	4001 SUMMITVIEW AVE STE.17	YAKIMA	6/27/2017	Routine Inspection	0/0
NOB HILL CONOCO	Mini-mart	1023 S 3RD AVE.	YAKIMA	6/21/2017	Routine Inspection	10/10 Milk at 44 degrees, No FWC for person in charge.
OLD TOWN STATION	Restaurant	2530 MAIN ST.	UNION GAP	6/30/2017	Routine Inspection	5/5 Missing FWCs

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
PACE ALTERNATIVE HIGH SCHOOL	School	310 S. WASCO AVE	WAPATO	6/6/2017	Routine Inspection	0/0
PITA PIT & EATON ICE CREAM	Deli	121 E YAKIMA AVE	YAKIMA	6/15/2017	Routine Inspection	0/2 Post YHD food license
RITE AID # 5298	Grocery Store	5606 SUMMITVIEW AVE.	YAKIMA	6/27/2017	Routine Inspection	0/0
ROBERTSON ELEMENTARY SCHOOL	School	2807 W. LINCOLN	YAKIMA	6/5/2017	Routine Inspection	0/0
ROOSEVELT ELEMENTARY	School	120 N. 16TH AVE	YAKIMA	6/7/2017	Routine Inspection	0/0
ROYAL BUFFET	Restaurant	4001 SUMMITVIEW AVE. SUITE # 22	YAKIMA	6/21/2017	Routine Inspection	10/10 No FWC, PHF at 45 degrees.
SILVER BEACH RESORT	Rest - Seasonal	40350 HWY 12	NACHES	6/14/2017	Routine Inspection	0/0 No concerns. Well has been inspected - all within safe range per owner.
SPORTS CENTER	Restaurant/Lounge	214 E YAKIMA AVE.	YAKIMA	6/21/2017	Routine Inspection	5/5 No FWC.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
ST. JOSEPH - MARQUETTE SCHOOL	School	202 N. 4TH ST.	YAKIMA	6/8/2017	Routine Inspection	0/0
ST. PAUL CATHEDRAL SCHOOL	School	1214 W. CHESTNUT	YAKIMA	6/7/2017	Routine Inspection	0/0
STATE FAIR CATERING	Catering	1301 FAIR AVE.	YAKIMA	6/24/2017	Routine Inspection	0/0
SU MERCADITO #2	Mult Food Service	108 MAIN ST S	GRANGER	6/28/2017	Routine Inspection	50/50 deli table at 118 - 124 degrees, staff voluntarily reheated and adjusted steam table. Carne Seca found at room temperature, voluntarily disposed. Owner requested to contact YHD to discuss operations and proper hot and cold holding of ready to eat foods.
SUNNYSIDE FOOD MART	Mini-mart	600 YAKIMA VALLEY HWY	SUNNYSIDE	6/29/2017	Routine Inspection	0/0
SUNNYSIDE QUALITY INN	Continental Brkfst	3209 PICARD PLACE	SUNNYSIDE	6/29/2017	Routine Inspection	0/0
SUNTIDES MARKET & GAS	Mini-mart	11 PENCE RD	YAKIMA	6/29/2017	Routine Inspection	0/5 Food contact surfaces should be cleaned and sanitized
TACO BELL #30515	Restaurant	230 S. 72ND AVE.	YAKIMA	6/27/2017	Routine Inspection	0/0
TACO KING KITCHEN	Juice Bar	415 YAKIMA VALLEY HWY.	SUNNYSIDE	6/29/2017	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
TACOS APATZINGAN	Restaurant	808 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	6/3/2017	Complaint Inspection	150/163 PIC not enforcing employees using bare hand contact, not hot water for handwashing, room temperature storage PHF, cross contamination of RTE, produce and drinks in one container over ice. YHD to work directly with owner to provide additional training and educational support for staff to correct processes.
				6/15/2017	Routine Inspection	0/0
TACOS EL GRULLO	Restaurant/Catering	102 N. ILER STREET	MOXEE	6/9/2017	Routine Inspection	80/106 Missing FWCs, soap missing from handwash sink, room temperature storage, improper cooling, dirty surfaces and equipment
				6/9/2017	Routine Inspection	80/106 FWC expired, significant concerns with cross contamination, facility is in dire need of deep cleaning. Due to concerns with safety concerns a joint inspection with the City of Moxee will occur on 6/6/17.
				6/16/2017	Follow-Up Inspection	Joint inspection with (2) EH specialists and City of Moxee of this facility. Due to continued concerns with cross contamination, odor of sewage and physical condition of the building - this building was closed due to fire and safety conditions by the City of Moxee
				6/21/2017	Routine Inspection	Routine inspection of the NEW commissary location for this business. The owner of the commissary agreed to allow this business to use this facility while the closed business location undergoes remodel. No concerns with this facility - business allowed to continue operations.
TACOS EL PELON II	Mobile		SUNNYSIDE	6/1/2017	Routine Inspection	70/70 No potable hose, Owner will correct within 24 hours. Raw meats stored over ready to eat food, CDI. Room temperature storage of cooked meats, CDI. Owner to complete FWC training NLT 1 June
TACOS LAS BRASAS	Mobile		WAPATO	6/8/2017	Compliance Inspection	30/45 Compliance inspection 55 minutes. Repeat violation of bare hand contact. Repeat violation of raw meats above RTE foods. Repeat violation of no sanitizing solution. Due to concerns with process of preparation, storage and serving of intestines, the EH Director agreed to removal of this item from the menu.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
TAQUERIA LOS PRIMOS # 3	Restaurant/Catering	1001 N. 16TH AVE.	YAKIMA	6/15/2017	Routine Inspection	95/103 No FHC for PIC or staff, lack of knowledge of safe food handling. Bare hand contact of RTE food. Improper cooling of PHF. Hot and Cold holding tables at unsafe temperatures - CDI. PIC voluntarily disposed of food. Room temperature storage of raw meats. No sanitizing solution. Owner to contact YHD to discuss violations and corrective measures.
THE FARMHOUSE CAFE	Restaurant	4081 HARRAH RD.	HARRAH	6/8/2017	Routine Inspection	20/33 Raw meat stored above RTE food, improperly cold holding PHF, improper chemical storage, surfaces of non-food contact are not smooth and easily cleanable, deli slicer has not been cleaned thoroughly, a few equipment have not been cleaned thoroughly
TIETON DRIVE BIBLE CHAPEL	Church Kitchen	4305 TIETON DR	YAKIMA	6/26/2017	Commissary Inspection	0/0 Commissary inspection
TITO'S # 2	Mobile		YAKIMA	6/22/2017	Routine Inspection	20/20 No FWC, water supply connected with a garden hose. Corrected during inspection.
TOM TOM BISTRO	Deli/Catering	3908 CREEKSIDE LOOP # 130	YAKIMA	6/27/2017	Routine Inspection	0/0
TROUT LODGE	Restaurant	27090 HWY. 12	NACHES	6/19/2017	Routine Inspection	0/0
TWISTED SISTERS CREATIONS (MOBILE)	Mobile		YAKIMA	6/24/2017	Routine Inspection	0/0
WALGREENS # 12275	Grocery Store	610 W. YAKIMA AVE	YAKIMA	6/21/2017	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
Wenas Creek Saloon	Tavern	115 E. NACHES AVE.	SELAH	6/21/2017	Pre-Opening Inspection	Approved to open as level 2 food establishment.
WEST VALLEY FRESHMAN CAMPUS	School	9206 ZIER RD	YAKIMA	6/5/2017	Routine Inspection	0/0
WEST VALLEY HIGH SCHOOL	School	9800 ZIER RD.	YAKIMA	6/13/2017	Routine Inspection	0/0
WHITNEY ELEMENTARY SCHOOL	School	4411 W. NOB HILL BLVD	YAKIMA	6/5/2017	Routine Inspection	0/0
WRAYS MARKETFRESH IGA	Mult Food Service	121 E. 3RD AVENUE	SELAH	6/9/2017	Routine Inspection	0/0
YAKIMA CHEVRON	Mini-mart	1001 N. 16TH AVE.	YAKIMA	6/15/2017	Complaint Inspection	115/203 YHD EH team was conducting an inspection of a restaurant attached to this facility. Due to Food Safety concerns, an inspection was conducted. See Routine inspection notes for 6/15/17
				6/15/2017	Routine Inspection	115/203 No FHC for staff. No handwashing and bare hand contact of RTE by staff, PHF was at unsafe temperatures, room temperature storage of food, no sanitizing solution and poor hygiene of employees resulted in the EH Inspector immediately halting food sales to the Public. The owner arrived at the facility and voluntarily discarded unsafe food and temporarily moved staff into the facility with current FHC. Owner was given 24 hours per the EH Director to correct immediate food safety concerns.
YAKIMA ONLINE	School	1120 S. 18TH ST. , PORTABLE B	YAKIMA	6/7/2017	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
YAKIMA STEAK COMPANY - WHISKY SALOON	Restaurant/Lounge	221 YAKIMA AV W	YAKIMA	6/29/2017	Routine Inspection	40/43 Expired/missing FWCs, improper separation of meat species, improper cooling, cold holding at approx 44 degrees in 1 fridge, improper thawing of ribs