

Monthly Food Inspection Report

SPECIAL NOTES:

IN THE NOTES PORTION OF THE REPORT THE FIRST NUMBER LISTED IS THE TOTAL POINTS FOR RED/HIGH RISK ITEMS FOUND . THE SECOND NUMBER IS THE TOTAL POINTS FOR HIGH RISK AND LOW RISK ITEMS.

HIGH RISK ITEMS ARE CORRECTED PRIOR TO THE COMPLETION OF THE INSPECTION. 35 OR MORE HIGH RISK POINTS OR 45 OR MORE TOTAL POINTS REQUIRES A FOLLOW-UP INSPECTION.

Abbreviations

- BHC:** Bare Hand Contact
- DOH:** Washington State Department of Health
- FDA:** Food and Drug Administration
- FWC:** Food Worker Card
- HACCP:** Hazard Analysis Critical Control Point
- PHF:** Potentially Hazardous Food
- PIC:** Person in Charge
- ROP:** Reduced Oxygen Packaging
- RTE:** Ready to Eat
- RTS:** Room Temperature Storage
- USDA:** United States Department of Agriculture
- WAC:** Washington Administrative Code
- WSDA:** Washington State Department of Agriculture

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
7-ELEVEN # 2362-17080B	Mini-mart	1512 SUMMITVIEW	YAKIMA	1/6/2010	Routine Inspection	15/20 Missing FWC, no hot water at facility
				1/8/2010	Follow-Up Inspection	10/10 Unlabeled chemical
7-ELEVEN #2307-27470C	Mini-mart	810 YAKIMA AV E	YAKIMA	1/29/2010	Routine Inspection	25/30 Missing FWCs, hands not washed as required, no metal stem thermometer available
ALBERTSON'S FOOD CENTER # 239	Grocery Store	401 S 40TH AVE.	YAKIMA	1/11/2010	Routine Inspection	0/5
AM/PM UNION GAP	Mini-mart	20 E. VALLEY MALL BLVD.	UNION GAP	1/29/2010	Routine Inspection	5/5 Missing FWCs
				1/29/2010	Complaint Inspection	No food preparation at time of inspection. Food worker said that she used gloves to prepare food this morning.
AMERICAN LEGION # 36	Restaurant	1120 N. 34TH AVE.	YAKIMA	1/26/2010	Routine Inspection	10/10 Missing FWC, need consumer advisory on menu

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
APPLEBEE'S NEIGHBORHOOD GRILL & BAR	Restaurant/Lounge	1505 E. WASHINGTON AVE.	UNION GAP	1/6/2010	Routine Inspection	15/28 Missing FWCs, improper chemical storage
ARBY'S RESTAURANT	Restaurant	1227 S 1ST ST.	YAKIMA	1/6/2010	Routine Inspection	15/18 Missing FWCs, improper chemical storage
BALLESTERI'S CAFE	Espresso/Catering	4001 SUMMITVIEW AVE. # 3	YAKIMA	1/25/2010	Follow-Up Inspection	0/3
BEST WESTERN GRAPEVINE INN	Continental Brkfst	1849 QUAIL LANE	SUNNYSIDE	1/15/2010	Routine Inspection	0/5
BOB'S DRIVE IN	Restaurant	108 E. HWY 12.(YAKIMA VALLEY HWY.)	SUNNYSIDE	1/15/2010	Routine Inspection	0/0
BODEGA YAKIMEX	Grocery Store	511 N 1ST ST.	YAKIMA	1/29/2010	Routine Inspection	40/45 - Expired food worker card, Chorizo at room temperature, improper temperature of cold holding unit, labels needed on individual packages of queso fresco.
BRUCHI'S	Restaurant	302 W. NOB HILL BLVD.	YAKIMA	1/7/2010	Routine Inspection	15/15 Various refrigerators cold holding below 41F. Thermometers need to be calibrated.
BRUCHI'S CHEESESTEAKS & SUBS	Restaurant	2529 MAIN ST. # 254	UNION GAP	1/21/2010	Routine Inspection	30/35 Missing FWC, no paper towels at hand wash sink, metal stem thermometer is not used to evaluate PHF temperatures, unlabeled chemical

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
BURGER KING # 9876	Restaurant	3201 PICARD PLACE	SUNNYSIDE	1/13/2010	Routine Inspection	5/5 - Several food worker cards have expired or are not available.
CAFE MELANGE	Restaurant/Catering	7 N. FRONT STREET	YAKIMA	1/20/2010	Routine Inspection	25/35 BHC of RTE food, missing FWCs, digital thermometers were not working
CAFE OLE	Espresso Stand/Deli	208 1ST AV W	TOPPENISH	1/27/2010	Pre-Opening Inspection	
				1/28/2010	Opening Inspection	Approved to open.
CASA MIA OF YAKIMA	Restaurant/Catering	3312 W. NOB HILL BLVD.	YAKIMA	1/8/2010	Catering Routine Inspection	0/0
CASH & CARRY SMART FOODSERVICE# 574	Grocery Store	1406 E. MEAD AVENUE	UNION GAP	1/29/2010	Routine Inspection	0/0
COZY ROSE INN	Bed & Breakfast	1220 FORSELL RD	GRANDVIEW	1/22/2010	Routine Inspection	0/0
CRAZY COW ICE CREAM	Ice Cream Parlor	2529 MAIN ST. # 183	UNION GAP	1/20/2010	Routine Inspection	10/15 Unlabeled chemical
CROSSMARK	Grocery Store	1600 E. CHESTNUT AVE.	YAKIMA	1/29/2010	Routine Inspection	0/0
DEEP SEA DELI	Grocery Store	20 N. 9TH AVE.	YAKIMA	1/20/2010	Routine Inspection	15/15 Missing FWCs, unlabeled chemical

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
DOLLAR TREE # 2387	Grocery Store	703 W. NOB HILL BLVD. - YAKIMA	YAKIMA	1/12/2010	Routine Inspection	0/0
EL PORTON RESTAURANT	Restaurant	2512 MAIN STREET	UNION GAP	1/7/2010	Routine Inspection	5/10 inaccurate thermometer and missing chlorine test strips
EL SIETE MARES	Restaurant/Lounge	811 N 1ST STREET	YAKIMA	1/21/2010	Routine Inspection	50/63 Missing FWCs, BHC of RTE food, improperly reheated beans before placing on hot holding unit, metal stem thermometer was not used to evaluate PHF temperature, unlabeled chemicals
ESPRESSO EXPRESS	Espresso Stand	3706 TIETON DR	YAKIMA	1/21/2010	Routine Inspection	15/25 Missing FWC, mislabeled chemical
FAIRFIELD INN & SUITES BY MARRIOTT	Continental Brkfst	137 FAIR AVENUE	YAKIMA	1/6/2010	Routine Inspection	35/56 Missing metal stem thermometer
FRATERNAL ORDER OF EAGLES #289	Restaurant/Lounge	307 W. CHESTNUT	YAKIMA	1/7/2010	Routine Inspection	15/28 No hot water at restrooms, metal stem thermometer for cold holding PHF temperatures is not available
				1/20/2010	Follow-Up Inspection	0/0
GEARJAMMER TRUCK STOP	Restaurant	2310 RUDKIN RD.	UNION GAP	1/5/2010	Routine Inspection	40/66 Improperly cooling PHF, unlabeled chemical
				1/8/2010	Follow-Up Inspection	10/15 Improperly stocked hand wash sink

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
GEORGE'S STEAKHOUSE	Restaurant/Catering	1101 S 3RD AVE.	YAKIMA	1/15/2010	Routine Inspection	45/45 Missing FWC, improperly cooling PHF, improperly cold holding PHF, unlabeled chemical
				1/26/2010	Follow-Up Inspection	5/5 Missing FWC
GLESENERS MARKET	Mini-mart	1326 FAIR AVE.	YAKIMA	1/29/2010	Routine Inspection	0/12
GRAND BUFFET	Restaurant	19 E. YAKIMA AVE.	YAKIMA	1/13/2010	Routine Inspection	15/18 Inaccurate metal stem thermometer, unlabeled chemical
GRANDVIEW CHURCH OF THE NAZARENE	Rest - Seasonal	500 N. ELM STREET	GRANDVIEW	1/13/2010	Routine Inspection	5/7 Missing FWCs
HOLIDAY INN YAKIMA DOWNTOWN CONVENTION CENTER	Restaurant/Lounge	802 YAKIMA AVE	YAKIMA	1/12/2010	Routine Inspection	15/28 Raw meat stored above RTE food, unlabeled chemical
JACK IN THE BOX # 8494	Restaurant	3907 TIETON DRIVE	YAKIMA	1/13/2010	Routine Inspection	5/10 Missing FWCs
JACK IN THE BOX #8300	Restaurant	2317 S 1ST STREET	YAKIMA	1/28/2010	Routine Inspection	5/10 Missing FWCs
JACK-SON'S SPORTS BAR	Restaurant/Catering	432 S 48TH AVE.	YAKIMA	1/7/2010	Routine Inspection	35/43 Missing FWCs, BHC of RTE food, improperly stocked hand wash sinks, improperly hot holding PHF
				1/28/2010	Follow-Up Inspection	0/5

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
JAMES GANG TAVERN	Tavern	2101 S 3RD AVE	YAKIMA	1/22/2010	Follow-Up Inspection	0/0
JITTER BEAN ESPRESSO BAR	Espresso Stand	917 S. 1ST STREET	YAKIMA	1/6/2010	Routine Inspection	10/13 Small refrigerator is cold holding at 46 F
JITTERS	Espresso Stand	5906 SUMMITVIEW AVE.	YAKIMA	1/5/2010	Routine Inspection	0/5 Need FWC's posted, 409 spray bottle stored above items.
JUWANNA JAVA	Espresso Stand/Deli	500 W MAIN ST. (Y.V.C.C.)	GRANDVIEW	1/21/2010	Routine Inspection	25/30 - hot held food at 88 - 103 degrees.
KEOKI'S ORIENTAL RESTAURANT	Restaurant	2107 W LINCOLN AVENUE	YAKIMA	1/6/2010	Follow-Up Inspection	15/40 BHC of RTE food
				1/28/2010	Compliance Inspection	25/27 - Food at room temperature.
KIANNA'S	Restaurant	1 TOPPENISH AV S	TOPPENISH	1/15/2010	Pre-Opening Inspection	Air gaps need to be installed at 3 comp sink and food prep sink, also some type of seperation will be needed to limit access into back kitchen area.
LOS HERNANDEZ	Restaurant	3706 MAIN ST	UNION GAP	1/21/2010	Routine Inspection	0/0
LUCKY START	Restaurant	208 S. TOPPENISH AVENUE	TOPPENISH	1/21/2010	Routine Inspection	0/5 refrigerator missing a temperature gauge

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
MEADOWBROOK CONVENIENCE CENTER	Snack Bar	7200 W. NOB HILL BLVD.	YAKIMA	1/22/2010	Routine Inspection	5/5 Missing FWC
MEI WING	Restaurant	2529 MAIN ST. # 258	UNION GAP	1/6/2010	Routine Inspection	35/56 Missing FWC, improperly cooling PHF
				1/21/2010	Follow-Up Inspection	0/0
MERCADO LATINO	Mini-mart	902 N 4TH ST.	YAKIMA	1/12/2010	Routine Inspection	30/30 Improper hot holding of PHF, inaccurate metal stem thermometer
MONGOLIAN GRILL	Restaurant	1628 E. WASHINGTON AVE.	YAKIMA	1/5/2010	Compliance Inspection	5/5 Missing FWCs
				1/12/2010	Compliance Inspection	0/0
NEW CHEN'S CHINA BUFFET	Restaurant	2616 W NOB HILL BLVD.	YAKIMA	1/14/2010	Routine Inspection	25/33 Improperly hot holding foods at buffet line
OASIS 100% NATURAL	Juice Bar	1704 MEAD AVE	UNION GAP	1/29/2010	Routine Inspection	30/35 Missing FWC, hands not washed as required, no paper towels or dispenser in restroom
ON THE GO ESPRESSO	Espresso Stand	101 BUTTERFIELD RD	YAKIMA	1/13/2010	Routine Inspection	20/25 Missing FWCs, using bucket to scoop ice out of ice machine
PABLITO'S PIZZA	Restaurant	501 W 1ST AVE.	TOPPENISH	1/26/2010	Routine Inspection	10/13 Missing FWCs, no metal stem thermometer available

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
PONY EXPRESSO	Espresso Stand	302 SEATTLE AVE.	MOXEE	1/19/2010	Pre-Opening Inspection	Several items need to be done before opening.
				1/28/2010	Opening Inspection	Approved to open. Septic tank must be abandoned by 1/1/11.
R. C.'S	Restaurant/Lounge	31 A RAY RD.	SUNNYSIDE	1/27/2010	Routine Inspection	15/20 Missing FWC, one hand wash sink is not operating in women's restroom
RETROSPECT, CHEZ CHEESE	Espresso Stand	5110 TIETON DR. SUITE # 231	YAKIMA	1/20/2010	Pre-Opening Inspection	Approved to open.
ROAD RUNNER DELI MART	Mini-mart	1419 S 3RD AVE.	YAKIMA	1/6/2010	Routine Inspection	0/0
ROUND TABLE PIZZA	Restaurant	1300 N. 40TH AVE. # 109	YAKIMA	1/8/2010	Routine Inspection	25/28 Missing FWCs, improperly stocked hand wash sink, unlabeled chemicals, improper chemical storage
RUBEN'S TORTILLERIA	Bakery	1518 S. 1ST STREET	YAKIMA	1/27/2010	Pre-Opening Inspection	They will be adding a meat market to the store. Everything ok to go.
SAFARI RESTAURANT	Restaurant/Lounge	616 EDISON AVE	SUNNYSIDE	1/27/2010	Routine Inspection	0/8 No food preparation at this time.
SAGE RESTAURANT & WINE BAR	Restaurant/Catering	4000 W. CREEKSIDE LOOP	YAKIMA	1/28/2010	Routine Inspection	15/20 FWCs not available, no soap at one kitchen hand wash sink

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SEA GALLEY	Restaurant/Catering	25 E VALLEY MALL BLVD.	UNION GAP	1/25/2010	Routine Inspection	50/50 Missing FWCs, hands not washed as required, BHC of RTE food, one hand wash sink had the hot water valve turned off, raw meat stored over RTE food
SHARI'S RESTAURANT - UNION GAP	Restaurant	16 E VALLEY MALL BLVD.	UNION GAP	1/14/2010	Routine Inspection	5/10 No metal stem thermometer at cook line
SILVER DOLLAR INN	Tavern	324 B ST.	MABTON	1/27/2010	Routine Inspection	50/50 PIC did not answer correctly, missing FWC, restrooms in front do not have mixing faucets, beans cooling improperly
SMITTY'S CONOCO-STORE #190	Mini-mart	301 N 1ST ST.	YAKIMA	1/25/2010	Routine Inspection	5/5 Missing FWC
SONIC DRIVE - IN	Restaurant	1327 S. 1ST ST.	YAKIMA	1/7/2010	Routine Inspection	0/0
SOUTHEAST COMMUNITY CENTER	Restaurant	1211 S. 7TH ST.	YAKIMA	1/5/2010	Follow-Up Inspection	40/45 BHC of RTE food, RTS of PHF
				1/13/2010	Compliance Inspection	0/0
SUB SHOP # 138	Restaurant	2204-E W. NOB HILL BLVD.	YAKIMA	1/4/2010	Routine Inspection	35/38 PIC answered incorrectly, missing FWCs, hands not washed as required, unlabeled chemical, improper storage of chemical
				1/19/2010	Follow-Up Inspection	5/5 Missing FWCs
SUBWAY #10324	Restaurant	1607 W. LINCOLN	YAKIMA	1/27/2010	Routine Inspection	10/10 Missing FWCs, using container without handle for scooping ice

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SUNNY SPOT	Restaurant	1850 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	1/15/2010	Routine Inspection	35/46 - Only 2 of 9 food worker cards were available, bare hand contact with ready-to-eat food, not washing hands after contaminating hands.
				1/28/2010	Follow-Up Inspection	5/5 One repeat item: Food Worker Cards have still not been updated. Compliance inspection will be waived if staff FWCs are faxed by 2/4/10.
SUNNYSIDE RODEWAY INN	Continental Brkfst	3209 PICARD PLACE	SUNNYSIDE	1/15/2010	Routine Inspection	25/30 Improperly hot holding foods at breakfast area
SUPER MONGOLIAN GRILL	Restaurant	1731 S. 1ST ST. # 350	YAKIMA	1/19/2010	Routine Inspection	45/57 Missing FWCs, improperly hot holding egg flour soup, no procedures available for time as control, unlabeled chemicals
				1/28/2010	Follow-Up Inspection	25/32 No documentation for time as control for cantaloupe, need written approval from fire department for gas stove vent
SUSIE'S SALOON	Tavern	1023 N 1ST ST.	YAKIMA	1/8/2010	Routine Inspection	45/58 PIC answered incorrectly, missing FWCs, hands not washed as required, unlabeled chemicals, improperly cold holding PHF, metal stem thermometers were inaccurate
T. M. MARKET	Mini-mart	417 N CEMETERY RD	SUNNYSIDE	1/13/2010	Routine Inspection	0/0
T. W. MARKET	Mini-mart	1143 TACOMA AVENUE	SUNNYSIDE	1/13/2010	Compliance Inspection	0/0
TACO BELL # 5511	Restaurant	2550 YAKIMA VLY HWY	SUNNYSIDE	1/22/2010	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
TACO BELL # 5733	Restaurant	4001 FRUITVALE BLVD	YAKIMA	1/29/2010	Routine Inspection	0/5
TAJ EXPRESS	Restaurant/Lounge	120 E. YAKIMA AVENUE	YAKIMA	1/8/2010	Routine Inspection	10/15 Missing paper towels at handsinks, empty detergent supply for kitchen dish washer.
TAJ PALACE	Restaurant/Catering	2710 W. NOB HILL BLVD.	YAKIMA	1/11/2010	Routine Inspection	55/76 PIC answered incorrectly, missing FWCs, ice scoop handle contacting ice, improperly cooling PHF
				1/27/2010	Follow-Up Inspection	30/30 Mixed vegetables and tandoori chicken cooling improperly
TAQUERIA LOS PRIMOS # 3	Restaurant	1001 N. 16TH AVE.	YAKIMA	1/20/2010	Compliance Inspection	During follow-up inspection I found them improperly cooling PHF's once again. A second compliance inspection will be needed.
TAQUERIA SAHUAYO #1 (LARGE TRUCK)	Mobile	BORTON'S AND EVANS	YAKIMA	1/28/2010	Routine Inspection	5/5 missing FWCs
TAQUERIA SAHUAYO #2 (SMALL TRUCK)	Mobile	BORTON'S 8:30-9:00 AM & EVANS 10:00-10:15 AM FRONTERAS DEL NORTE NOON-7:30 PM	YAKIMA	1/21/2010	Routine Inspection	40/40 No soap or paper towels at hand wash setup, all hot food inadequately hot held, no thermometer. Owner stated this was his last service of the day. Food service was immediately ceased for the day. A follow-up inspection is necessary.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
TEA GARDEN	Restaurant	110 S. 4TH STREET	YAKIMA	1/4/2010	Routine Inspection	40/46 Improper use of time as control, missing FWCs, unlabeled chemicals
				1/19/2010	Follow-Up Inspection	15/26 Missing FWCs, unlabeled chemical
THE CAKE DECORATOR SHOPPE	Bakery	5609 SUMMITVIEW AVE	YAKIMA	1/14/2010	Routine Inspection	No foods being prepared at time of inspection.
THE MAGIC KITCHEN	Restaurant	1103 S. 3RD AVENUE	YAKIMA	1/15/2010	Routine Inspection	15/15 Missing FWC, improperly cold holding sandwich meat in ice
THE MAJESTIC THEATRE	Snack Bar	1919 S. 14TH ST.	UNION GAP	1/25/2010	Routine Inspection	0/0
THE SPEAKEASY	Restaurant/Lounge	104 S. 3RD STREET - YAKIMA	YAKIMA	1/15/2010	Routine Inspection	35/45 BHC of RTE food, improperly stocked hand wash sinks, unlabeled chemicals
VALLEY BUFFET	Restaurant	507 1ST AVE.	ZILLAH	1/28/2010	Routine Inspection	40/40 Improperly cooling PHF (country gravy), PIC did not answer correctly, FWCs were not available
WAFFLE CAFFE	Restaurant	1510 N. 1ST STREET	YAKIMA	1/14/2010	Follow-Up Inspection	0/0
WAL-MART SUPERCENTER #2269	Grocery Store	1600 E. CHESTNUT AVE.	YAKIMA	1/29/2010	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
WENDY'S OLD FASHIONED HAMBURGERS	Restaurant	2208 S. 1ST STREET	YAKIMA	1/25/2010	Routine Inspection	5/5 Missing FWCs
WINE COUNTRY DELI	Mini-mart	940 E. WINE COUNTRY RD.	GRANDVIEW	1/21/2010	Routine Inspection	0/0
WINE COUNTRY ESPRESSO	Espresso Stand	1805 S. 1ST STREET	SUNNYSIDE	1/13/2010	Routine Inspection	20/28 Missing FWCs, ice scoop handle contacted ice
WOODSHED RESTAURANT & LOUNGE	Restaurant/Lounge	8590 HWY 410	NACHES	1/25/2010	Routine Inspection	5/10 - 2 workers need food worker cards.
XCAPE SALON & CAFE	Espresso Stand/Deli	508 HIWAY 12	SUNNYSIDE	1/3/2010	Opening Inspection	Need an approved air gap/break at the 3-comp. sink or a letter from the City of Sunnyside stating the current setup is approved as an airgap.
XOCHIMILICO MEXICAN RESTAURANT	Restaurant/Catering	2304 W. NOB HILL BLVD.	YAKIMA	1/25/2010	Routine Inspection	10/20 Repeat items - inadequate hand washing station, missing temp. gauge in refrigeration unit, sanitizer supply empty at dishwasher (follow-up required)
YAKIMA COOPERATIVE ASSOCIATION	Mini-mart	2202 S 1ST ST	YAKIMA	1/26/2010	Routine Inspection	65/70 PIC answered incorrectly, missing FWC, improperly hot holding PHF, improperly cooling PHF (country gravy)
YAKIMA VALLEY VINTNERS	Winery	114 GRANDRIDGE	GRANDVIEW	1/21/2010	Routine Inspection	0/0