

# Monthly Food Inspection Report

**SPECIAL NOTES:**

IN THE NOTES PORTION OF THE REPORT THE FIRST NUMBER LISTED IS THE TOTAL POINTS FOR RED/HIGH RISK ITEMS FOUND . THE SECOND NUMBER IS THE TOTAL POINTS FOR HIGH RISK AND LOW RISK ITEMS.

HIGH RISK ITEMS ARE CORRECTED PRIOR TO THE COMPLETION OF THE INSPECTION. 35 OR MORE HIGH RISK POINTS OR 45 OR MORE TOTAL POINTS REQUIRES A FOLLOW-UP INSPECTION.

**Abbreviations**

- BHC: Bare Hand Contact
- DOH: Washington State Department of Health
- FDA: Food and Drug Administration
- FWC: Food Worker Card
- HACCP: Hazard Analysis Critical Control Point
- PHF: Potentially Hazardous Food
- PIC: Person in Charge
- ROP: Reduced Oxygen Packaging
- RTE: Ready to Eat
- RTS: Room Temperature Storage
- USDA: United States Department of Agriculture
- WAC: Washington Administrative Code
- WACWA: Washington State Department of Agriculture

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
16TH STREET MARKET	Mini-mart	1121 16TH ST S	SUNNYSIDE	1/5/2011	Compliance Inspection	0/3
2 BUSY 2 COOK/CATERING CREATIONS BY TONI	Catering	6002 SUMMITVIEW	YAKIMA	1/7/2011	Routine Inspection	5/5 Missing FWC
				1/8/2011	Catering Routine Inspectio	0/7
ALBERTSON'S FOOD CENTER # 249	Grocery Store	1610 W. LINCOLN AVE.	YAKIMA	1/26/2011	Routine Inspection	45/56 Missing FWCs, improperly hot holding clam chowder, inaccurate metal stem thermometer, improper chemical storage
ALBERTSON'S FOOD CENTER # 239	Grocery Store	401 S 40TH AVE.	YAKIMA	1/12/2011	Routine Inspection	15/15 - BHC with RTE food in the bakery.
ALLEN'S MARKET	Mini-mart	160 S. WAPATO RD.	WAPATO	1/24/2011	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
ANTHONY & ANGELA'S CREATIVE CATERING	Catering	9 8TH AVS	YAKIMA	1/24/2011	Routine Inspection	0/0
AUNTIE ANNE'S SOFT ROLLED PRETZELS		2529 MAIN ST. # 183	UNION GAP	1/18/2011	Routine Inspection	5/5 Missing FWCs
AY CARAMBA	Restaurant	1300 N. 40TH AVE. # 107 - YAKIMA	YAKIMA	1/20/2011	Routine Inspection	0/0
BALLESTERI'S CAFE	Espresso/Catering	4001 SUMMITVIEW AVE. # 3	YAKIMA	1/5/2011	Routine Inspection	5/5 - Some FWC needed
BARREL HOUSE	Restaurant	22 N 1ST ST.	YAKIMA	1/13/2011	Routine Inspection	5/10 Thermometer needs to be calibrated.
BEEB'S NUTRITION AT CHESTERLY PARK	Grocery Store	3715 W RIVER ROAD	YAKIMA	1/21/2011	Routine Inspection	0/0
BEST WESTERN GRAPEVINE INN	Continental Brkfst	1849 QUAIL LANE	SUNNYSIDE	1/27/2011	Routine Inspection	0/0
BLUE SKY MARKET	Grocery Store	116 CHEHALIS AVENUE	TOPPENISH	1/5/2011	Routine Inspection	5/10 Improper hot holding of PFH's at 130-134F, no sanitizer made up.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
BOB'S DRIVE IN	Restaurant	108 E. HWY 12.(YAKIMA VALLEY HWY.)	SUNNYSIDE	1/27/2011	Routine Inspection	0/8
BOOMER'S BAR & GRILLE	Restaurant/Cateri ng	1719 S 1ST ST	YAKIMA	1/4/2011	Routine Inspection	5/10 - FWC needed.
BURGER KING # 9876	Restaurant	3201 PICARD PLACE	SUNNYSIDE	1/27/2011	Routine Inspection	15/15 - Ice scoop laying in ice machine with handle touching ice.
CACTUS JUICE CAFE	Deli	632 DECATUR	SUNNYSIDE	1/11/2011	Routine Inspection	0/3
CASCADE CATERING	Catering	13321 U.S. HWY. 12	NACHES	1/18/2011	Routine Inspection	0/0
CASH & CARRY SMART FOODSERVICE# 574	Grocery Store	1406 E. MEAD AVENUE	UNION GAP	1/25/2011	Routine Inspection	0/0
COCO'S AHTANUM	Mini-mart	1502 LOWER AHTANUM RD	UNION GAP	1/31/2011	Routine Inspection	5/10 No metal stem thermometer available
COFFEE AT CREEKSIDE	Espresso Stand	3908 CREEKSIDE LOOP # 130	YAKIMA	1/4/2011	Routine Inspection	0/0
COFFEE CORRAL	Espresso Stand	802 W. 1ST AVE.	TOPPENISH	1/5/2011	Routine Inspection	0/0 No problems. 48hr closure delivered.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
CREEKSIDE WEST	Restaurant/Catering	4000 W. CREEKSIDE LOOP	YAKIMA	1/25/2011	Pre-Opening Inspection	Approved to open.
CROSSMARK	Grocery Store	1600 E. CHESTNUT AVE.	YAKIMA	1/13/2011	Routine Inspection	0/0
CROSSROADS MARKET	Snack Bar	4641 N. TRACK RD.	WAPATO	1/24/2011	Routine Inspection	0/0
CRUISIN COFFEE SOUTH FIRST	Espresso Stand	111 E. WASHINGTON AVE.	YAKIMA	1/14/2011	Follow-Up Inspection	0/0
DAIRY QUEEN BRAZIER	Restaurant	403 W MAIN	GRANDVIEW	1/21/2011	Routine Inspection	5/13 - Thermocouple needs new batteries and moldy hamburger bun drawer.
DELI - LICIOUS	Deli	1510 SUMMITVIEW AV	YAKIMA	1/4/2011	Routine Inspection	10/10 missing FWCs, missing thermometer, Hand washing sink hot water issues
EAST VALLEY MARKET	Mini-mart	7208 POSTMA RD.	YAKIMA	1/31/2011	Routine Inspection	5/5 improper hot holding of PHF
EL PARRILLON LOCO	Restaurant	511 N. 1ST STREET # 12	YAKIMA	1/7/2011	Routine Inspection	15/20 Expired FWC's, cold holding PHF's at 47F, walk in cooler is not working at the moment. They have two weeks to fix it as they do not have sufficient refrigeration for their needs. Follow up required.
				1/31/2011	Follow-Up Inspection	10/10 The walk in unit is still not fixed. They are using the walk in cooler in YakiMex. PIC states it is scheduled to be fixed this weekend.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
EL PASTOR RESTAURANT	Restaurant	315 W. WALNUT	YAKIMA	1/3/2011	Routine Inspection	20/30 Missing FWC, hands not washed as required
EL PORTON RESTAURANT	Restaurant	2512 MAIN STREET	UNION GAP	1/21/2011	Routine Inspection	5/10 missing/expired FWCs, potential food contamination
EL RANCHERO	Restaurant	1103 ROCK AVE. - YAKIMA	YAKIMA	1/7/2011	Pre-Opening Inspection	Ok to open once application is turned in and all fees are paid.
EL VALLE FAMILY MEXICAN RESTAURANT	Restaurant	410 YAKIMA VLY HWY	SUNNYSIDE	1/19/2011	Follow-Up Inspection	No repeat issues. See special note on report in imaging.
ELI & KATHY'S FAMILY RESTAURANT	Restaurant	813 WINE COUNTRY ROAD	GRANDVIEW	1/28/2011	Routine Inspection	0/3
ESPERANZA'S MEXICAN FOOD	Mobile	Highland area warehouses	NACHES	1/4/2011	Surveillance Inspection	This mobile unit has in the past operated at Allan Bros. fruit. Unable to locate at this location.
FIFTH AVE DELI	Deli	415 W. WALNUT	YAKIMA	1/19/2011	Routine Inspection	10/10 Improperly cold holding PHF
GARCIA'S DRIVE - THRU	Restaurant/Catering	1027 W WINE COUNTRY RD.	GRANDVIEW	1/21/2011	Routine Inspection	0/0
GIBBONS SODA FOUNTAIN	Snack Bar	113 TOPPENISH AVE.	TOPPENISH	1/7/2011	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
GOLD CREEK STATION	Restaurant	18431 STATE RT 410	NACHES	1/14/2011	Routine Inspection	0/0
GOLDEN WHEEL RESTAURANT	Restaurant	11 S. 1ST STREET	YAKIMA	1/7/2011	Routine Inspection	15/25 - Improper reheating and kitchen is very dirty.
GRANDVIEW CHURCH OF THE NAZARENE	Rest - Seasonal	500 N. ELIM STREET	GRANDVIEW	1/26/2011	Routine Inspection	25/46 Missing FWC, BHC with RTE food, inaccurate metal stem thermometer
HOKUS POKUS BEER & DELI	Mini-mart	2401-B W. NOB HILL BLVD.	YAKIMA	1/20/2011	Opening Inspection	Approved as a level 1 food service establishment. Owner's have plans to upgrade to level 2. Before doing so, a kitchen floor plan and menu must be submitted and approved.
HY'S SERVICE	Mini-mart	1219 W. LINCOLN	YAKIMA	1/31/2011	Routine Inspection	5/5 Expired food handler cards. No other problems noted.
IN & OUT MINI MART	Mini-mart	1513 TIETON DR	YAKIMA	1/4/2011	Routine Inspection	20/20 Missing FWC, improperly stocked hand wash sink, blocked faucet handles for hand wash sink, inaccurate metal stem thermometer
JACK IN THE BOX # 8494	Restaurant	3907 TIETON DRIVE	YAKIMA	1/19/2011	Follow-Up Inspection	5/5 Missing FWC
JITTER BEAN ESPRESSO BAR	Espresso Stand	917 S. 1ST STREET	YAKIMA	1/18/2011	Routine Inspection	0/0
				1/4/2011	Follow-Up Inspection	0/3

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
J'S ASIAN FLAMING GRILL III	Restaurant	606 S 36TH AVE	YAKIMA	1/25/2011	Routine Inspection	55/66 Missing FWC, blocked hand wash sink, improperly stocked hand wash sink, improperly hot held chicken, inaccurate metal stem thermometer, unlabeled chemical
KENTUCKY FRIED CHICKEN/A&W	Restaurant	1928 YAKIMA VALLEY HWY.	SUNNYSIDE	1/28/2011	Routine Inspection	0/0
LA CASITA	Mobile	Borton's at 8:20AM then Gilbert warehouse in Wiley City	UNION GAP	1/21/2011	Routine Inspection	10/10 No running water (frozen lines) on mobile unit. All food is pre-packaged so no food handling is required in the field. Sanitizer is available. Allowed to operate in this manner when temperatures are below freezing.
LA SUPER BARATA	Meat Market	602 S. 3RD STREET	YAKIMA	1/31/2011	Follow-Up Inspection	Went to do a follow up inspection and there is a new owner. States they took over in November
LITTLE DUTCH INN	Tavern	214 N 6TH AVE.	YAKIMA	1/24/2011	Routine Inspection	0/0
LUCKY FOOD MART	Mini-mart	226 W. WINE COUNTRY RD.	GRANDVIEW	1/26/2011	Routine Inspection	10/23 Improperly stocked hand wash sink
LUCKY START	Restaurant	208 S. TOPPENISH AVENUE	TOPPENISH	1/7/2011	Routine Inspection	0/0
MAJOR'S	Restaurant	1902 S. 3RD AVENUE	UNION GAP	1/27/2011	Routine Inspection	20/31 Missing FWCc, hands not washed as required

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
MC DONALD'S	Restaurant	5910 SUMMITVIEW AVE	YAKIMA	1/24/2011	Routine Inspection	0/0
MC DONALD'S RESTAURANT	Restaurant	2326 S. 1ST STREET - UNION GAP	UNION GAP	1/31/2011	Routine Inspection	0/0
MEADOWBROOK CONVENIENCE CENTER	Snack Bar	7200 W. NOB HILL BLVD.	YAKIMA	1/24/2011	Routine Inspection	5/16 Missing FWCs
MERCADO LATINO	Mini-mart	902 N 4TH ST.	YAKIMA	1/27/2011	Routine Inspection	10/10 Restroom handwash is missing paper towels.
MERCEDES & FAMILY	Restaurant	5607 TIETON DR. SUITE # 106	YAKIMA	1/28/2011	Routine Inspection	30/30 Missing/expired FWCs, inadequate hand washing facilities, Shellfish ID tags maintained (waived), improper hot holding of PHF, inaccurate thermometers. PIC admitted that they had a cockroach problem, but were dealing with it through an exterminator. Other measures have been taken to fix this problem as well.
MI PUEBLITO	Restaurant	13 E TOPPENISH AVE	TOPPENISH	1/4/2011	Routine Inspection	15/25 Missing FWC, improperly stocked hand wash sink
MINDA LANES CAFE	Restaurant	701 S. 2ND STREET	YAKIMA	1/21/2011	Pre-Opening Inspection	Not ready
MOJO'S ESPRESSO	Espresso Stand	1003 W YAKIMA AVE	YAKIMA	1/27/2011	Pre-Opening Inspection	Ok to open once application and fees have been turned in/payed.
				1/18/2011	Routine Inspection	0/0
				1/11/2011	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
MONGOLIAN GRILL	Restaurant	1628 E. WASHINGTON AVE.	UNION GAP	1/18/2011	Routine Inspection	30/46 Missing FWC, improperly stocked hand wash sink, improperly cold holding pudding, metal stem thermometer location was not known by food workers.
NEW CHEN'S CHINA BUFFET	Restaurant	2616 W NOB HILL BLVD.	YAKIMA	1/27/2011	Follow-Up Inspection	0/11
NEW YORK TERIYAKI	Restaurant	3710 FRUITVALE BLVD.	YAKIMA	1/12/2011	Routine Inspection	15/15 - BHC with ready-to-eat food.
ON THE GO ESPRESSO	Espresso Stand	101 BUTTERFIELD RD	YAKIMA	1/19/2011	Routine Inspection	5/16 Missing FWC
ORCHARD PARK	Retirement Housing	620 N. 34TH AVENUE	YAKIMA	1/19/2011	Routine Inspection	0/0
OUTBACK ESPRESSO	Espresso/Catering	8803 AHTANUM RD.	YAKIMA	1/10/2011	Routine Inspection	5/5 - Several FWC needed.
PANADERIA EL SOLESITO	Bakery	303 W PINE ST.	YAKIMA	1/6/2011	Other Inspection	The neighboring restaurant has closed thus making their restroom unavailable to the espresso workers. An acceptable restroom is available at the neighboring property to the east about 400' away. The espresso is allowed to use this restroom temporarily (two months) until a permanent restroom is provided within 200'. See inspection report for the stipulations of this allowance.
PANDA EXPRESS RESTAURANT	Restaurant	1915 1ST ST S	YAKIMA	1/18/2011	Routine Inspection	10/10 Inadequate hand wash facilities
				1/20/2011	Routine Inspection	10/10 Missing/expired FWCs, improper hot holding of PHF

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
PAPA MURPHY'S PIZZA	Restaurant	4900 TIETON DRIVE	YAKIMA	1/25/2011	Routine Inspection	0/0
PLANET JOE'S ESPRESSO	Espresso Stand	900 W WINE COUNTRY RD. SUITE "A" - GRANDV	GRANDVIEW	1/31/2011	Routine Inspection	0/0
QUICK - PICK	Mini-mart	401 SELM	TOPPENISH	1/21/2011	Routine Inspection	30/41 Improperly hot held hot dogs, inaccurate metal stem thermometer
RED LION HOTEL YAKIMA CENTER	Restaurant/Lounge	607 E YAKIMA AVE.	YAKIMA	1/7/2011	Routine Inspection	0/0
RESTAURANT EL "DORADO"	Restaurant	225 DIVISION ST	GRANDVIEW	1/20/2011	Routine Inspection	5/5 missing/expired FWCs
ROADRUNNER	Mini-mart	705 W. 1ST STREET	WAPATO	1/13/2011	Routine Inspection	10/10 Missing paper towels at hand washing sink
SEA GALLEY	Restaurant/Catering	25 E VALLEY MALL BLVD.	UNION GAP	1/24/2011	Routine Inspection	5/5 inaccurate thermometers
SEATTLE'S BEST COFFEE	Restaurant	1700 E WASHINGTON AVE.	UNION GAP	1/27/2011	Routine Inspection	50/63 Hands not washed as required, RTS of chicken, unlabeled chemical
				1/31/2011	Routine Inspection	20/33 Missing FWCs, improperly stocked hand wash sink, inaccurate metal stem thermometer

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SEOUL TERI - HOUSE	Restaurant	8 N 7TH AVE.	YAKIMA	1/25/2011	Follow-Up Inspection	0/13
SHARI'S RESTAURANT - UNION GAP	Restaurant	16 E VALLEY MALL BLVD.	UNION GAP	1/24/2011	Routine Inspection	20/35 Missing FWC, hands not washed as required
SHIRLEY'S CAKES	Bakery	10 ECHO CT	YAKIMA	1/4/2011	Routine Inspection	0/0
SMITTY'S CONOCO # 300	Mini-mart	1829 S 15T STREET	SUNNYSIDE	1/12/2011	Routine Inspection	5/10 - MST needed.
SMITTY'S MARKET & DELICATESSAN	Mini-mart	3508 FRUITVALE BLVD.	YAKIMA	1/12/2011	Routine Inspection	20/28 Missing FWCs, improperly cold holding PHF, no metal stem thermometer available
SNIPES MOUNTAIN BREWING, INC.	Restaurant	905 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	1/26/2011	Follow-Up Inspection	0/0
SONIC DRIVE - IN	Restaurant	1327 S. 1ST ST.	YAKIMA	1/25/2011	Complaint Inspection	25/25 Chicken stored at room temperature, no utensils observed to be dropped, PIC said the utensil should have been washed
SOUTHEAST COMMUNITY CENTER	Restaurant	1211 S. 7TH ST.	YAKIMA	1/4/2011	Routine Inspection	20/20 - Several workers need FWC and not washing hands after contaminating gloves.
				1/24/2011	Routine Inspection	10/13 Improperly stocked hand wash sink, blocked hand wash sink

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
STARBUCKS COFFEE COMPANY	Espresso Stand	5621 SUMMITVIEW AVE.	YAKIMA	1/31/2011	Routine Inspection	5/10 Missing FWCs
STEMS	Winery	411 E. YAKIMA AVE.	YAKIMA	1/19/2011	Routine Inspection	0/0 They moved down a block but never called to let us know. Sent him invoice for billing of new license and new location.
SU MERCADITO # 3	Grocery Store	110 ASH - GRANDVIEW	GRANDVIEW	1/13/2011	Routine Inspection	65/75 Missing FWCs, inadequate hand washing facilities, improper hot holding of PHF, room temperature storage of PHF, missing temperature gauges, potential food contamination. Follow-up required.
SU MERCADO	Grocery Store	123 DIVISION ST.	GRANDVIEW	1/27/2011	Routine Inspection	10/15 Repeated items: Employee restroom hand washing sink is still without running water. Temperature gauges are needed in all refrigerators containing PHF. Compliance inspection required.
SUBWAY # 33723	Restaurant	425 S. ELM	TOPPENISH	1/20/2011	Routine Inspection	70/91 No FWC for any employees, no handwashing before donning gloves, room temperature storage of PHF's, improper cold holding, thawing meats with dirty dishes, no sanitizer, facility filthy. Follow-up needed.
SUBWAY # 39961	Restaurant	2675 E. LINCOLN AVE.	SUNNYSIDE	1/27/2011	Follow-Up Inspection	10/25 FWC's still missing, no sanitizer, potential cross contamination in meat case.
SUBWAY # 4468	Restaurant	2810 E. LINCOLN AVE.	SUNNYSIDE	1/3/2011	Routine Inspection	5/5 missing/expired FWCs
				1/28/2011	Routine Inspection	0/0
				1/28/2011	Routine Inspection	5/5 - Some FWC needed.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SUNNYSIDE INN BED & BREAKFAST	Bed & Breakfast	804 E EDISON AVE.	SUNNYSIDE	1/11/2011	Routine Inspection	0/5
SUNNYSIDE RODEWAY INN	Continental Brkfst	3209 PICARD PLACE	SUNNYSIDE	1/28/2011	Routine Inspection	0/6
SUPER "D" BINGO SNACK BAR	Snack Bar	1414 S. 3RD. AVE.	YAKIMA	1/7/2011	Routine Inspection	10/10 Gallon of milk sitting on ice at 49F.
T. M. MARKET	Mini-mart	417 N CEMETERY RD	SUNNYSIDE	1/28/2011	Routine Inspection	0/5
TACO BELL # 5511	Restaurant	2550 YAKIMA VLY HWY	SUNNYSIDE	1/28/2011	Routine Inspection	0/0
TACO TIME	Restaurant	701 W YAKIMA AVE.	YAKIMA	1/14/2011	Routine Inspection	0/3 improper storage of in-use utensils
TAQUERIA LOS PICHA'S	Restaurant	601 A LINCOLN	YAKIMA	1/11/2011	Routine Inspection	Facility closed due to frozen water pipes (no running water)
TAQUERIA LOS PRIMOS # 3	Restaurant/Cateri ng	1001 N. 16TH AVE.	YAKIMA	1/21/2011	Routine Inspection	0/0
THAI ORCHID	Restaurant/Cateri ng	14 N 2ND ST.	YAKIMA	1/6/2011	Routine Inspection	45/45 Missing FW/Cs, improperly stocked kitchen hand wash sink, improperly cooling PHF
				1/19/2011	Routine Inspection	45/50 expired FW/C's, improper cooling of PHF's, improper cold holding of PHF"s. Follow up needed.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
THE CHERRY PATCH	Restaurant	101 W. 1ST AVE.	ZILLAHA	1/5/2011	Routine Inspection	70/91 Missing FWC, hands not washed as required, improperly stocked hand wash sink, blocked hand wash sink, RTS of PHF, no metal stem thermometer available, improperly labeled chemical
THE DAILY BUZZ	Espresso/Catering	610 S 6TH ST.	SUNNYSIDE	1/28/2011	Follow-Up Inspection	0/0
THE RESTAURANT AT SQUAW ROCK	Restaurant	15070 SR410	NACHES	1/28/2011	Routine Inspection	0/8
UNION GAP FOOD MART	Mini-mart	3312 MAIN ST	UNION GAP	1/14/2011	Routine Inspection	0/0
UNION GOSPEL MISSION	Restaurant	1300 N. 1ST STREET	YAKIMA	1/31/2011	Routine Inspection	35/53 Improperly hot holding corn dogs, missing FWC, inaccurate metal stem thermometer
VIBRANT HEALTH	Grocery Store	1314 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	1/20/2011	Routine Inspection	45/56 FWCs were not available, hands not washed as required, improperly stocked hand wash sinks, vegetables not properly washed, inaccurate metal stem thermometers
WALMART #2269	Grocery Store	1600 E. CHESTNUT AVE.	YAKIMA	1/10/2011	Routine Inspection	0/0
WAL-MART SUPERCENTER #2241	Grocery Store	2675 LINCOLN AVE.	SUNNYSIDE	1/13/2011	Routine Inspection	0/0
				1/21/2011	Routine Inspection	5/13 Improperly hot held wing dings

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
WAL-MART SUPERCENTER, STORE # 5078-01 (NOB HILL BLVD.)	Grocery Store	6600 W. NOB HILL BLVD.	YAKIMA	1/7/2011	Routine Inspection	10/20 Improperly stocked hand wash sinks
WASHINGTON FRUIT PLACE	Fruit Stand	1209 PECKS CANYON RD.	YAKIMA	1/4/2011	Other Inspection	Attempted inspection of the establishment. Owner was present, but facility was not selling food/beverage products. Owner stated that business would resume in April.
WATERFIRE CATERING	Catering	6002 SUMMITVIEW AVE.	YAKIMA	1/25/2011	Pre-Opening Inspection	Approved to open.
WEST VALLEY BAR & GRILL	Tavern	1212 S. 80TH AVE.	YAKIMA	1/26/2011	Routine Inspection	15/20 Missing/expired FWCs, improper cold holding of PHF, no sanitizer available. Regarding recent complaint: management is aware that animals are not allowed in food establishments. They do have a regular customer who depends on a service animal. Service animals are allowed.
WHISTLIN' JACK LODGE	Restaurant/Lounge	20800 HWY 410	NACHES	1/6/2011	Routine Inspection	10/10 - Improper cold holding temperatures.
WINE COUNTRY DELI	Mini-mart	940 E. WINE COUNTRY RD. SUITE "C"	GRANDVIEW	1/20/2011	Routine Inspection	25/30 - Improper hot holding temperatures.
WOODSHED RESTAURANT & LOUNGE	Restaurant/Lounge	8590 HWY 410	NACHES	1/6/2011	Routine Inspection	35/35 - Some FWC needed, BHC with RTE food, and not washing hands after contaminating them.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
XPRESS MART	Mini-mart	51 FIRING CENTER RD.	YAKIMA	1/19/2011	Pre-Opening Inspection	Some things need to be done then approved to open.
YAKIMA CHEVRON	Mini-mart	1001 N. 16TH AVE.	YAKIMA	1/19/2011	Pre-Opening Inspection	Approved to open once items are taken care of.
				1/6/2011	Routine Inspection	40/43 Missing FWCs, improperly stocked hand wash sink, improperly hot holding PHF
				1/14/2011	Follow-Up Inspection	40/40 Missing FWC, improperly stocked hand wash sink, improperly hot holding PHF
ZINGIS MONGOLIAN B.B.Q.	Restaurant	2810 E. LINCOLN AVE	SUNNYSIDE	1/10/2011	Routine Inspection	25/46 Improperly stocked hand wash sink, no metal stem thermometer available, unlabeled chemicals
				1/26/2011	Follow-Up Inspection	5/10 Inaccurate metal stem thermometer