

# Monthly Food Inspection Report

**SPECIAL NOTES:**

IN THE NOTES PORTION OF THE REPORT THE FIRST NUMBER LISTED IS THE TOTAL POINTS FOR RED/HIGH RISK ITEMS FOUND . THE SECOND NUMBER IS THE TOTAL POINTS FOR HIGH RISK AND LOW RISK ITEMS.

HIGH RISK ITEMS ARE CORRECTED PRIOR TO THE COMPLETION OF THE INSPECTION. 35 OR MORE HIGH RISK POINTS OR 45 OR MORE TOTAL POINTS REQUIRES A FOLLOW-UP INSPECTION.

**Abbreviations**

- BHC:** Bare Hand Contact
- DOH:** Washington State Department of Health
- FDA:** Food and Drug Administration
- FWC:** Food Worker Card
- HACCP:** Hazard Analysis Critical Control Point
- PHF:** Potentially Hazardous Food
- PIC:** Person in Charge
- ROP:** Reduced Oxygen Packaging
- RTE:** Ready to Eat
- RTS:** Room Temperature Storage
- USDA:** United States Department of Agriculture
- WAC:** Washington Administrative Code
- WSDA:** Washington State Department of Agriculture

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
16TH AVE. 76 STATION	Mini-mart	620 N. 16TH AVE.	YAKIMA	4/28/2014	Routine Inspection	30/35 Missing FWC's, no sanitizer, room temperature storage of PHF's.
AGUILILLA BAKERY	Bakery	3206 MAIN ST.	UNION GAP	4/16/2014	Routine Inspection	0/0
AHTANUM VALLEY ELEMENTARY SCHOOL	School	3006 S WILEY	YAKIMA	4/30/2014	Routine Inspection	0/0
AMERICAN LEGION # 36	Restaurant	1120 N. 34TH AVE.	YAKIMA	4/9/2014	Routine Inspection	0/0
ARTZ-FOX ELEMENTARY SCHOOL	School	805 WASHINGTON ST	MABTON	4/11/2014	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
BASKIN-ROBBINS	Ice Cream Parlor	816 SUMMITVIEW AVE.	YAKIMA	4/18/2014	Pre-Opening Inspection	
CASA VITTORE	Deli	212 YAKIMA AVE	YAKIMA	4/29/2014	Routine Inspection	15/15 Inadequate HW, need thermometer.
CASTRO'S CAFE	Espresso Stand/Deli	503 W. 1ST.	WAPATO	4/10/2014	Pre-Opening Inspection	Ok to open.
COCINA JALICIENSE	Commissary	709 E. NOB HILL BLVD.	YAKIMA	4/28/2014	Routine Inspection	No problems.
D-LISH MINI DONUTS	Mobile		YAKIMA	4/5/2014	Routine Inspection	0/5 missing sanitizer
EL JALICIENSE	Mobile	608 E. Nob Hill Blvd. Yakima	YAKIMA	4/28/2014	Routine Inspection	35/35 BHC with RTE foods, improper cold holding of PHF's. Follow up required.
EL MIRADOR II RESTAURANT	Restaurant/Loung e	1601 E. YAKIMA AVE.	YAKIMA	4/22/2014	Routine Inspection	5/5 - Several missing or expired FWC.
EL PORVENIR	Bakery	209 S. TOPPENISH AVE.	TOPPENISH	4/10/2014	Routine Inspection	0/0
FLYIN PIG B.B.Q	Restaurant	2810 W WASHINGTON AVE.	YAKIMA	4/28/2014	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
GUERRA'S DELI & CAFE	Deli/Catering	2010 YAKIMA VALLEY HWY. SP# 20	SUNNYSIDE	4/26/2014	Catering Routine Inspection	45/45 Missing FWCs, hands not washed as required, improperly stocked hand wash sink, improperly cold holding food with ice
HARRAH ELEMENTARY SCHOOL	School	3851 HARRAH RD	HARRAH	4/18/2014	Routine Inspection	0/0
HIGHLAND HIGH SCHOOL	School	17000 SUMMITVIEW	COWICHE	4/14/2014	Routine Inspection	0/0
HY'S SERVICE	Mini-mart	1219 W. LINCOLN	YAKIMA	4/9/2014	Routine Inspection	5/5 - Metal stem thermometer not working.
IGLESIA DEL VALLE ASSEMBLIES OF GOD		320 TOPPENISH AV E	TOPPENISH	4/30/2014	Routine Inspection	20/25 Hands not washed as required, inaccurate metal stem thermometer
JOHN CAMPBELL ELEMENTARY SCHOOL	School	408 N. 1ST ST	SELAH	4/11/2014	Routine Inspection	0/0
KANA WINERY	Winery	6 S 2ND ST.	YAKIMA	4/29/2014	Routine Inspection	0/5 DW temperature guage is not working.
KINGS ROW	Restaurant	210 S. 1ST STREET	SELAH	4/16/2014	Routine Inspection	10/10 - No FWC or metal stem thermometer available.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
L. STOP -N- GO	Restaurant	330 SOUTH STREET	MABTON	4/11/2014	Pre-Opening Inspection	Need kitchen hand wash sink and food preparation sink installed within 30 days. Need accurate metal stem thermometer. Three compartment sink needs an air break.
LA BARATA	Meat Market	317 B ST	MABTON	4/15/2014	Complaint Inspection	0/5 Missing labels for tamales
LA LUMBRE	Restaurant	13 E TOPPENISH AVE	TOPPENISH	4/16/2014	Routine Inspection	20/25 Raw meat on top of RTE foods, improper cold holding of PHF's, inadequate thermometer.
LA MAZORCA		118 WAPATO AV S	WAPATO	4/3/2014	Pre-Opening Inspection	They opened without an inspection. They have items to correct.
				4/17/2014	Opening Inspection	They have correct all problems.
LA PETUNIA # 2	Meat Market	1402 S FAIR AVE.	YAKIMA	4/30/2014	Follow-Up Inspection	25/28- Chorizo at room temperature and improper thawing.
LAS PALOMAS	Restaurant	15 ELM ST S	TOPPENISH	4/10/2014	Routine Inspection	30/30 - Improper storage of raw meat and improper cooling.
LINCOLN ELEMENTARY SCHOOL	School	309 N. ALDER ST.	TOPPENISH	4/14/2014	Routine Inspection	0/0
LITTLE CAESARS # 202	Restaurant	2301 W. NOB HILL BLVD.	YAKIMA	4/1/2014	Routine Inspection	5/5 missing FWCs
MABTON HIGH & JUNIOR HIGH SCHOOL	School	500 E B STREET, MABTON	MABTON	4/11/2014	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
MARCUS WHITMAN COWICHE ELEMENTARY SCHOOL	School	1181 THOMPSON RD	COWICHE	4/14/2014	Routine Inspection	0/0
MOJO'S ESPRESSO	Espresso Stand	1003 W YAKIMA AVE	YAKIMA	4/7/2014	Routine Inspection	10/13 Improperly cold holding PHF
MOUNTAINVIEW ELEMENTARY SCHOOL	School	830 STONE RD	YAKIMA	4/30/2014	Routine Inspection	0/0
MR. MO'S ESPRESSO	Espresso Stand	921 N. 16TH AVE. - YAKIMA	YAKIMA	4/8/2014	Routine Inspection	15/25 Missing FWCs, improperly stocked hand wash sinks
NEW HONG KONG RESTAURANT	Restaurant	918 W. HIGHWAY 12	GRANDVIEW	4/11/2014	Follow-Up Inspection	0/0
NORTH TOWN COFFEEHOUSE SELAH	Espresso Stand	406 S 1ST ST	SELAH	4/8/2014	Routine Inspection	5/15 Missing FWCs
ONE STOP MINI MART & SMOKE SHOP	Mini-mart	921 SUMMITVIEW AVE	YAKIMA	4/28/2014	Routine Inspection	10/10 Need thermometer and FWC's are missing.
OUTLOOK ELEMENTARY SCHOOL	School	3800 VANBELLE ROAD	SUNNYSIDE	4/18/2014	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
PANDA GARDEN RESTAURANT	Restaurant	3210 PICARD PLACE	SUNNYSIDE	4/30/2014	Follow-Up Inspection	0/8
PAPA MURPHY'S PIZZA	Restaurant	609 E. WINE COUNTRY RD. - GRANDVIEW	GRANDVIEW	4/18/2014	Pre-Opening Inspection	Approved to open.
QUESERIA BENDITA		512 S 3RD ST	YAKIMA	4/14/2014	Routine Inspection	0/0
RESTAURANTE COLIMA	Restaurant	1501 YAKIMA VALLEY HWY.	SUNNYSIDE	4/3/2014	Routine Inspection	35/40 Food prep sink full of dirty dishes, room temperature storage of PHF's, potential contamination during storage.
SELAH HIGH SCHOOL	School	801 N FIRST	SELAH	4/28/2014	Routine Inspection	0/0
SELAH INTERMEDIATE SCHOOL	School	1401 W. FREMONT	SELAH	4/21/2014	Routine Inspection	0/0
STAGECOACH RV PARK	Mini-mart	16201 W. WENAS RD.	SELAH	4/8/2014	Routine Inspection	0/0
SUNNYSIDE FOOD MART	Mini-mart	600 HWY 12	SUNNYSIDE	4/30/2014	Routine Inspection	20/28 Missing FWC, moldy burrito, inaccurate metal stem thermometer
SUNNYSIDE HIGH SCHOOL	School	16TH & EDISON AVE	SUNNYSIDE	4/18/2014	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SUPER 8 YAKIMA	Continental Brkfst	2605 RUDKIN ROAD	YAKIMA	4/11/2014	Pre-Opening Inspection	
TAQUERIA LOS GUEROS	Restaurant	201 TOPPENISH AV S	TOPPENISH	4/11/2014	Routine Inspection	5/5 Missing FWCs
TERRACE HEIGHTS ELEMENTARY	School	101 N 41ST STREET	YAKIMA	4/9/2014	Routine Inspection	0/0
THE COFFEE SHOPPE	Espresso Stand	3311 W. NOB HILL BLVD.	YAKIMA	4/17/2014	Routine Inspection	0/0
THE MARKET PLACE DELI / TOM TOM ESPRESSO	Deli/Catering	304 E YAKIMA AVE.	YAKIMA	4/11/2014	Follow-Up Inspection	25/25 BHC with RTE foods.
TIETON MIDDLE SCHOOL	School	711 FRANKLIN RD	TIETON	4/14/2014	Routine Inspection	0/0
TOPPENISH MIDDLE SCHOOL	School	104 GOLDENDALE	TOPPENISH	4/14/2014	Routine Inspection	0/0
VALLEY VIEW ELEMENTARY	School	515 ZILLAH AVE	TOPPENISH	4/14/2014	Routine Inspection	0/0
WALKABOUT CREEK SALOON	Restaurant/Lounge	9990 U.S. HWY. 12	NACHES	4/8/2014	Follow-Up Inspection	5/21 Missing FWCs

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
WEST VALLEY CHURCH OF THE NAZARENE	Church Kitchen	7109 NOB HILL BLVD, W	YAKIMA	4/26/2014	Routine Inspection	5/5 Missing FWCs
WEST VALLEY FRESHMAN CAMPUS	School	9206 ZIER RD	YAKIMA	4/16/2014	Routine Inspection	0/0
WEST VALLEY HIGH SCHOOL	School	9800 ZIER RD.	YAKIMA	4/25/2014	Routine Inspection	0/3
WEST VALLEY JUNIOR HIGH	School	7507 ZIER RD.	YAKIMA	4/16/2014	Routine Inspection	0/0
WEST VALLEY MIDDLE SCHOOL	School	1500 S. 75TH AVE	YAKIMA	4/16/2014	Routine Inspection	0/0
WHITE SWAN HIGH SCHOOL	School	621 SIGNAL PEAK	WHITE SWAN	4/18/2014	Routine Inspection	0/0
WOK TERIYAKI	Restaurant	1601 E. WASHINGTON AVE. # 103	UNION GAP	4/11/2014	Routine Inspection	10/10 - PIC could not answer food safety questions and no FWC available.
X-MART	Mini-mart	761 BUENA RD	BUENA	4/2/2014	Pre-Opening Inspection	
XOCHIMILICO MEXICAN RESTAURANT	Restaurant/Catering	2304 W. NOB HILL BLVD.	YAKIMA	4/4/2014	Follow-Up Inspection	25/27 - Improper cooling.



Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
YOGURT SHACK	Ice Cream Parlor	110 S. 72ND AVE. SUITE # 100	YAKIMA	4/8/2014	Routine Inspection	0/0