

Monthly Food Inspection Report

SPECIAL NOTES:

IN THE NOTES PORTION OF THE REPORT THE FIRST NUMBER LISTED IS THE TOTAL POINTS FOR RED/HIGH RISK ITEMS FOUND . THE SECOND NUMBER IS THE TOTAL POINTS FOR HIGH RISK AND LOW RISK ITEMS.

HIGH RISK ITEMS ARE CORRECTED PRIOR TO THE COMPLETION OF THE INSPECTION. 35 OR MORE HIGH RISK POINTS OR 45 OR MORE TOTAL POINTS REQUIRES A FOLLOW-UP INSPECTION.

Abbreviations

BHC: Bare Hand Contact

DOH: Washington State Department of Health

FDA: Food and Drug Administration

FWC: Food Worker Card

HACCP: Hazard Analysis Critical Control Point

PHF: Potentially Hazardous Food

PIC: Person in Charge

ROP: Reduced Oxygen Packaging

RTE: Ready to Eat

RTS: Room Temperature Storage

USDA: United States Department of Agriculture

WAC: Washington Administrative Code

WSDA: Washington State Department of Agriculture

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
3D AM/PM	Mini-mart	1801 E NOB HILL	YAKIMA	10/20/2014	Routine Inspection	5/15 - Need FWC and ants found around soda fountain dispenser.
ABARROTAS LA COSTENITA	Grocery Store	1401 WINE COUNTRY ROAD	GRANDVIEW	10/30/2014	Routine Inspection	0/0
ANTOLIN CELLARS	Winery	14 N. FRONT ST.	YAKIMA	10/3/2014	Pre-Opening Inspection	Approved to open.
ARAMARK CORRECTIONAL SERVICES	Jail	111 N FRONT ST.	YAKIMA	10/23/2014	Routine Inspection	10/10 Improperly stocked hand wash sinks
ARCTIC CIRCLE	Restaurant	3912 W NOB HILL	YAKIMA	10/15/2014	Routine Inspection	5/5 - Several expired FWC.
BEST WESTERN AHTANUM INN	Continental Brkfst	2408 RUDKIN RD.	UNION GAP	10/10/2014	Routine Inspection	0/0
BURGER KING	Restaurant	1605 E. YAKIMA AVE.	YAKIMA	10/17/2014	Routine Inspection	5/8 Missing FWCs

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
CABIN ESPRESSO	Espresso Stand	6301 AHTANUM RD	YAKIMA	10/29/2014	Routine Inspection	They were making sandwiches, they do not have enough sinks to prepare foods and they are only a level 1.
CARNICERIA LOS AMIGOS	Meat Market	205 WAPATO AV S	WAPATO	10/13/2014	Follow-Up Inspection	40/43 Blocked hand wash sink, raw meat stored next to ready to eat food, RTS of PHF
				10/20/2014	Follow-Up Inspection	5/5 Raw meat stored above RTE food
CARNITAS SUPREME	Restaurant/Catering	5 N. "A" STREET	TOPPENISH	10/25/2014	Routine Inspection	15/15 Preparing and cooking foods at an unlicensed facility
CASINO CARIBBEAN	Restaurant	1901 E. BOGGESS STREET - YAKIMA	YAKIMA	10/20/2014	Routine Inspection	0/10
CHANDLER'S CONOCO	Mini-mart	1201 BAILEY AVENUE	GRANGER	10/24/2014	Routine Inspection	50/53 Missing FWCs, improperly stocked hand wash sink, improperly hot holding PHF, unlabeled chemical
COCINA ARIEL	Commissary	807 W. NOB HILL BLVD.	YAKIMA	10/16/2014	Routine Inspection	0/3
CROSSMARK - WALMART # 2241	Grocery Store	2675 E. LINCOLN AVE.	SUNNYSIDE	10/30/2014	Routine Inspection	10/10 Missing FWC, metal stem thermometer is not used to evaluate temperature of PHF
D-LISH MINI DONUTS	Mobile		YAKIMA	10/7/2014	Catering Routine Inspection	10-04-14 Millineum Plaza for Hops Fest. Serving donus & ice cream only.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
DOMINO'S PIZZA # 7170	Restaurant	6 S UNION ST	YAKIMA	10/16/2014	Routine Inspection	0/0
DOMINO'S PIZZA # 7171	Restaurant	420 S. 72ND AVE.	YAKIMA	10/23/2014	Routine Inspection	0/0
DONALD STORE	Mini-mart	2600 DONALD-WAPATO RD.	WAPATO	10/24/2014	Follow-Up Inspection	0/16
DON'S DONUTS & JULIE'S JAVA	Bakery	1024 W. NOB HILL BLVD.	YAKIMA	10/22/2014	Routine Inspection	0/3
DOWNTOWN SUPER FOODS	Grocery Store	316 3RD ST S	YAKIMA	10/8/2014	Compliance Inspection	0/0
EARLY CHILDHOOD CENTER	School	601 EAST "E" STREET	GRANGER	10/13/2014	Routine Inspection	0/0
ECONOLODGE	Continental Brkfst	510 N. 1ST. ST.	YAKIMA	10/15/2014	Routine Inspection	0/0
EISENHOWER HIGH SCHOOL "CONCESSIONS"	Seasonal Concession	611 S. 44TH AVE. - YAKIMA	YAKIMA	10/31/2014	Routine Inspection	10/12 Improperly stocked hand wash station
EL CAMPESTRE	Restaurant	225 DIVISION ST	GRANDVIEW	10/30/2014	Routine Inspection	0/5 They are using ware washing sinks to rinse meats.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
EL CHARRITO #2	Restaurant	2695 E. LINCOLN - BAY "F"	SUNNYSIDE	10/30/2014	Routine Inspection	40/40 Missing FWC, BHC with RTE food, improper chemical storage
EXPRESS MART / SUBWAY	Restaurant	51 FIRING CENTER RD.	YAKIMA	10/8/2014	Compliance Inspection	0/0
FAMOUS DAVE'S	Rest/Lounge/Catering	1504 E WASHINGTON AVE. - UNION GAP	UNION GAP	10/7/2014	Catering Routine Inspection	10-04-14 Inspected at Pirate Plunder, excellent booth as far as temperatures, organization, & everything accessible. All hot held units were labeled as to pork, beef, chicken, etc.
FIESTA FOODS	Deli/Catering	2010 YAKIMA VALLEY HWY. B-1 # 7	SUNNYSIDE	10/9/2014	Compliance Inspection	25/25 Improperly hot holding PHF
				10/16/2014	Compliance Inspection	0/0
FRED MEYER # 486	Grocery Store	1206 N. 40TH AVE.	YAKIMA	10/27/2014	Routine Inspection	0/5 Missing sanitizer in food prep areas
GEARJAMMER TRUCK STOP	Restaurant	2310 RUDKIN RD.	UNION GAP	10/15/2014	Follow-Up Inspection	5/5 Raw meat stored above RTE food
GEORGE'S WOK & GRILL	Restaurant	1210 S. 80TH AVE.	YAKIMA	10/31/2014	Routine Inspection	0/0
GOLDEN WHEEL RESTAURANT	Restaurant	11 S. 1ST STREET	YAKIMA	10/15/2014	Follow-Up Inspection	25/25 Improperly cooling PHF

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
GRANDVIEW HIGH SCHOOL ASB	Seasonal Concession	1601 W. 5TH ST.	GRANDVIEW	10/10/2014	Routine Inspection	5/5 Missing FWC
GRANDVIEW HIGH SCHOOL BOOSTER CLUB	Seasonal Concession	1601 W. 5TH ST.	GRANDVIEW	10/10/2014	Routine Inspection	0/0
GRANGER HIGH SCHOOL	School	315 MENTZER AVE	GRANGER	10/13/2014	Routine Inspection	0/0
GRANGER HIGH SCHOOL CONCESSIONS	Seasonal Concession	315 MENTZER AVE	GRANGER	10/31/2014	Follow-Up Inspection	10/10 Improperly stocked hand wash sink
GRANGER MIDDLE SCHOOL	School	501 BAILEY AVENUE	GRANGER	10/13/2014	Routine Inspection	0/0
GRIZZLY ESPRESSO	Espresso Stand	3602 FRUITVALE BLVD	YAKIMA	10/31/2014	Routine Inspection	No problems.
HARRAH ELEMENTARY SCHOOL	School	3851 HARRAH RD	HARRAH	10/20/2014	Routine Inspection	0/0
HIWAY FRUIT	Fruit Stand	209 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	10/6/2014	Routine Inspection	15/20 Inadequate HW sink, no thermometers, no sanitizer.
IN N OUT MARKET & DELI	Mini-mart	1513 TIETON DR	YAKIMA	10/15/2014	Follow-Up Inspection	30/32 Missing FWCs, improperly hot holding corn dogs

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
JACK-SON'S SPORTS BAR & RESTAURANT	Restaurant/Catering	2710 TERRACE HEIGHTS DRIVE	YAKIMA	10/15/2014	Routine Inspection	40/48 Improper hot holding temperatures and re-heating, follow up needed.
JET LAG JAVA	Espresso Stand	2300 W. WASHINGTON SUITE# 9	YAKIMA	10/22/2014	Routine Inspection	10/10 Improperly stocked hand wash sink
JnT CONCESSIONS	Mobile			10/7/2014	Catering Routine Inspection	10-04-14 Inspection for Hops Fest, Millineum Plaza; everything OK
J'S ASIAN FLAMING GRILL 1	Restaurant	4007 TERRACE HTS. DR.	YAKIMA	10/23/2014	Routine Inspection	40/40 Missing FWC, improperly hot holding PHF, no metal stem thermometer was available
LA CARRETA MEXICAN RESTAURANT & LOUNGE	Restaurant/Lounge	1006 S. 3RD AVENUE	YAKIMA	10/31/2014	Routine Inspection	0/10
LA CASITA	Mobile	Borton's at 8:20AM then Gilbert warehouse in Wiley City	UNION GAP	10/29/2014	Routine Inspection	35/40 Hands not washed as required, improperly stocked hand wash station
LA SALLE HIGH SCHOOL - CONCESSIONS	Seasonal Concession	3000 LIGHTNING WAY	UNION GAP	10/3/2014	Pre-Opening Inspection	New concession stand at the new gym on campus. Approved to operate.
				10/3/2014	Routine Inspection	35/37 Missing FWC, hands not washed as required, no metal stem thermometer was available

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
LA SUPER BAKERY (GRANDVIEW)	Bakery	210 W. 2ND STREET	GRANDVIEW	10/30/2014	Routine Inspection	0/5 General cleaning needed in back area.
LINCOLN AVENUE ESPRESSO BAR	Espresso Stand	1801 W LINCOLN AVE	YAKIMA	10/29/2014	Routine Inspection	5/10 - All FWC are expired.
LOS AMIGOS NATURAL JUICES	Juice Bar	1009 N. 1ST STREET	YAKIMA	10/9/2014	Routine Inspection	0/0
MABTON HIGH SCHOOL - CONCESSION STAND	Seasonal Concession	500 E B STREET, MABTON	MABTON	10/3/2014	Routine Inspection	10/10 No hand wash setup available
MAJOR'S	Restaurant	1705 W. LINCOLN AVE.	YAKIMA	10/13/2014	Follow-Up Inspection	0/5
MARISCOS NAYARIT	Restaurant	606 S 36TH AVE	YAKIMA	10/23/2014	Routine Inspection	10/20 Hot water turned off at HW sink.
MC DONALD'S	Restaurant	1305 S. 1ST STREET	YAKIMA	10/23/2014	Routine Inspection	0/0 No problems.
McCLURE ELEMENTARY SCHOOL	School	1222 S. 22ND AVE	YAKIMA	10/22/2014	Routine Inspection	0/0
MERCADO EL RANCHO	Grocery Store	3202 MAIN STREET	UNION GAP	10/27/2014	Routine Inspection	73/65 Missing FWCs, inadequate HW facilities, improper hot holding of PHF, room temp storage of PHF, missing sanitizer, dirty & cluttered

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
MT. ADAMS SCHOOL DISTRICT # 209	Seasonal Concession	551 SIGNAL PEAK	WHITE SWAN	10/10/2014	Routine Inspection	0/0
NEW HOPE INDUSTRIES	Catering	1224 N 1ST ST	YAKIMA	10/15/2014	Follow-Up Inspection	25/25 Improperly hot holding PHF
NEW YORK TERIYAKI	Restaurant	2518 MAIN STREET	UNION GAP	10/3/2014	Follow-Up Inspection	50/55 Improper cooling, room temperature storage. Compliance inspection required.
NEW YORK TERIYAKI - SELAH	Restaurant	723 NORTH PARK CENTER	SELAH	10/10/2014	Routine Inspection	25/28 - BHC with ready to eat food and chicken thawing on counter.
NEW YORK TERIYAKI & BURGERS	Restaurant	822 N 1ST ST.	YAKIMA	10/13/2014	Follow-Up Inspection	50/50 Hands not washed as required, RTS of PHF, inaccurate metal stem thermometer, raw meat stored above ready to eat food
NINO'S MEXICAN GRILL	Restaurant	1601 E. WASHINGTON AVE. # 103	UNION GAP	10/9/2014	Routine Inspection	50/65 Missing FWC's, paper towels missing at handwash, improper cooling of PHF's, follow up required.
				10/24/2014	Follow-Up Inspection	0/0 They have fixed problems from previous inspection.
NOB HILL BOWLING CENTER	Snack Bar	3807 W NOB HILL	YAKIMA	10/13/2014	Follow-Up Inspection	0/0
				10/13/2014	Compliance Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
NOB HILL MINI MART & SMOKE SHOPPE	Mini-mart	814 W NOB HILL BLVD	YAKIMA	10/15/2014	Follow-Up Inspection	15/25 Food not in good condition, missing FWCs
NORTH AVENUE MARKET	Mini-mart	701 NORTH AVENUE	SUNNYSIDE	10/16/2014	Routine Inspection	No problems.
OLD COUNTRY BUFFET # 811	Restaurant	2513 MAIN STREET	UNION GAP	10/29/2014	Routine Inspection	30/35 Improper hot holding of PHF's, cooks not using thermometers, possible cross contamination of PHF's.
OLIVE GARDEN ITALIAN RESTAURANT #1352	Restaurant/Catering	222 E YAKIMA AVE.	YAKIMA	10/23/2014	Routine Inspection	0/0
PANADERIA BAMBI	Bakery	116 S. WAPATO AVE.	WAPATO	10/13/2014	Follow-Up Inspection	5/15 Missing FWC
				10/20/2014	Follow-Up Inspection	0/5
PANADERIA DELICIAS	Bakery	1401 FRUITVALE BLVD	YAKIMA	10/31/2014	Routine Inspection	30/40 Missing FWC, RTS of PHF
PANADERIA LA MORENITA	Bakery	117 E WALNUT	YAKIMA	10/9/2014	Routine Inspection	25/25 Handwash sink missing soap, also cut cactus from unapproved source.
				10/10/2014	Routine Inspection	0/0
PAPA BAIRD'S RESTAURANT	Restaurant	4108 TERRACE HTS. DR.	YAKIMA	10/15/2014	Routine Inspection	5/5 Improper handling of pooled eggs.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
PAPA MURPHY'S	Restaurant	2695 E. LINCOLN	SUNNYSIDE	10/16/2014	Routine Inspection	0/0 No problems.
PAPA MURPHY'S PIZZA	Restaurant/Catering	64 W. NOB HILL BLVD.	YAKIMA	10/16/2014	Routine Inspection	0/0
PAPA MURPHY'S PIZZA STORE # WA189	Restaurant	1515 SUMMITVIEW AVE. # 2	YAKIMA	10/29/2014	Routine Inspection	15/10 inadequate hand washing facilities, no sanitizer
PASTA PRONTO BISTRO	Restaurant	420 S. 72ND AVE. # 160 YAKIMA	YAKIMA	10/7/2014	Routine Inspection	15/15 - Several FWC needed and handwash soap needed at a handwash sink.
PEOPLE FOR PEOPLE - MEALS-ON-WHEELS (GRANDVIEW)	Serving Site	812 WALLACE DR.	GRANDVIEW	10/16/2014	Routine Inspection	0/0 No problems.
PEOPLE FOR PEOPLE - MEALS-ON-WHEELS (SUNNYSIDE SR CTR)	Serving Site	1400 FEDERAL WAY	SUNNYSIDE	10/30/2014	Routine Inspection	0/0
PIZZA HUT	Restaurant	211 W. 2ND STREET	GRANDVIEW	10/30/2014	Routine Inspection	0/0
QUALITY INN	Continental Brkfst	12 VALLEY MALL BLVD.	UNION GAP	10/10/2014	Routine Inspection	10/10 - No FWC or metal stem thermometer.
RAINIER PLACE	Mini-mart	1811 RAINIER PL	UNION GAP	10/3/2014	Routine Inspection	5/5 Expired FWC's

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
RED LOBSTER # 0597	Restaurant	905 N. 1ST STREET	YAKIMA	10/28/2014	Routine Inspection	5/5 Missing FWCs
RED ROOSTER	Tavern	519 S. 1ST STREET	SELAH	10/28/2014	Routine Inspection	0/0
RESER'S FINE FOODS	Grocery Store	605 E. NOB HILL BLVD.	YAKIMA	10/21/2014	Routine Inspection	0/0
RESTAURANT JANITZIO	Restaurant	629 E WINE COUNTRY RD.	GRANDVIEW	10/30/2014	Routine Inspection	40/45 HW missing paper towels, raw meat above other foods.
RIDGEVIEW ELEMENTARY SCHOOL	School	609 W. WASHINGTON AVE	YAKIMA	10/27/2014	Routine Inspection	0/5
ROOSEVELT ELEMENTARY SCHOOL	School	405 BAILEY AVE.	GRANGER	10/13/2014	Routine Inspection	0/0
RUBY'S TACO SHOP	Restaurant	2712 S. 1ST STREET	UNION GAP	10/9/2014	Routine Inspection	10/10 inadequate hand washing facilities
SAFEWAY # 462	Grocery Store	205 N. 5TH AVENUE	YAKIMA	10/10/2014	Routine Inspection	0/5
				10/10/2014	Complaint Inspection	No maggots seen in salad. Manager said they have not received complaints of maggots in the fruit cocktail salad.
SAFEWAY # 563	Grocery Store	613 S. 6TH STREET	SUNNYSIDE	10/6/2014	Compliance Inspection	10/28 Improperly stocked hand wash sink

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SAN JUAN RESTAURANT	Restaurant	415 S. WAPATO AVE. - WAPATO	WAPATO	10/13/2014	Follow-Up Inspection	35/35 Improperly cooling PHF, improperly cold holding PHF
SANTIAGOS	Restaurant/Catering	111 E YAKIMA AVE.	YAKIMA	10/22/2014	Routine Inspection	15/15 - Some FWC missing and improper cold holding temperatures.
SEA GALLEY	Restaurant/Catering	25 E VALLEY MALL BLVD.	UNION GAP	10/7/2014	Catering Routine Inspection	10-04-14 Inspection-everything OK, Hops Fest at Millineum Plaza
SELAH INTERMEDIATE SCHOOL	School	1401 W. FREMONT	SELAH	10/22/2014	Routine Inspection	0/0
SELAH SAVE-ON-FOODS	Grocery Store	800 NORTH PARK CENTRE	SELAH	10/22/2014	Complaint Inspection	Manager was not aware of any rotten meat. I did not smell rotten meat or see any rotten meat.
				10/24/2014	Routine Inspection	40/50 Improperly hot holding PHF, no accurate metal stem thermometer available, improper chemical storage
				10/27/2014	Complaint Inspection	Last time freezer display case went down was Summer 2014. Workers moved the food into the back freezer and then after the freezer was repaired. Placed food into the display freezer again. Food had not thawed according to manager. No foods were past pull date. Dairy case has two shelves that have foods cold holding at 43 F.
SHARI'S RESTAURANT - N. YAKIMA	Restaurant	1401 LAKESIDE COURT	YAKIMA	10/28/2014	Routine Inspection	40/45 Expired FWC's, inadequate HW sink, improper reheating of PHF's, improper cold holding of PHF's
SMITTY'S CONOCO-STORE #190	Mini-mart	301 N 1ST ST.	YAKIMA	10/16/2014	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SOUTHEAST COMMUNITY CENTER	Restaurant	1211 S. 7TH ST.	YAKIMA	10/24/2014	Routine Inspection	0/0
SPUDAWGY	Restaurant	1215 E. WASHINGTON	UNION GAP	10/22/2014	Routine Inspection	0/0 No problems.
ST. PAUL CATHEDRAL SCHOOL	School	1214 W. CHESTNUT	YAKIMA	10/15/2014	Routine Inspection	0/0
STOP N' GO DRIVE IN	Restaurant	2820 FRUITVALE BLVD.	YAKIMA	10/23/2014	Routine Inspection	10/15 Unlabeled chemical
SU MERCADITO #2	Grocery Store	108 MAIN ST S	GRANGER	10/24/2014	Routine Inspection	60/70 PIC answered incorrectly, missing FWCs, improperly stocked hand wash sink, raw meat stored above RTE food, RTS of PHF, improper chemical storage
SUBWAY # 36788	Restaurant	210 S. 72ND AVE. SUITE # 100	YAKIMA	10/7/2014	Routine Inspection	0/0
SUBWAY # 46232 (WAL-MART)	Restaurant	6600 W. NOB HILL BLVD.	YAKIMA	10/31/2014	Routine Inspection	0/0 No problems.
SUBWAY # 46233	Restaurant	123 E. YAKIMA AVE.	YAKIMA	10/23/2014	Routine Inspection	30/40 Missing FWCs, hands not washed as required
SUGAR SHACK ESPRESSO	Espresso Stand	1302 FAIR AVE.	YAKIMA	10/13/2014	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SUMMITVIEW BURGER RANCH	Restaurant	911 SUMMITVIEW AVE.	YAKIMA	10/8/2014	Routine Inspection	5/8 Missing FWCs
SUNNYSIDE CHRISTIAN SCHOOL CONCESSIONS	Seasonal Concession	1820 SHELTER ROAD	SUNNYSIDE	10/10/2014	Routine Inspection	45/45 No available hand wash setup in food booth, vegetables washed improperly, hands not washed as required
SUNSHINE MART	Grocery Store	6712 TIETON DR	YAKIMA	10/13/2014	Routine Inspection	10/15 No hand wash sink available in new kitchen, need soap and paper towel dispensers, indirect drain needed for newly installed three compartment sink & food preparation sink. Need to submit floor plan for plan review.
SUPER 8 YAKIMA	Continental Brkfst	2605 RUDKIN ROAD	YAKIMA	10/8/2014	Routine Inspection	0/0
TACO TIME	Restaurant	701 W YAKIMA AVE.	YAKIMA	10/13/2014	Routine Inspection	0/0 No problems.
TACOS DEL NORTE	Mobile	401 S Wapato Ave. Wapato	WAPATO	10/30/2014	Routine Inspection	30/30 Improperly cooling PHF, missing FWC
TACOS LA REYNA	Mobile	1402 Fruitvale Blvd.	YAKIMA	10/13/2014	Complaint Inspection	Complaint said they did not have water to wash hands. During inspection, the water was turned off because they over load the system and trip the breaker. Hot water was available with in 10 minutes. She was told they need to have hot water at all times.
TAMMY'S MEXICAN RESTAURANT	Restaurant	1010 N. 1ST STREET	YAKIMA	10/8/2014	Follow-Up Inspection	30/35 Improperly cooling PHF, inaccurate metal stem thermometer

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
TAQUERIA CHAPALA	Restaurant	1121 FRUITVALE BLVD.	YAKIMA	10/13/2014	Routine Inspection	0/10 Personal items are cluttering the small work space they have. Personal items must be removed from kitchen area.
TAQUERIA LOS PRIMOS # 3	Restaurant/Catering	1001 N. 16TH AVE.	YAKIMA	10/24/2014	Compliance Inspection	The handwash sink is still down. They have ordered the part and say it should be installed within two weeks.
TAQUERIA MANZANILLO	Restaurant	2500 YAKIMA VALLEY HWY	SUNNYSIDE	10/6/2014	Routine Inspection	10/15 No FWC's posted, did not know how to use thermometer, no sanitizer.
TAZZAH	Restaurant/Catering	1502-B SUMMITVIEW	YAKIMA	10/7/2014	Catering Routine Inspection	10-04-14 Temp beef 195 hot hold; very organized & clean, with everything needed accessible.
THAI HOUSE	Restaurant/Catering	14 N 2ND ST.	YAKIMA	10/21/2014	Routine Inspection	35/43 Improperly cooling PHF, improperly cold holding PHF
TIENDA LA TAPATIA	Restaurant	802 W. 1ST AVE.	TOPPENISH	10/31/2014	Routine Inspection	55/55 Missing FWC, RTS of PHF, improperly reheating PHF for hot holding, improper chemical storage
TIETON MARKET	Mini-mart	6003 TIETON DR	YAKIMA	10/23/2014	Routine Inspection	05/05 Expired FWC's
UNION GAP DISTRICT# 2 SCHOOL	School	3201 S. 4TH ST.	UNION GAP	10/10/2014	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
VILLASENOR'S MEXICAN RESTAURANT	Restaurant	225 S TOPPENISH AVE.	TOPPENISH	10/8/2014	Routine Inspection	30/43 Missing FWC, improperly cooling PHF
WAPATO HIGH SCHOOL CONCESSIONS	Seasonal Concession	1103 S. WASCO	WAPATO	10/3/2014	Routine Inspection	10/10 Missing FWC, improperly hot holding hot dogs
WASHINGTON MIDDLE SCHOOL	School	510 S. 9TH ST.	YAKIMA	10/21/2014	Routine Inspection	0/0
WHITE SWAN HIGH SCHOOL	School	621 SIGNAL PEAK	WHITE SWAN	10/20/2014	Routine Inspection	0/0
WORLD BISTRO	Restaurant	2616 W NOB HILL BLVD.	YAKIMA	10/20/2014	Follow-Up Inspection	0/3
WRAY'S FOOD & DRUG	Grocery Store	5605 SUMMITVIEW	YAKIMA	10/24/2014	Routine Inspection	10/23 Improperly stocked hand wash sink
XOCHIMILCO TEQUILA BAR & RESTAURANT	Restaurant/Lounge	5110 TIETON DR. # 270	YAKIMA	10/13/2014	Routine Inspection	15/23 - Several FWC needed and no hot water available in the restroom.
XPRESS MART	Mini-mart	503 FAIR AV	YAKIMA	10/15/2014	Follow-Up Inspection	5/10 Missing FWC
YAKIMA SPEEDWAY	Snack Bar - Seasonal	1600 PACIFIC AVE.	YAKIMA	10/4/2014	Routine Inspection	30/35 Improperly hot holding hot dog, inaccurate metal stem thermometers

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
ZESTA CUCINA	Restaurant/Catering	5110 TIETON DRIVE # 210	YAKIMA	10/8/2014	Routine Inspection	70/75 Improperly stocked hand wash sink, improperly cooling PHF, improper use of time as a control, improperly cold holding PHF
				10/16/2014	Catering Routine Inspection	Inspect at Young Life Annual Fundraiser. No problems.
ZIGGYS MARKET AND SMOKE SHOP	Mini-mart	225 W WINE COUNTRY ROAD	GRANDVIEW	10/3/2014	Compliance Inspection	No repeated items observed.