

Monthly Food Inspection Report

SPECIAL NOTES:

IN THE NOTES PORTION OF THE REPORT THE FIRST NUMBER LISTED IS THE TOTAL POINTS FOR RED/HIGH RISK ITEMS FOUND . THE SECOND NUMBER IS THE TOTAL POINTS FOR HIGH RISK AND LOW RISK ITEMS.

HIGH RISK ITEMS ARE CORRECTED PRIOR TO THE COMPLETION OF THE INSPECTION. 35 OR MORE HIGH RISK POINTS OR 45 OR MORE TOTAL POINTS REQUIRES A FOLLOW-UP INSPECTION.

Abbreviations

BHC: Bare Hand Contact

DOH: Washington State Department of Health

FDA: Food and Drug Administration

FWC: Food Worker Card

HACCP: Hazard Analysis Critical Control Point

PHF: Potentially Hazardous Food

PIC: Person in Charge

ROP: Reduced Oxygen Packaging

RTE: Ready to Eat

RTS: Room Temperature Storage

USDA: United States Department of Agriculture

WAC: Washington Administrative Code

WSDA: Washington State Department of Agriculture

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
AHOY FISH & CHIPS	Restaurant	913 W. YAKIMA AVE.	YAKIMA	6/24/2016	Routine Inspection	5/10 No food handler cards on-site; no chlorine wiping cloths were available
AMERISTAR STORE # 8	Mini-mart	1005 W. WALLACE WAY	GRANDVIEW	6/13/2016	Routine Inspection	0/0
ANTOJITOS LUCY #2	Cafeteria	31 ALLAN ROAD	NACHES	6/16/2016	Routine Inspection	30/30 Missing FWC, hands not washed as required
ARCTIC CIRCLE	Restaurant	3912 W NOB HILL	YAKIMA	6/22/2016	Routine Inspection	5/5 Improper hot holding of PHF
ARTHUR H. SMITH ELEMENTARY SCHOOL	School	205 FIR ST.	GRANDVIEW	6/1/2016	Routine Inspection	0/5 Inaccurate temperature gauge on milk cooler
BALE BREAKER BREWING COMPANY		1801 BIRCHFIELD ROAD	MOXEE	6/20/2016	Routine Inspection	15/15 Missing FWC, improperly stocked hand wash sink

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
BAMBOO THAI CUISINE	Restaurant/Catering	306 S. 1ST ST.	YAKIMA	6/20/2016	Routine Inspection	10/10 No FWC, raw beef and chicken stored next to each other
BEEM'S NUTRITION AT CHESTERLY PARK	Grocery Store	3715 W RIVER ROAD	YAKIMA	6/24/2016	Routine Inspection	5/5 Need current food handler cards.
BEEM'S VALLEY NUTRITION	Grocery Store	2415 S 14TH STREET	UNION GAP	6/24/2016	Routine Inspection	5/5 no food handler cards on-site.
BLUE HILLS TAQUERIA	Restaurant	1112 1/2 TIETON DR.	YAKIMA	6/29/2016	Routine Inspection	30/33 FWC not current, not proper cooling procedures, used toilet paper in a basket.
BUHRMASTER BAKING CO.	Bakery	605 E. NOB HILL BLVD.	YAKIMA	6/22/2016	Routine Inspection	25/33 BHC with RTE foods, no sanitizer during food prep, cleaning needed
CAFE ARTESANO	Espresso Stand	608 WISCONSIN	TIETON	6/25/2016	Routine Inspection	10/15 Improperly stocked hand wash sink, no thermometer available in refrigerator
CARNICERIA COALCOMAN	Meat Market	229 DIVISION ST.	GRANDVIEW	6/23/2016	Routine Inspection	75/80 No hand washing before using gloves, bare hand contact with ready to eat foods, cooling ground beef in big containers, no labeled sour cream.
CHERRY WOOD BED & BREAKFAST	Bed & Breakfast	3271 ROZA DR. - ZILLAH	ZILLAH	6/30/2016	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
CHIEF KAMIAKIN ELEMENTARY SCHOOL	School	1700 E. LINCOLN AVE	SUNNYSIDE	6/1/2016	Routine Inspection	0/5 Inaccurate temperature gauge on dishwasher
CHRONIC FOODS	Mobile		YAKIMA	6/25/2016	Routine Inspection	0/0
CLARENCE MCCLURE ELEMENTARY	School	811 W. 2ND STREET	GRANDVIEW	6/1/2016	Routine Inspection	0/0
COMPASS ALTERNATIVE HIGH SCHOOL	School	913 W. 2ND	GRANDVIEW	6/1/2016	Routine Inspection	0/0
COSTCO WHOLESALE #1013	Mult Food Service	2310 LONGFIBER RD. - UNION GAP	UNION GAP	6/28/2016	Complaint Inspection	Manager said that the pizza spatulas are washed every 2-3 hours. The large pizza spatulas are washed every hour.
CRAFTED	Catering	516 N 35TH AVE.	YAKIMA	6/25/2016	Catering Routine Inspectio	5/5 Missing FWC
DEBBIE'S CATERING SERVICES	Catering	4112 TERRACE HGTS DR	YAKIMA	6/22/2016	Routine Inspection	0/0
DELICIAS FRUTAS Y ANTOJITOS	Fruit Stand	104 W. 2ND	GRANDVIEW	6/3/2016	Routine Inspection	20/26 Handwash not stocked, using homestyle refrigeration, exposed wood surfaces.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
DEVIN'S SHELL	Mini-mart	900 VINTAGE VALLEY PARKWAY	ZILLAH	6/30/2016	Routine Inspection	35/40 Improperly hot holding PHF, mislabeled chemical, improper chemical storage, food contact surface has not been thoroughly cleaned
DONALD STORE	Mini-mart	2600 DONALD-WAPATO RD.	WAPATO	6/17/2016	Complaint Inspection	10/10 Foods are hot held at 135 F or more, no hot water was available, limited them to pre-packaged food
				6/27/2016	Routine Inspection	0/0
EAGLE ROCK GROCERY	Grocery Store	8590 HWY 410	NACHES	6/17/2016	Routine Inspection	35/35 Missing FWC, improperly hot holding PHF, metal stem thermometer was not used to evaluate PHF temperature
EARLY CHILDHOOD CENTER	School	601 EAST "E" STREET	GRANGER	6/1/2016	Routine Inspection	0/0
EAST VALLEY ELEMENTARY SCHOOL	School	1951 BEAUDRY RD	YAKIMA	6/1/2016	Routine Inspection	0/0
EAST VALLEY HIGH SCHOOL	School	1900 BEAUDRY	YAKIMA	6/1/2016	Routine Inspection	0/5 Inaccurate dishwasher temperature gauge
EAST VALLEY MIDDLE SCHOOL	School	2010 BEAUDRY RD.	YAKIMA	6/1/2016	Routine Inspection	0/0
EL DOS DE ORO	Tavern	5 RANCH RITE RD.	YAKIMA	6/21/2016	Routine Inspection	0/3 Improper storage of ice-scoop

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
EL MEJOR TAQUITO	Mobile	821 Yakima Valley HWY Sunnyside	SUNNYSIDE	6/9/2016	Routine Inspection	0/0
EL TACO LOCO VELOZ	Mobile		SUNNYSIDE	6/20/2016	Pre-Opening Inspection	Approved to open.
EL TAPATIO #6-A	Mobile	800 W. Wine Country Road, Grandview	GRANDVIEW	6/13/2016	Routine Inspection	0/0
EL TOSTILOCO	Juice Bar	901 SUMMITVIEW AVE. STE. # 160	YAKIMA	6/20/2016	Routine Inspection	5/5 No FWC
ESTUDILLO'S FOOD STORES	Grocery Store	2601 SHELTER RD	SUNNYSIDE	6/3/2016	Routine Inspection	0/5 Flooring in bathroom needs to be repaired
FAMOUS DAVE'S	Rest/Lounge/Catering	1504 E WASHINGTON AVE. - UNION GAP	UNION GAP	6/30/2016	Routine Inspection	15/23 Handwash sinks improperly stocked, inadequate cold holding of PHF, missing thermometer in refrigerator, improper storage of ice-scoop
FRATERNAL ORDER OF EAGLES		515 S. DIVISION	TOPPENISH	6/21/2016	Routine Inspection	5/10 Missing FWCs, signs of rodent infestation, pets allowed in establishment
GEARJAMMER TRUCK STOP	Mult Food Service	2310 RUDKIN RD.	UNION GAP	6/16/2016	Routine Inspection	5/13 Missing metal stem thermometer in main kitchen, dirty surfaces, improper use of food prep sink in Subway area kitchen

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
GILBERT CELLARS TASTING ROOM	Winery	5 N. FRONT STREET	YAKIMA	6/16/2016	Routine Inspection	10/10 Blocked hand wash sink
GRANDVIEW HIGH SCHOOL	School	1601 W. 5TH ST.	GRANDVIEW	6/1/2016	Routine Inspection	0/0
GRANDVIEW MIDDLE SCHOOL	School	1401 W. 2ND ST.	GRANDVIEW	6/1/2016	Routine Inspection	0/0
GRANGER HIGH SCHOOL	School	315 MENTZER AVE	GRANGER	6/1/2016	Routine Inspection	0/0
GRANGER MIDDLE SCHOOL	School	501 BAILEY AVENUE	GRANGER	6/1/2016	Routine Inspection	0/0
HARRIETT THOMPSON ELEMENTARY SCHOOL	School	1105 W. 2ND ST.	GRANDVIEW	6/1/2016	Routine Inspection	0/0 Using hot water in sanitizer bucket
HARRISON MIDDLE SCHOOL	School	16TH & EDISON AVE	SUNNYSIDE	6/1/2016	Routine Inspection	0/0
HIGHLAND QUICK STOP	Mini-mart	16841 SUMMITVIEW RD	COWICHE	6/27/2016	Other Inspection	Approved to open after hood fire. See inspection report in imaging.
HILTON ELEMENTARY SCHOOL	School	211 4TH AVE	ZILLAH	6/1/2016	Routine Inspection	0/5 Inaccurate dishwasher temperature gauge

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
HORIZON'S EDGE WINERY	Winery	4530 E. ZILLAH DR.	ZILLAH	6/30/2016	Routine Inspection	0/0
JEAN'S COTTAGE INN	Restaurant/Catering	3211 MAIN ST	UNION GAP	6/24/2016	Routine Inspection	0/0 All good.
JOHN CAMPBELL PRIMARY	School	408 N. 1ST ST	SELAH	6/1/2016	Routine Inspection	0/0
JOY GARDEN	Restaurant	5605 TIETON DR.	YAKIMA	6/8/2016	Routine Inspection	15/25 Missing FWC, chemicals are stored next to the food contact surfaces, no bleach indicated on chlorine strip for water in bleach water, need chlorine test strips for dishwasher sanitizing solution.
JUNGAPETY 2	Commissary	1003 W NOB HILL BLVD	YAKIMA	6/27/2016	Routine Inspection	0/0
KABOB HOUSE	Rest/Lounge/Catering	2706 W. NOB HILL BLVD. STE. # 103	YAKIMA	6/23/2016	Routine Inspection	35/45 Raw chicken stored above other meat species, improper hot holding of PHF, no metal stem thermometer, several refrigeration units missing thermometers, improper dishwashing methods
KENTUCKY FRIED CHICKEN	Restaurant	415 S ELM	TOPPENISH	6/29/2016	Routine Inspection	0/0
LA ESPIGA DE ORO BAKERY	Bakery	803 W NOB HILL BLVD	YAKIMA	6/29/2016	Routine Inspection	5/8 FWC not current, used toilet paper in the restroom waste basket

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
LUPE'S KITCHEN	Restaurant/Catering	9-A S. TOPPENISH AVENUE	TOPPENISH	6/30/2016	Routine Inspection	0/15 Missing refrigerator thermometers, uncovered cooled foods, need splash barrier between kitchen hand wash sink and food preparation sink
MANY'S MARKET	Mini-mart	811 W. MEAD	YAKIMA	6/22/2016	Routine Inspection	25/25 Room temperature storage of PHF
MCILRATH FAMILY FARM MARKET	Ice Cream Parlor	10 ORCHARD RITE RD	YAKIMA	6/9/2016	Routine Inspection	5/5 Need accurate thermometers for all refrigeration units
MOD SUPERFAST PIZZA	Restaurant	2550 W. NOB HILL BLVD. STE. # 102 - YAKIMA	YAKIMA	6/27/2016	Routine Inspection	5/8 FWCs not accessible during inspection, dirty surfaces
MOXEE ELEMENTARY SCHOOL	School	528 E. SEATTLE	MOXEE	6/1/2016	Routine Inspection	0/0
MOXEE MARKET	Grocery Store	105 ILER	MOXEE	6/24/2016	Routine Inspection	0/0 All good
MY BROTHER'S PLACE	Mini-mart	810 W. 1ST AVE.	TOPPENISH	6/13/2016	Routine Inspection	0/0
NOB HILL CONOCO	Mini-mart	1023 S 3RD AVE.	YAKIMA	6/15/2016	Routine Inspection	15/15 PIC was not knowledgeable about food safety practices, missing FWC, need to post a hand wash sign in the restroom.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
NOB HILL MINI MART & SMOKE SHOPPE	Mini-mart	814 W NOB HILL BLVD	YAKIMA	6/15/2016	Routine Inspection	45/55 Improperly stocked hand wash sink, food not in good condition, improperly hot holding PHF, inaccurate refrigerator thermometer, surfaces in the kitchen and restroom are not smooth and easily cleanable
OBENTO HOUSE	Restaurant	11 N. 11TH AVE #105	YAKIMA	6/9/2016	Routine Inspection	0/0
OLD TOWN STATION	Restaurant	2530 MAIN ST.	UNION GAP	6/10/2016	Routine Inspection	5/5 Raw chicken stored above other meat
OUTBACK ESPRESSO	Espresso Stand	8803 AHTANUM RD.	YAKIMA	6/9/2016	Routine Inspection	0/0
OUTLOOK ELEMENTARY SCHOOL	School	3800 VANBELLE ROAD	SUNNYSIDE	6/1/2016	Routine Inspection	0/0
PAPA MURPHY'S PIZZA	Restaurant	4040 TERRACE HEIGHTS DR	YAKIMA	6/13/2016	Routine Inspection	0/0
PETRA'S	Catering	2807 W WASHINGTON AVE	YAKIMA	6/9/2016	Pre-Opening Inspection	
				6/10/2016	Pre-Opening Inspection	All previous problems have been fixed. Facility is approved for level 3 food service.
PIONEER ELEMENTARY SCHOOL	School	2101 E. LINCOLN	SUNNYSIDE	6/1/2016	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
PRIMO MINI MART	Mini-mart	516 W. LINCOLN AVE	YAKIMA	6/28/2016	Complaint Inspection	40/40 Improperly stocked hand wash sink, improperly hot holding PHF, no metal stem thermometer was available
RESTAURANTE COLIMA	Restaurant	1501 YAKIMA VALLEY HWY.	SUNNYSIDE	6/29/2016	Routine Inspection	80/85 FWC not current, oysters without identificaton, dirty food contact surfaces, raw meat stored beside ready to eat food in refrigerator, not using proper cooling procedures for PHF, PHFstored at room temperature.
ROOSEVELT ELEMENTARY SCHOOL	School	405 BAILEY AVE.	GRANGER	6/1/2016	Routine Inspection	0/0
ROSAUERS FOOD AND DRUG CENTER #39	Mult Food Service	410 S. 72ND AVENUE	YAKIMA	6/27/2016	Routine Inspection	0/0
ROUND TABLE PIZZA	Restaurant	1300 N. 40TH AVE. # 109	YAKIMA	6/9/2016	Routine Inspection	0/5 Need to change buckets with sanitizer & wiping clothes
RUSSILLOS PIZZA & GELATO	Restaurant/Catering	32 N. FRONT ST. SUITE # 102 - YAKIMA	YAKIMA	6/9/2016	Routine Inspection	0/0
SAFEWAY FUEL STATION # 462	Mini-mart	216 N. 5TH AVE.	YAKIMA	6/22/2016	Routine Inspection	0/0
SAMMIES MOBILE EATERY	Mobile	3215 RIVER ROAD, YAKIMA	YAKIMA	6/25/2016	Routine Inspection	60/60 Hands not washed as required, BHC with RTE food, blocked hand wash sink

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SELAH ACADEMY & ELC	School	316 W NACHES	SELAH	6/1/2016	Routine Inspection	0/0
SELAH HIGH SCHOOL	School	801 N FIRST	SELAH	6/1/2016	Routine Inspection	0/5 Inaccurate temperature gauge on milk cooler
SELAH INTERMEDIATE SCHOOL	School	1401 W. FREMONT	SELAH	6/1/2016	Routine Inspection	0/0
SELAH MIDDLE SCHOOL	School	411 N. 1ST ST.	SELAH	6/1/2016	Routine Inspection	0/0
SIERRA VISTA MIDDLE SCHOOL	School	616 N. 16TH ST.	SUNNYSIDE	6/1/2016	Routine Inspection	0/0
SONIC DRIVE - IN	Restaurant	1327 S. 1ST ST.	YAKIMA	6/8/2016	Pre-Opening Inspection	Still need to do more cleaning.
				6/8/2016	Pre-Opening Inspection	Approved to open.
SPORTS CENTER	Restaurant/Lounge	214 E YAKIMA AVE.	YAKIMA	6/30/2016	Routine Inspection	20/31 Handwash sink improperly stocked, improper storage of toxic substance, serving bowl and tongs stored in salad supply, no sanitizer test strips available, no handwash sign in restroom
SQUEEZE INN MOBILE FOOD TRUCK	Mobile		ZILLAH	6/24/2016	Routine Inspection	0/0
SUN VALLEY ELEMENTARY	School	1220 N. 16TH STREET	SUNNYSIDE	6/1/2016	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SUNNYSIDE HIGH SCHOOL	School	16TH & EDISON AVE	SUNNYSIDE	6/1/2016	Routine Inspection	0/0
TACO KING KITCHEN	Juice Bar	415 YAKIMA VALLEY HWY.	SUNNYSIDE	6/30/2016	Routine Inspection	30/30 Raw meat stored beside ready to eat food, not using proper cooling procedures for PHF
TACOS LA LONCHERA VELOS	Restaurant	107 W. 3RD	WAPATO	6/27/2016	Routine Inspection	35/35 Handwashing sink not available, food at room temperature.
TERRACE HEIGHTS ELEMENTARY	School	101 N 41ST STREET	YAKIMA	6/1/2016	Routine Inspection	0/0
THE FARMHOUSE CAFE	Restaurant	4081 HARRAH RD.	HARRAH	6/9/2016	Routine Inspection	10/13 Missing FWCs, inaccurate thermometer, dirty surfaces
TOP SHOT ESPRESSO	Espresso Stand	208 N 5TH AVE	YAKIMA	6/13/2016	Routine Inspection	5/10 Need thermometer for large refrigerator. Need to plumb a holding tank for sink wastewater containment.
WALGREENS # 12275	Grocery Store	610 W. YAKIMA AVE	YAKIMA	6/29/2016	Routine Inspection	0/0
WASHINGTON ELEMENTARY SCHOOL	School	800 JACKSON	SUNNYSIDE	6/1/2016	Routine Inspection	0/5 Inaccurate temperature gauge on milk cooler
WHISPER RIDGE WINERY	Winery	907 A VINTAGE VALLEY PKWY. - ZILLAH	ZILLAH	6/17/2016	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
WILEY CITY MARKET	Mini-mart	2929 S. WILEY RD.	YAKIMA	6/9/2016	Routine Inspection	0/0
ZILLAH HIGH SCHOOL	School	1602 2ND AVE	ZILLAH	6/1/2016	Routine Inspection	0/0
ZILLAH INTERMEDIATE SCHOOL	School	303 2ND AVE	ZILLAH	6/1/2016	Routine Inspection	0/0
ZILLAH MIDDLE SCHOOL	School	1301 CUTLER WAY	ZILLAH	6/1/2016	Routine Inspection	0/0