

# Monthly Food Inspection Report

**SPECIAL NOTES:**

IN THE NOTES PORTION OF THE REPORT THE FIRST NUMBER LISTED IS THE TOTAL POINTS FOR RED/HIGH RISK ITEMS FOUND . THE SECOND NUMBER IS THE TOTAL POINTS FOR HIGH RISK AND LOW RISK ITEMS.

HIGH RISK ITEMS ARE CORRECTED PRIOR TO THE COMPLETION OF THE INSPECTION. 35 OR MORE HIGH RISK POINTS OR 45 OR MORE TOTAL POINTS REQUIRES A FOLLOW-UP INSPECTION.

**Abbreviations**

- BHC:** Bare Hand Contact
- DOH:** Washington State Department of Health
- FDA:** Food and Drug Administration
- FWC:** Food Worker Card
- HACCP:** Hazard Analysis Critical Control Point
- PHF:** Potentially Hazardous Food
- PIC:** Person in Charge
- ROP:** Reduced Oxygen Packaging
- RTE:** Ready to Eat
- RTS:** Room Temperature Storage
- USDA:** United States Department of Agriculture
- WAC:** Washington Administrative Code
- WSDA:** Washington State Department of Agriculture

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
16TH AVE. 76 STATION	Mini-mart	620 N. 16TH AVE.	YAKIMA	9/12/2016	Routine Inspection	5/5 Missing FWC
7-ELEVEN # 2362-17080-C	Mini-mart	1512 SUMMITVIEW	YAKIMA	9/9/2016	Routine Inspection	0/0
7-ELEVEN #19305B	Mini-mart	120 N. 1ST STREET	SELAH	9/16/2016	Follow-Up Inspection	10/10 Fixed all issues except the hot water at the front counter sink, Owner has maintenance person scheduled to fix the issue, No third inspection required
8TH ST MARKET & SMOKE SHOP	Deli	315 N 8TH ST.	YAKIMA	9/16/2016	Routine Inspection	5/5 expired FWC
ABBY'S LEGENDARY PIZZA OF YAKIMA # 57	Restaurant	4804 TIETON DR	YAKIMA	9/19/2016	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
AM/PM # 4437	Mini-mart	601 E YAKIMA AVE.	YAKIMA	9/16/2016	Routine Inspection	0/0 no issues observed
				9/20/2016	Routine Inspection	10/15 Improper cold-holding of PHF's, Blocked three-compartment sink could not get to it to use
AM/PM UNION GAP	Mini-mart	20 E. VALLEY MALL BLVD.	UNION GAP	9/19/2016	Routine Inspection	5/5 Improper cold-holding of PHF's
AMERICAN LEGION # 36	Restaurant	1120 N. 34TH AVE.	YAKIMA	9/22/2016	Routine Inspection	5/5 Expired FWC
ANTOJITOS LUCY	Restaurant/Catering	1205 N. 1ST STREET	YAKIMA	9/10/2016	Catering Routine Inspection	0/0 No issues observed
				9/10/2016	Routine Inspection	0/0
				9/23/2016	Catering Routine Inspection	10/15 Improperly hot holding PHF, improperly cold holding PHF, missing thermometers in refrigerators
				9/29/2016	Commissary Inspection	10/13 No paper towels available, no handwash sign in restroom
APPLE COUNTRY BED & BREAKFAST	Bed & Breakfast	4561 OLD NACHES HWY	NACHES	9/29/2016	Routine Inspection	0/0 (previous item in 2015 states business and personal were intermingled- owner has since bought a new separate fridge for customer foods)
B.J.'S GET & GO	Mini-mart	3101 MAIN STREET	UNION GAP	9/16/2016	Routine Inspection	5/5 Expired FWC's
BASKIN-ROBBINS (MOBILE)	Mobile	816 SUMMITVIEW AND YAKIMA SUN DOME(INSIDE)	YAKIMA	9/23/2016	Routine Inspection	0/0 no observed issues at fairgrounds

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
BEST WESTERN LINCOLN INN	Snack Bar	1614 N. 1ST STREET	YAKIMA	9/7/2016	Routine Inspection	0/5 No thermometer in cold-holding unit containing PHF's
BILL'S FAMILY RESTAURANT	Restaurant	704 W 1ST ST.	WAPATO	9/7/2016	Routine Inspection	5/15 Need FHC for 3 employees, need bleachwater & wiping cloths soaking for surface contact areas, need test strips to check chlorine level of bleach water
BI-MART # 636	Grocery Store	110 W. SOUTH HILL RD.	SUNNYSIDE	9/22/2016	Routine Inspection	10/10 PIC not knowledge of food safety rules, no FWCs
BRUCHI'S	Restaurant	302 W. NOB HILL BLVD.	YAKIMA	9/16/2016	Routine Inspection	5/5 Expired FWC
BURGER KING	Restaurant	1605 E. YAKIMA AVE.	YAKIMA	9/9/2016	Complaint Inspection	Chicken nuggets were hot holding between 140 F and 160 F. The chicken nuggets are discarded after 30 minutes in the hot holding unit.
CAMO COFFEE	Espresso Stand	9918 U. S. HWY. 12	NACHES	9/20/2016	Routine Inspection	0/7 thermometer missing from fridge, permit not posted or on site.
CASINO CARIBBEAN	Restaurant	1901 E. BOGGESS STREET - YAKIMA	YAKIMA	9/26/2016	Routine Inspection	0/15 Non-food contact surfaces need to be cleaned and sanitized.
CHINA MEX	Restaurant	208 S. TOPPENISH AVENUE	TOPPENISH	9/12/2016	Routine Inspection	0/5 No chlorine test strips available

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
CHINESE GOURMET GARDEN	Restaurant	106 N. 1ST STREET	SELAH	9/16/2016	Routine Inspection	10/10 Inadequate handwash facilities, no handwash signs
CLOSED - NACHES VALLEY INTERMEDIATE SCHOOL	School	101 SHAFER AVENUE	NACHES	9/20/2016	Opening Inspection	School is closed due to new school that was built
COCINA ISABEL	Restaurant	303 S. 13TH STREET	SUNNYSIDE	9/9/2016	Routine Inspection	15/25 Inadequate HW sink, potential contamination of RTE foods, gneral cleaning needed.
COMFORT SUITES	Snack Bar	3702 FRUITVALE BLVD.	YAKIMA	9/7/2016	Routine Inspection	5/5 Improper hot-holding of PHF's
COZY ROSE INN	Bed & Breakfast	1220 FORSELL RD	GRANDVIEW	9/22/2016	Routine Inspection	5/5 missing FWC
CRUISIN COFFEE - NOB HILL	Espresso Stand	3202 W. NOB HILL BLVD.	YAKIMA	9/7/2016	Routine Inspection	0/10 No thermometer in cold-holding unit containing PHF's, No chlorine test strips available
CULTURA WINERY	Winery	3601 HIGHLAND DR.	ZILLAH	9/10/2016	Routine Inspection	5/5 Missing FWC
DAD'S FAMILY RESTAURANT	Restaurant	433 S ELM	TOPPENISH	9/12/2016	Routine Inspection	10/16 Expired FWC's, Improper cold-holding of PHF's, Improper storage of in-use utensils, No handwash sign in restrooms

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
DAIRY QUEEN/ORANGE JULIUS - VALLEY MALL	Restaurant	2515 MAIN ST	UNION GAP	9/19/2016	Routine Inspection	0/0
DANIEL'S KITCHEN	Restaurant/Cateri ng	204 E. NACHES AVE.	SELAH	9/29/2016	Catering Routine Inspection	0/10 Vegetables stored on floor, improperly drying dishes on dirty surface
DICKY'S B.B.Q. RESTAURANT PIT # 1083	Restaurant	2706 W. NOB HILL BLVD. - YAKIMA	YAKIMA	9/28/2016	Routine Inspection	5/8 Expired FWC's, In-use utensils improperly stored
DOCTOR DELICIOUS Y MAS	Mobile	112 W. WASHINGTON # 16 - UNION GAP - MAIN STREET MARKET	YAKIMA	9/29/2016	Routine Inspection	10/10 Hot water for hand washing is 125 F
				9/29/2016	Routine Inspection	10/10 Hand wash water is 125 F
DOLLAR TREE	Grocery Store	405 N WENAS RD	SELAH	9/2/2016	Pre-Opening Inspection	Approved to open as a level 1 food establishment
DOMINO'S PIZZA	Restaurant	506 S 1ST ST SUITE A	SELAH	9/29/2016	Pre-Opening Inspection	Approved to open as a level 2 food establishment
DOMINO'S PIZZA # 7061	Restaurant	1019 YAKIMA VALLEY HWY.	SUNNYSIDE	9/8/2016	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
EDISON MARKET	Mini-mart	1520 E EDISON	SUNNYSIDE	9/12/2016	Routine Inspection	35/35 Inadequate hot hold temps of PHF, improper cold hold temps of PHF
				9/22/2016	Follow-Up Inspection	0/0 no repeat problems
EISENHOWER HIGH SCHOOL "CONCESSIONS"	Seasonal Concession	611 S. 44TH AVE. - YAKIMA	YAKIMA	9/30/2016	Routine Inspection	0/2 Need to post food permit
EL CHARRITO	Restaurant/Catering	120 E. TOPPENISH AVE.	TOPPENISH	9/13/2016	Routine Inspection	5/10 Invalid FWC's, potential contamination of PHF's
EL JARIPEO MEXICAN RESTAURANT AND NIGHT CLUB	Restaurant	1203 N. 1ST STREET	YAKIMA	9/7/2016	Routine Inspection	15/15 Improper cold holding, inaccurate thermometer.
EL NAYARITA RESTAURANT	Restaurant/Lounge	601 FRUITVALE BLVD.	YAKIMA	9/21/2016	Pre-Opening Inspection	Need corrections. See inspection form. Will call when ready for inspection.
				9/22/2016	Pre-Opening Inspection	Approved to open once fees have been paid.
EL PASTOR RESTAURANT	Restaurant	315 W. WALNUT	YAKIMA	9/1/2016	Routine Inspection	20/23 4 expired FWC's, improper storage of raw meat- mixed species, improper cold holding of PHF's, no handwash sign posted
EL PORTON RESTAURANT	Restaurant	2512 MAIN STREET	UNION GAP	9/13/2016	Routine Inspection	25/35 Expired FWC's, No handwash signs at handwash sinks, Improper cold-holding of PHF's, Improper storage of sanitizing cloths, No chlorine test strips available

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
EL VALLE FAMILY MEXICAN RESTAURANT	Restaurant	410 YAKIMA VLY HWY	SUNNYSIDE	9/8/2016	Routine Inspection	15/20 Expired FWC, raw meat stored above ready to eat food, improperly hot holding PHF at 130 degrees
EXPRESS MART / SUBWAY	Restaurant	51 FIRING CENTER RD.	YAKIMA	9/13/2016	Routine Inspection	25/34 Improper hot-holding of PHF's, Improper thawing of PHF's, Improper storage of in-use utensils, No handwash signs in restrooms
FUENTES DE FRUTAS	Juice Bar	12 W WASHINGTON	YAKIMA	9/13/2016	Routine Inspection	0/0
GLESENNERS MARKET	Mini-mart	1326 FAIR AVE.	YAKIMA	9/28/2016	Routine Inspection	5/5 Improper cold-holding of PHF's
GREAT SHANG HAI RESTAURANT	Restaurant	54 W NOB HILL	YAKIMA	9/15/2016	Routine Inspection	0/5 onions stored on floor. No cockroaches were seen. Overall, facility is very clean.
HILTON GARDEN INN	Restaurant/Catering	401 E YAKIMA AVE	YAKIMA	9/20/2016	Routine Inspection	0/0 no observed issues
HOWARD JOHNSON PLAZA	Restaurant/Lounge	9 N. 9TH STREET	YAKIMA	9/29/2016	Routine Inspection	0/0 no observed issues.
HYATT VINEYARDS	Winery	2020 GILBERT RD	ZILLAH	9/7/2016	Routine Inspection	5/5 No thermometer in fridge containing PHFs
IN N OUT MARKET & DELI	Mini-mart	1513 TIETON DR	YAKIMA	9/14/2016	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
JACK IN THE BOX # 8494	Restaurant	3907 TIETON DRIVE	YAKIMA	9/9/2016	Routine Inspection	45/50 missing FWCs, drive thru hand wash sink without water, women's restroom paper towel dispenser jammed, chopped lettuce at room temperature, improper cold holding temperatures, temperature gauges missing from some refrigeration units. Follow up required
				9/19/2016	Follow-Up Inspection	40/45 FWC still missing, PHFs at room temp, improper cold holding temps, thermometers missing from fridges. Told Jamie that a compliance follow up will be necessary.
JACK-SON'S SPORTS BAR & RESTAURANT	Restaurant/Cateri ng	2710 TERRACE HEIGHTS DRIVE	YAKIMA	9/26/2016	Routine Inspection	5/11 Expired FWC's, In-use utensils improperly stored, Non-food contact surfaces not maintained
JAVA HEAVEN	Espresso Stand	212 W WALNUT	YAKIMA	9/14/2016	Routine Inspection	0/5 no test strips.
JEAN'S COTTAGE INN	Restaurant/Cateri ng	3211 MAIN ST	UNION GAP	9/27/2016	Routine Inspection	0/0
JNT CONCESSIONS WINEY DOGS	Deli/Catering	3 N. 6TH AVE. - YAKIMA	YAKIMA	9/14/2016	Routine Inspection	0/0
J'S ASIAN FLAMING GRILL 1	Restaurant	4007 TERRACE HTS. DR.	YAKIMA	9/26/2016	Routine Inspection	30/33 Expired FWC's, Room temperature storage, Non-food contact surfaces not cleaned or maintained
KANA WINERY	Winery	10 S. 2ND STREET	YAKIMA	9/15/2016	Routine Inspection	5/5 Missing FWC



Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
KENTUCKY FRIED CHICKEN / A&W	Restaurant	2325 S 1ST ST	YAKIMA	9/20/2016	Routine Inspection	30/35 Expired FWC's, BHC with RTE foods, No thermometer in cold-holding unit containing PHF's
KEOKI'S ORIENTAL RESTAURANT	Restaurant	2107 W LINCOLN AVENUE	YAKIMA	9/26/2016	Routine Inspection	5/8 expired FWCs, missing handwash sign in restroom.
KINGS ROW	Restaurant	210 S. 1ST STREET	SELAH	9/13/2016	Routine Inspection	30/37 Expired FWCs, PHF's stored at room temp held, no chlorine test strips, permit not posted
LA BARATA - WAPATO	Meat Market	304 S. WAPATO AVE.	WAPATO	9/13/2016	Routine Inspection	10/15 FWC's expired, potential contamination of PHF's.
LA CANASTA MEAT MARKET	Meat Market	802 1ST AVE.	ZILLAH	9/9/2016	Routine Inspection	25/30 PHF hot hold temp at 125, repackaged food must be labeled.
LA FOGATA MEXICAN GRILL	Restaurant/Lounge	1204 YAKIMA VALLEY HWY.	SUNNYSIDE	9/9/2016	Routine Inspection	20/28 handwash sink without hot water, gasoline stored in kitchen mislabeled, temperature gauge in walk in fridge inaccurate, men's bathroom urinal doesn't flush.
LA GUADALUPANA EXPRESS	Mobile		HARRAH	9/21/2016	Routine Inspection	0/0 No issues found, Inspected by appointment once mobile unit was out of repair shop
LA MONTANA	Juice Bar	1408 E NOB HILL BLVD	YAKIMA	9/16/2016	Routine Inspection	0/0 no observed issues

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
LA PLAZITA	Grocery Store	3202 MAIN STREET	UNION GAP	9/19/2016	Routine Inspection	30/36 Improper hot-holding of PHF's, Room temperature storage of PHF's, Utensils stored on dirty surface, non-functioning restroom facilities
LAMAS BILLIARDS	Snack Bar	405 S. WAPATO AVE.	WAPATO	9/29/2016	Routine Inspection	0/5 missing thermometer for fridge.
LITTLE CAESARS # 202	Restaurant	2301 W. NOB HILL BLVD.	YAKIMA	9/14/2016	Routine Inspection	15/20 Expired FWCs, Improper cold hold temps for pizza toppings, no sanitizer solution was available
LULU'S LUNCHBOX	Deli	106 3RD ST S	YAKIMA	9/21/2016	Routine Inspection	0/0
LYTLE SEAFOODS	Mobile	YAKIMA COUNTY MOBILE - K-MART	YAKIMA	9/17/2016	Routine Inspection	0/0
MANY'S MARKET	Mini-mart	811 W. MEAD	YAKIMA	9/9/2016	Complaint Inspection	Person who waxed their floors dumped the mop water out on the asphalt area by the back door. Mac said that they dump the mop water into the toilet.
MASSET WINERY	Winery	620 E PARKER HTS RD.	WAPATO	9/9/2016	Routine Inspection	0/0 no observed issues
MC DONALD'S	Restaurant	499 S 1ST STREET	SELAH	9/14/2016	Routine Inspection	35/42 Invalid FWCs, improper use of time as a control, improper cold hold temperatures in some fridges, wiping cloths stored in very dirty water with no sanitizer, permit not posted
MCILRATH FAMILY FARMS	Fruit Stand	10 OLD NACHES HIGHWAY	YAKIMA	9/14/2016	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
MEADOWBROOK CONVENIENCE CENTER	Mini-mart	7200 W. NOB HILL BLVD.	YAKIMA	9/2/2016	Routine Inspection	0/0
MEADOWBROOK FAMILY FUN CENTER	Snack Bar	7200 W. NOB HILL BLVD	YAKIMA	9/6/2016	Routine Inspection	5/10 Food worker cards for some employees not current, cut salad not dated for pull, lemonade under sink stored with chemicals
MERCADO GUADALAJARA	Grocery Store	10 WASHINGTON AVE. SUITE "D"	TOPPENISH	9/22/2016	Routine Inspection	0/0 no observed issues
MERCADO LA PLAZITA & CARNICERIA	Mult Food Service	715 W. WINE COUNTRY RD.	GRANDVIEW	9/16/2016	Routine Inspection	50/58 Improper hot-holding of PHF's, RTS of PHF's, Food contact surfaces not clean, Non-food contact surfaces not clean, Follow-up inspection is required
				9/30/2016	Follow-Up Inspection	0/0 All issues from previous inspection corrected
MILL CREEK NATURAL FOODS		4315 MAIN ST	UNION GAP	9/22/2016	Routine Inspection	0/0
MIZ DEE'S B.B.Q. WORKS & CATERING	Restaurant/Catering	523 W. YAKIMA AVE.	YAKIMA	9/14/2016	Routine Inspection	No inspection performed, not allowed access to building, phone call made to Miz Dee to ask for a final request of inspection. Waiting for response
MR. PIZZA	Restaurant	2019 FRUITVALE BLVD.	YAKIMA	9/21/2016	Routine Inspection	5/8 Improper cold-holding of PHF's, No handwash sign in restroom

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
NACHES VALLEY H.S. BOOSTER CLUBS	Seasonal Concession	101 5TH ST W	NACHES	9/30/2016	Routine Inspection	5/5 Metal stem thermometer was not being used at the Bar BQ grill
NEW YORK TERIYAKI & BURGERS	Restaurant	822 N 1ST ST.	YAKIMA	9/9/2016	Routine Inspection	10/15 No soap or paper towels at handwash sink in cooking area, No chlorine test strips available
NINO'S MEXICAN GRILL	Restaurant	1601 E. WASHINGTON AVE. # 103	UNION GAP	9/14/2016	Routine Inspection	55/60 Improper cooling of PHF's (repeat), Improper hot-holding of PHF's, Improper cold-holding of PHF's, Non-cleanable surface is present
				9/29/2016	Follow-Up Inspection	0/0 All issues from routine inspection have been corrected, no compliance inspection needed
ONE STOP MINI MART & SMOKE SHOP	Mini-mart	921 SUMMITVIEW AVE	YAKIMA	9/21/2016	Routine Inspection	25/25 - Spoiled milk in cooler. Eggs past pull date. No paper towels at hand wash station.
OUR KITCHEN	Catering	31 N. 1ST AVE. - YAKIMA	YAKIMA	9/10/2016	Catering Routine Inspectio	0/0 At Chinook Fest.
OWEN ROE WINERY	Winery	309 GANGL RD	WAPATO	9/15/2016	Routine Inspection	5/7 Missing FWC, Permit unavailable
OXFORD INN	Continental Brkfst	1603 E YAKIMA AVE	YAKIMA	9/7/2016	Routine Inspection	0/0 No issues observed

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
PANADERIA BAMBI	Bakery	116 S. WAPATO AVE.	WAPATO	9/13/2016	Routine Inspection	10/15 Expired food cards, person in charge not knowledgeable of general food safety rules, overall cleanliness, surfaces not cleaned thoroughly
PANADERIA DELICIAS	Bakery	1705 FRUITVALE BLVD	YAKIMA	9/14/2016	Routine Inspection	5/5 Need 3 working thermometers for refrigerators
PANDA EXPRESS #1725	Restaurant	1915 1ST ST S	YAKIMA	9/13/2016	Routine Inspection	10/10 No handwash signs at handwash sinks
PIT STOP MARKET		508 NOB HILL BLVD	YAKIMA	9/21/2016	Routine Inspection	5/5 - thermometer needed in coolers.
PIZZA HUT	Restaurant	211 W. 2ND STREET	GRANDVIEW	9/22/2016	Routine Inspection	25/25 improper hot holding
PIZZA HUT # 12817	Restaurant/Catering	6 N. FAIR AVE. # 115	YAKIMA	9/23/2016	Catering Routine Inspection	0/0
PIZZA HUT #23	Restaurant	3915 N. KERN ROAD	YAKIMA	9/2/2016	Routine Inspection	0/0
PORTTEUS WINERY	Winery	5201 HIGHLAND DR	ZILLAH	9/7/2016	Routine Inspection	5/5 FWC expired
RESTAURANTE COLIMA	Restaurant	1501 YAKIMA VALLEY HWY.	SUNNYSIDE	9/22/2016	Follow-Up Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
RITE AID # 5296	Grocery Store	2204-B W. NOB HILL BLVD.	YAKIMA	9/7/2016	Routine Inspection	0/0
ROADRUNNER GAS	Mini-mart	1820 S. 3RD AVE.	YAKIMA	9/7/2016	Routine Inspection	55/76 Expired FWC's, Food contact surfaces for handling PHF's and raw meat not clean, Improper hot-holding of PHF's, Improper cold-holding of PHF's, No thermometer in cold-holding unit storing PHF's, Three-compartment sink improperly used and dirty, Food contact surfaces not clean and cluttered by nonfood items, Nonfood contact surfaces cluttered and dirty, Garbage and unused items cluttering kitchen and food prep area  Follow-up Inspection required
				9/26/2016	Follow-Up Inspection	35/35 Improper hot-holding of PHF's, Improper cold-holding of PHF's, all other issues have been corrected
RON'S TACO BURGER	Restaurant	1529 W LINCOLN.	YAKIMA	9/20/2016	Routine Inspection	10/13 Expired FWC's, Improper cold-holding of PHF's, In-use utensils improperly stored
RUBEN'S TORTILLERIA	Bakery	1518 S. 1ST STREET	YAKIMA	9/22/2016	Follow-Up Inspection	10/10 Expired FWC, raw meat above ready to eat food.
SAFEWAY # 563	Mult Food Service	613 S. 6TH STREET	SUNNYSIDE	9/30/2016	Routine Inspection	0/5 Missing or inoperable thermometers in several refrigeration units
SAFEWAY FUEL STATION # 1235	Mini-mart	2112 W. NOB HILL BLVD.	YAKIMA	9/7/2016	Routine Inspection	0/5 No handwashing signs at handwash sinks
SANCHEZ TACOS	Mobile	116 S WAPATO ROAD, WAPATO	WAPATO	9/12/2016	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SECOND STREET GRILL	Restaurant/Lounge	28 N 2ND ST.	YAKIMA	9/26/2016	Routine Inspection	0/0 No issues observed
SELAH EXPRESS	Mini-mart	777 NORTH PARK CENTER	SELAH	9/13/2016	Routine Inspection	0/0 no issues observed
SELAH MINI MART	Mini-Mart/Catering	103 S 1ST ST	SELAH	9/16/2016	Routine Inspection	15/15 Expried FWC's, No handwash signs at handwash sinks
SELAH SAVE-ON-FOODS	Mult Food Service	800 NORTH PARK CENTRE	SELAH	9/26/2016	Routine Inspection	5/16 Missing FWC's, inoperable thermometer in milk refrigerator, single-use cake boxes stored in dirty sink, no paper towels in men's restroom
SEVERINO CELLARS	Winery	1717 1ST AVE.	ZILLAH	9/15/2016	Routine Inspection	0/0
SHAW & SONS FUNERAL DIRECTORS		201 2ND ST N	YAKIMA	9/7/2016	Routine Inspection	0/0
SILVER LAKE WINERY	Winery	1500 VINTAGE RD	ZILLAH	9/7/2016	Routine Inspection	0/0
ST. JOHN'S CHEESECAKES	Mobile		YAKIMA	9/29/2016	Routine Inspection	0/0
STAGECOACH RV PARK	Mini-mart	16201 NORTH WENAS RD	SELAH	9/26/2016	Routine Inspection	0/5 Need accurate thermometer in refrigerator with milk, & meat (hotdogs, sandwich cold cuts)

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SUBWAY # 46331	Restaurant	4001 SUMMITVIEW AVE. # 12	YAKIMA	9/9/2016	Routine Inspection	0/0
T. M. MARKET	Mini-mart	417 N CEMETERY RD	SUNNYSIDE	9/27/2016	Routine Inspection	10/18 Food past pull date, refrigeration condensation drains on floor-needs to go to floordrain, non-food contact surfaces need to be maintained & clean
TACO BELL # 30511	Restaurant	4001 FRUITVALE BLVD	YAKIMA	9/9/2016	Routine Inspection	0/3 No handwash sign at handwash sink in restroom
TACO BELL # 30512	Restaurant	2124 S. 1ST STREET	YAKIMA	9/13/2016	Routine Inspection	0/0 no issues observed
TACO EL GRANDE	Mobile/Catering	910 E NOB HILL	YAKIMA	9/13/2016	Routine Inspection	0/5 No chlorine test strips available
TACO TIME	Restaurant	2111 S 1ST ST.	YAKIMA	9/23/2016	Routine Inspection	0/0
TACOS ISABEL	Mobile	303 S. 13th St - SUNNYSIDE	SUNNYSIDE	9/9/2016	Routine Inspection	no problems observed
TACOS ISABEL 2	Mobile	VARIOUS FIELD LOCATIONS.	SUNNYSIDE	9/9/2016	Routine Inspection	0/0 no issues observed
TAQUERIA EL HUARACHASO	Restaurant	401 S ELM ST.	TOPPENISH	9/12/2016	Routine Inspection	15/15 No handwash signs at handwash sinks, Improper hot-holding of PHF's



Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
TAQUERIA LOS PRIMOS #1	Mobile	10615 Gilbert Rd. Yakima, WA	YAKIMA	9/23/2016	Routine Inspection	15/25 No paper towels available, raw meat in refrigerator store next to ready to eat food.
TAQUERIA LOS PRIMOS #5	Mobile		YAKIMA	9/7/2016	Pre-Opening Inspection	
TAQUITOS EL PORVENIR	Mobile		SUNNYSIDE	9/9/2016	Routine Inspection	0/3 no paper towels in restroom
THE CELTIC CUP	Espresso Stand	1410 S 18TH ST	YAKIMA	9/19/2016	Routine Inspection	0/5 No test strips available
THE CITY MIX	Restaurant	101 S. RIVARD #B	MOXEE	9/19/2016	Routine Inspection	5/5 improper cold hold tempof PHF in 1 fridge.
THE COFFEE SHOPPE	Espresso Stand	3311 W. NOB HILL BLVD.	YAKIMA	9/14/2016	Routine Inspection	15/25 Expired FWC, unlabeled cleaning chemicals, wiping cloths left out on counter, no test strips.
THE JAMMER	Tavern	2310 RUDKIN RD.	UNION GAP	9/2/2016	Routine Inspection	0/8 No test strips available, No handwash sign in restroom sink or handwash sink
THE MAJESTIC THEATRE	Snack Bar	1919 S. 14TH ST.	UNION GAP	9/13/2016	Routine Inspection	0/0
THE VINEYARD CAFE, ESPRESSO & DELI	Restaurant	150 DIVISION ST.	GRANDVIEW	9/22/2016	Routine Inspection	5/10 FWC expired, missing thermometer from fridge.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
TIENDITA LOS AMIGOS	Restaurant	302 MAIN STREET	GRANGER	9/8/2016	Routine Inspection	115/134 Missing FWC, food not in good condition, oyster tags are not kept for 90 days, raw meat contact surfaces have not been sanitized, raw meat stored above and next to RTE food, improperly cooling PHF, improperly hot holding PHF, RTS of PHF, flies are present in the establishment, improper storage of in-use utensils, food contact surfaces are not smooth and easily cleanable, non-food contact surfaces have not been thoroughly cleaned, need to post a hand wash sign in the restroom
TIETON FOOD MART	Mini-mart	4708 TIETON DR	YAKIMA	9/16/2016	Routine Inspection	5/12 FWC expired, soda nozzles need to be cleaned, no handwash sign in bathroom.
TITO'S # 2	Mobile		YAKIMA	9/23/2016	Routine Inspection	Site visit to attempt inspection, juice bar is no longer in business.
TITO'S JUICE PLACE	Mobile - Seasonal	1518 S. 1ST STREET	YAKIMA	9/9/2016	Routine Inspection	0/8 Inaccurate thermometer in cold-holding unit containing PHF's, In-use utensil stored on dirty surface
TOPPENISH INN	Continental Brkfst	515 S. ELM STREET	TOPPENISH	9/12/2016	Routine Inspection	20/25 No paper towels at handwash sink, improperly cold holding, no metal stem thermometer available.
TOWN PUMP FOOD MART	Mini-mart	8101 WIDE HOLLOW RD	YAKIMA	9/2/2016	Routine Inspection	15/15 Expired FWC, no paper towels at hand wash sink
VILLAGE CENTER CAFE	Retirement Housing	215 N. 40TH AVE.	YAKIMA	9/21/2016	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
WALMART #2269	Mult Food Service	1600 E. CHESTNUT AVE.	YAKIMA	9/29/2016	Routine Inspection	0/8 Missing and inoperable thermometers in several refrigerator units, no handwashing sign in men's restroom, all urinals are inoperable
WAPATO DAIRY QUEEN	Restaurant	318 S. WAPATO AVE.	WAPATO	9/7/2016	Routine Inspection	0/0
WINDY POINT VINEYARDS	Winery	420 WINDY PT DR	WAPATO	9/15/2016	Routine Inspection	5/7 Missing FWC, need to post permit
WOK TERIYAKI	Restaurant	1601 E. WASHINGTON AVE. # 103	UNION GAP	9/28/2016	Routine Inspection	25/25 Room temperature storage of PHF's
WORLD BISTRO	Restaurant	2616 W NOB HILL BLVD.	YAKIMA	9/19/2016	Routine Inspection	25/46 improper hot holding temperatures of PHF, no thermometer in a fridge, no bucket with sanitizer, in use ice cream scoop stored in warm water, grill covered in food and unidentifiable liquid, fridge door handle very sticky.
Y.A.C. FITNESS	Juice Bar	2500 BUSINESS LN	YAKIMA	9/23/2016	Routine Inspection	5/5 Andrew needs to renew FHC
Y.V.C. DINING SERVICES (HUB)	Restaurant	1015 S. 16TH AVENUE	YAKIMA	9/16/2016	Complaint Inspection	Gina, manager said that they are operating only the espresso area. Kitchen has been closed for cleaning. There are two new food workers who need to post their food worker cards.
YAKIMA CHEVRON	Mini-mart	1001 N. 16TH AVE.	YAKIMA	9/22/2016	Follow-Up Inspection	25/25 Improperly hot holding potatoes at 112 degrees

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
YAKIMA VALLEY TECHNICAL SKILLS CENTER	Chef's School	1120 S. 18TH ST.	YAKIMA	9/7/2016	Routine Inspection	0/0
ZIGGYS MARKET AND SMOKE SHOP	Mini-mart	225 W WINE COUNTRY ROAD	GRANDVIEW	9/16/2016	Routine Inspection	0/0