

Monthly Food Inspection Report

SPECIAL NOTES:

IN THE NOTES PORTION OF THE REPORT THE FIRST NUMBER LISTED IS THE TOTAL POINTS FOR RED/HIGH RISK ITEMS FOUND . THE SECOND NUMBER IS THE TOTAL POINTS FOR HIGH RISK AND LOW RISK ITEMS.

HIGH RISK ITEMS ARE CORRECTED PRIOR TO THE COMPLETION OF THE INSPECTION. 35 OR MORE HIGH RISK POINTS OR 45 OR MORE TOTAL POINTS REQUIRES A FOLLOW-UP INSPECTION.

Abbreviations

- BHC: Bare Hand Contact
- DOH: Washington State Department of Health
- FDA: Food and Drug Administration
- FWC: Food Worker Card
- HACCP: Hazard Analysis Critical Control Point
- PHF: Potentially Hazardous Food
- PIC: Person in Charge
- ROP: Reduced Oxygen Packaging
- RTE: Ready to Eat
- RTS: Room Temperature Storage
- USDA: United States Department of Agriculture
- WAC: Washington Administrative Code
- WSDA: Washington State Department of Agriculture

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
16TH STREET MARKET	Mini-mart	1121 S. 16TH ST.	SUNNYSIDE	2/2/2012	Compliance Inspection	5/7 Missing FWC
2 BUSY 2 COOK/CATERING CREATIONS BY TONI	Catering	6002 SUMMITVIEW	YAKIMA	2/8/2012	Routine Inspection	0/0
40TH AVE. ESPRESSO	Espresso Stand	1207 N 40TH AVE	YAKIMA	2/2/2012	Routine Inspection	5/5 - Some FWC needed
5 NORTH METROPOLITAN KITCHEN & LOUNGE	Restaurant/Lounge	5 N. FRONT STREET	YAKIMA	2/7/2012	Routine Inspection	45/60 FWCs were not available, hands not washed as required, improperly stocked hand wash sink, blocked hand wash sink, raw meat stored above RTE food, improper chemical storage
8TH STREET MARKET & DELI	Deli	315 N 8TH ST.	YAKIMA	2/10/2012	Routine Inspection	20/25 Expired FWC's, inadequate handwash sink, no thermometer, no sanitizer.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
ALBERTSON'S FOOD CENTER # 239	Grocery Store	401 S 40TH AVE.	YAKIMA	2/6/2012	Routine Inspection	15/15 Expired FWC's, improper cold holding of PHF's.
ALEJANDRO'S AUTHENTIC MEXICAN FOOD	Restaurant	1205 N. 1ST STREET	YAKIMA	2/24/2012	Routine Inspection	0/5 No thin metal stem thermometer.
AMERISTAR # 12	Mini-mart	2412 TERRACE HEIGHTS DR.	YAKIMA	2/21/2012	Follow-Up Inspection	5/8 Improperly hot holding PHF
AY CARAMBA	Restaurant	1300 N. 40TH AVE. # 107 - YAKIMA	YAKIMA	2/6/2012	Routine Inspection	20/33 Improperly stocked hand wash sink, mislabeled chemical
BALLESTERI'S CAFE	Restaurant	4001 SUMMITVIEW AVE. # 3	YAKIMA	2/1/2012	Follow-Up Inspection	0/0
BERT'S PUB	Restaurant/Lounge	5110 TIETON DR. # 100 - YAKIMA	YAKIMA	2/22/2012	Routine Inspection	20/20 Missing FWCs, hands not washed as required
BIG CHEESE PIZZA	Restaurant	2204-C W NOB HILL BLVD.	YAKIMA	2/15/2012	Routine Inspection	0/0 No problems.
BOB'S DRIVE IN	Restaurant	108 E. HWY 12.(YAKIMA VALLEY HWY.)	SUNNYSIDE	2/22/2012	Routine Inspection	15/15 BHC w/RTE foods.
BOB'S KEG & CORK	Restaurant/Lounge	27 N. FRONT STREET	YAKIMA	2/3/2012	Compliance Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
BURGER KING - SO. 1ST	Restaurant	2113 S. 1ST STREET	YAKIMA	2/15/2012	Routine Inspection	10/10 - Hand wash sink issues
CACTUS JUICE CAFE	Deli	632 DECATUR	SUNNYSIDE	2/14/2012	Routine Inspection	0/0
CASH & CARRY SMART FOODSERVICE# 574	Grocery Store	1406 E. MEAD AVENUE	UNION GAP	2/2/2012	Routine Inspection	0/0 No problems observed.
CENTRO BOTANERO EL PARIAN	Restaurant	1214 6TH ST S	YAKIMA	2/29/2012	Routine Inspection	5/5 Missing FWC's.
CLUB 2103 ON LINCOLN	Tavern	2103 W LINCOLN AVE.	YAKIMA	2/10/2012	Routine Inspection	0/5 Missing FWC's.
COCO'S AHTANUM	Mini-mart	1504 LOWER AHTANUM RD.	UNION GAP	2/22/2012	Routine Inspection	15/15 - BHC with ready-to-eat food.
COMFORT SUITES	Snack Bar	3702 FRUITVALE BLVD.	YAKIMA	2/2/2012	Routine Inspection	0/0
CROSSMARK	Grocery Store	1600 E. CHESTNUT AVE.	YAKIMA	2/3/2012	Routine Inspection	5/5 Missing FWCs
DOMINO'S PIZZA # 7164	Restaurant	102 W MEAD AVE	YAKIMA	2/1/2012	Routine Inspection	0/5 No sanitizer available.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
DONA LUPES PANADERIA & PASTERERIA	Bakery	1300 YAKIMA VALLEY HWY.	SUNNYSIDE	2/22/2012	Routine Inspection	0/0 No problems.
EL CHARRO TORTILLAS	Bakery	7-A TOPPENISH AVE.	TOPPENISH	2/27/2012	Routine Inspection	0/5
EL FARO TAQUIRIA # 2	Mobile		SUNNYSIDE	2/22/2012	Pre-Opening Inspection	
EL NOA NOA	Restaurant	4671 N TRACK ROAD	WAPATO	2/8/2012	Routine Inspection	0/3 Cleaning needed
EL PORTON	Restaurant/Catering	420 S. 48TH AVE.	YAKIMA	2/7/2012	Routine Inspection	35/40 Improper hot holding of PHF's. Improper cold holding of PHF's, raw meats stored above RTE foods.
EL RANCHERO	Restaurant	1103 ROCK AVE. - YAKIMA	YAKIMA	2/19/2012	Routine Inspection	20/20 - Digital thermometer was broken and ice scoop laying in ice.
EL TACO LOCO	Restaurant	19 W YAKIMA AVE.	YAKIMA	2/1/2012	Routine Inspection	5/5 improper storage of raw meats
ELI & KATHY'S FAMILY RESTAURANT	Restaurant	813 WINE COUNTRY ROAD	GRANDVIEW	2/27/2012	Routine Inspection	0/8
FAIRFIELD INN & SUITES BY MARRIOTT	Continental Brkfst	137 FAIR AVENUE	YAKIMA	2/15/2012	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
FLUTTER BUZZ	Espresso Stand	1805 S. 1ST STREET	SUNNYSIDE	2/14/2012	Pre-Opening Inspection	Approved to open.
GOLDEN COIN RESTAURANT	Restaurant	1606 W. NOB HILL BLVD.	YAKIMA	2/10/2012	Routine Inspection	65/71 - Handwash sink in kitchen was blocked from access, improper cooling, room temperature storage of food, improper thawing, and whole kitchen is dirty.
GOLDEN MOON RESTAURANT	Restaurant	1406 N 1ST ST ²	YAKIMA	2/2/2012	Routine Inspection	10/18 Inadequate handwashing station, improper thawing of PHF's, potential food contamination during storage.
GRANDVIEW CHURCH OF THE NAZARENE	Rest - Seasonal	500 N. ELM STREET	GRANDVIEW	2/8/2012	Routine Inspection	0/0
GRANDVIEW MARKET	Mini-mart	100 E. WINE COUNTRY RD.	GRANDVIEW	2/24/2012	Routine Inspection	0/0
HY'S SERVICE	Mini-mart	1219 W. LINCOLN	YAKIMA	2/13/2012	Routine Inspection	40/40 - FWC needed, no paper towels at handwash sink in restroom or kitchen, and improper hot holding temperatures.
IN & OUT MINI MART	Mini-mart	1513 TIETON DR	YAKIMA	2/29/2012	Follow-Up Inspection	20/20 - FWC still needed, no paper towels at handwash sinks, and improper hot holding temperatures.
JACK IN THE BOX # 8494	Restaurant	3907 TIETON DRIVE	YAKIMA	2/1/2012	Compliance Inspection	0/5
				2/17/2012	Routine Inspection	20/28 Missing FWCs, hands not washed as required

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
JENNY MAE'S	Bakery	730 N. 16TH AVE. # 2	YAKIMA	2/2/2012	Pre-Opening Inspection	Approved to open.
K-MART LITTLE CAESAR'S PIZZA STATION	Restaurant	2304 E NOB HILL BLVD	YAKIMA	2/7/2012	Routine Inspection	45/53 Improperly stocked hand wash sink, improper use of time as a control, mislabeled chemical
KNIGHTS INN	Continental Brkfst	818 N. 1ST STREET	YAKIMA	2/21/2012	Follow-Up Inspection	0/0
LA BARATA MEAT MARKET	Grocery Store	1103-B E. YAKIMA VALLEY HWY.	SUNNYSIDE	2/1/2012	Routine Inspection	5/5 No posted FWC's.
LA MAS BARATA	Meat Market	111 N 6TH ST. #A	SUNNYSIDE	2/2/2012	Routine Inspection	40/53 Improperly stocked hand wash sinks, RTS of PHF, inaccurate metal stem thermometer
LA SUPER BARATA	Meat Market	602 S. 3RD STREET	YAKIMA	2/16/2012	Follow-Up Inspection	25/33 Improperly stocked hand wash sink, inaccurate metal stem thermometer, unlabeled chemical
M & M CATERING SERVICES	Catering	10 N. 8TH STREET	YAKIMA	2/23/2012	Compliance Inspection	0/0
				2/12/2012	Routine Inspection	40/40 - Several FWC needed, no paper towels in restroom, and improper hot holding temperatures.
				2/1/2012	Routine Inspection	0/0
				2/16/2012	Follow-Up Inspection	5/5 Missing FWC

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
MAJOR'S	Restaurant	1902 S. 3RD AVENUE	UNION GAP	2/9/2012	Routine Inspection	5/15 Missing FWCs
NEW CHEN'S CHINA BUFFET	Restaurant	2616 W NOB HILL BLVD.	YAKIMA	2/27/2012	Compliance Inspection	0/0
OLD WESTERN MARKET	Mini-mart	102 E TOPPENISH AVE.	TOPPENISH	2/27/2012	Routine Inspection	10/10 Old eggs on shelf for sale
ORCHARD PARK	Retirement Housing	620 N. 34TH AVENUE	YAKIMA	2/27/2012	Routine Inspection	15/15 Expired FWC's, sanitizer being stored above and next to RTE foods.
OUTBACK ESPRESSO	Espresso/Catering	8803 AHTANUM RD.	YAKIMA	2/6/2012	Routine Inspection	50/55 - Some FWC needed, lack of handwashing, BHC with ready to eat food, no hot water in restrooms, and no metal stem thermometer.
OUTBACK STEAKHOUSE	Restaurant/Catering	2412 RUDKIN RD.	UNION GAP	2/23/2012	Follow-Up Inspection	15/15 - 1 FWC still needed and no hot water in the restroom.
PANDA GARDEN RESTAURANT	Restaurant	3210 PICARD PLACE	SUNNYSIDE	2/14/2012	Routine Inspection	3/8 Improper thawing of PHF's, expired FWC's.
PHO TAN	Restaurant	420 S. 72ND AVE. # 160	YAKIMA	2/8/2012	Follow-Up Inspection	85/98 Raw meat stored above RTE food, improperly cooling PHF, improperly hot holding PHF, RTS of PHF
				2/16/2012	Compliance Inspection	0/13
				2/19/2012	Routine Inspection	5/11 - Digital thermometer not working properly.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
PIK A POP # 14	Mini-mart	3602 TIETON DR	YAKIMA	2/13/2012	Routine Inspection	0/0
PIZZA HUT #23	Restaurant	3915 N. KERN ROAD	YAKIMA	2/1/2012	Routine Inspection	0/0 No problems observed.
PIZZA TIME	Restaurant/Catering	2201-A W. LINCOLN AVE.	YAKIMA	2/2/2012	Routine Inspection	0/5
PUUSERIA RESTAURANT	Restaurant/Catering	2695 E. LINCOLN AVE # E	SUNNYSIDE	2/16/2012	Follow-Up Inspection	0/0
RAY'S RETAIL MEATS	Meat Market	2109 S 3RD AVE.	UNION GAP	2/2/2012	Routine Inspection	5/5 missing FWCs
RED LION HOTEL YAKIMA CENTER	Restaurant/Lounge	607 E YAKIMA AVE.	YAKIMA	2/17/2012	Follow-Up Inspection	0/0
RESTAURANT EL "DORADO"	Restaurant	225 DIVISION ST	GRANDVIEW	2/23/2012	Routine Inspection	10/13 Expired FWC's, raw meats being stored aboce RTE foods.
RITE AID # 5296	Grocery Store	2204-B W. NOB HILL BLVD.	YAKIMA	2/2/2012	Routine Inspection	0/0 No problems observed.
ROADRUNNER	Mini-mart	705 W. 1ST STREET	WAPATO	2/23/2012	Follow-Up Inspection	25/25 - Improper hot holding
ROUND TABLE PIZZA	Restaurant	1300 N. 40TH AVE. # 109	YAKIMA	2/1/2012	Routine Inspection	0/5 Bottles labeled SANITIZER did not contain sanitizer.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
ROY'S MARKET	Mini-mart	201 S 6TH ST.	YAKIMA	2/18/2012	Routine Inspection	0/0
SAFEWAY # 1235	Grocery Store	2204-A W. NOB HILL BLVD.	YAKIMA	2/1/2012	Routine Inspection	35/35 Improper hot holding of PHF's in deli case, improper cold holding of PHF's in deli sandwich prep area.
SAFEWAY # 1660	Grocery Store	905 E. MEAD	YAKIMA	2/9/2012	Routine Inspection	15/28 Missing FWCs, improperly stocked hand wash sinks
SAINT JACK'S VIDEO	Snack Bar	614 W. 1ST STREET	WAPATO	2/23/2012	Routine Inspection	0/0
SMITTY'S CONOCO # 300	Mini-mart	1829 S 1ST STREET	SUNNYSIDE	2/2/2012	Routine Inspection	35/40 Missing FWC, improperly hot holding PHF, inaccurate metal stem thermometer
SMITTY'S MARKET & DELICATESSAN	Mini-mart	3508 FRUITVALE BLVD.	YAKIMA	2/3/2012	Routine Inspection	85/87 Missing FWC, improperly cooling PHF, improper use of time as a control for PHF, improperly cold holding PHF, inaccurate metal stem thermometers, unlabeled chemicals
				2/21/2012	Follow-Up Inspection	25/27 Improper use of time as a control
				2/29/2012	Compliance Inspection	55/55 Improperly cooling PHF, improper use of time as a control
SNYDER'S GERMAN SAUSAGE HAUS	Meat Market	3504 W NOB HILL BLVD.	YAKIMA	2/22/2012	Routine Inspection	0/0
STARBUCKS COFFEE #3370	Espresso Stand	420 S 72ND AVE	YAKIMA	2/15/2012	Routine Inspection	10/13 Improperly stocked hand wash sink

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
STARBUCKS COFFEE COMPANY	Espresso Stand	5621 SUMMITVIEW AVE.	YAKIMA	2/10/2012	Routine Inspection	0/0
SU MERCADITO	Mini-mart	320 "B" STREET	MABTON	2/7/2012	Routine Inspection	30/43 Missing FWCs, Room temperature storage of PHF, dirty surfaces, sewage draining problems (see report in imaging)
SU MERCADITO # 3	Grocery Store	110 ASH - GRANDVIEW	GRANDVIEW	2/29/2012	Routine Inspection	10/20 Possible cross contamination, no thermometer, no sanitizer.
SU MERCADO	Grocery Store	123 DIVISION ST.	GRANDVIEW	2/23/2012	Routine Inspection	25/35 Missing FWC's, restroom missing paper towels, no metal stem thermometers, potential cross contamination, no sanitizer.
SUBWAY # 39961	Restaurant	2675 E. LINCOLN AVE.	SUNNYSIDE	2/8/2012	Routine Inspection	35/50 Missing FWC, improperly stocked hand wash sink, improperly cold holding PHF, improper chemical storage
SUMMITBREW ESPRESSO	Espresso Stand	3203 SUMMITVIEW AVE.	YAKIMA	2/23/2012	Follow-Up Inspection	0/0
SUMMITVIEW STATION	Mini-mart	4802 SUMMITVIEW AVE.	YAKIMA	2/22/2012	Routine Inspection	0/5
SUNDOME	Snack Bar	1301 S. FAIR AVE.	YAKIMA	2/2/2012	Routine Inspection	0/0
				2/17/2012	Routine Inspection	10/10 Inadequate hand wash facilities at the espresso - temporarily closed espresso. Reopened facility - they now have adequate hand wash facilities.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SUPERMEX OF YAKIMA	Restaurant/Catering	316 3RD ST S	YAKIMA	2/1/2012	Compliance Inspection	5/5 No metal stem thermometer available
				2/15/2012	Compliance Inspection	60/60 BHC with RTE food, improperly stocked hand wash sink, raw meat stored next to RTE food, improperly hot holding PHF, inaccurate metal stem thermometer
				2/22/2012	Compliance Inspection	10/28 Improperly stocked hand wash sinks
				2/29/2012	Compliance Inspection	10/15 Improper chemical storage
T. W. MARKET	Mini-mart	1143 TACOMA AVENUE	SUNNYSIDE	2/26/2012	Surveillance Inspection	Observed the processing of cooking food and placing it into the hot holding unit. They will monitor the food temperature every hour and document the temperature.
TACOS LUNA	Mobile	206 N. EUCLID - GRANDVIEW	GRANDVIEW	2/8/2012	Routine Inspection	0/5
TAQUERIA SAHUAYO	Mobile	BORTON'S 8:30-9:00 AM & EVANS 10:00-10:15 AM FRONTIERAS DEL NORTE NOON-7:30 PM	UNION GAP			
TEQUILA'S MEXICAN RESTAURANT	Restaurant	1 W. YAKIMA AVE. # 34	YAKIMA	2/23/2012	Routine Inspection	5/5 - Missing FWC
THAI ORCHID	Restaurant/Catering	14 N 2ND ST.	YAKIMA	2/1/2012	Compliance Inspection	5/10 Missing FWC
THE OUTPOST	Mini-mart	1825 WANETA RD.	SUNNYSIDE	2/22/2012	Compliance Inspection	5/5 Missing FWC
				2/9/2012	Routine Inspection	0/3 Improper thawing of PHF's.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
TOPPENISH SCHOOL DISTRICT CONCESSIONS	Seasonal Concession	143 WARD RD	TOPPENISH	2/7/2012	Routine Inspection	30/30 No hand wash station available in booth, hands not washed as required, FWCs were not available
TREVERI CELLARS	Winery	225 S. 2ND AVE.	YAKIMA	2/9/2012	Routine Inspection	0/0
TWIN BRIDGES RESTAURANT	Restaurant/Lounge	1315 N. 1ST STREET - YAKIMA	YAKIMA	2/2/2012	Routine Inspection	10/15 Inadequate handwashing facilities, potential food contamination during storage.
URM CASH & CARRY	Grocery Store	14 S. 5TH AVENUE	YAKIMA	2/2/2012	Routine Inspection	0/0 No problems observed.
WAPATO DAIRY QUEEN	Restaurant	318 S. WAPATO AVE.	WAPATO	2/8/2012	Routine Inspection	0/0
WAREHOUSE DEMO SERVICES # 1013	Grocery Store	2310 LONGFIBER RD. - UNION GAP	UNION GAP	2/6/2012	Routine Inspection	0/0
WHITLIN' JACK LODGE	Restaurant/Lounge	20800 HWY 410	NACHES	2/24/2012	Follow-Up Inspection	25/42 Missing FWCs, improperly cold holding PHF, unlabeled chemical
WINE COUNTRY DELI	Mini-mart	940 E. WINE COUNTRY RD. SUITE "C"	GRANDVIEW	2/24/2012	Routine Inspection	5/5 - Improper hot holding temperatures.
WOK TERIYAKI	Restaurant	1601 E. WASHINGTON AVE. # 103	UNION GAP	2/1/2012	Routine Inspection	0/3

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
XOCHIMILICO MEXICAN RESTAURANT	Restaurant/Cateri ng	2304 W. NOB HILL BLVD.	YAKIMA	2/27/2012	Routine Inspection	30/35 - Several FWC needed, improper storage of ice scoop, and no paper towels at handwash sinks.
YAKIMA MEXICAN AMERICAN RESTAURANT	Restaurant	104 E. CHESTNUT	YAKIMA	2/1/2012	Routine Inspection	40/45 BHC with RTE food, improperly stocked hand wash sink, inaccurate metal stem thermometers, unlabeled chemicals
YO YAKIMA	Ice Cream Parlor	2401 S. 1ST STREET SUITE# 100	YAKIMA	2/7/2012	Pre-Opening Inspection	approved to open