

# Monthly Food Inspection Report

**SPECIAL NOTES:**

IN THE NOTES PORTION OF THE REPORT THE FIRST NUMBER LISTED IS THE TOTAL POINTS FOR RED/HIGH RISK ITEMS FOUND . THE SECOND NUMBER IS THE TOTAL POINTS FOR HIGH RISK AND LOW RISK ITEMS.

HIGH RISK ITEMS ARE CORRECTED PRIOR TO THE COMPLETION OF THE INSPECTION. 35 OR MORE HIGH RISK POINTS OR 45 OR MORE TOTAL POINTS REQUIRES A FOLLOW-UP INSPECTION.

**Abbreviations**

- BHC: Bare Hand Contact
- DOH: Washington State Department of Health
- FDA: Food and Drug Administration
- FWC: Food Worker Card
- HACCP: Hazard Analysis Critical Control Point
- PHF: Potentially Hazardous Food
- PIC: Person in Charge
- ROP: Reduced Oxygen Packaging
- RTE: Ready to Eat
- RTS: Room Temperature Storage
- USDA: United States Department of Agriculture
- WAC: Washington Administrative Code
- WSDA: Washington State Department of Agriculture

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
2ND STREET MARKET	Grocery Store	131 S. 2ND ST.	YAKIMA	6/13/2012	Routine Inspection	40/40 - No paper towels at handwash sink, eggs at room temperature, and inaccurate metal stem thermometer.
7-ELEVEN #2307-22714J	Mini-mart	1711 E. NOB HILL BLVD.	YAKIMA	6/25/2012	Follow-Up Inspection	0/0
A TOUCH OF EUROPE B&B	Bed & Breakfast	220 N. 16TH AVE.	YAKIMA	6/25/2012	Routine Inspection	10/10 Missing FWCs, inaccurate metal stem thermometer
AFC SUSHI @ FRED MEYER # 486	Deli	1206 N. 40TH AVE.	YAKIMA	6/29/2012	Routine Inspection	0/0
AGATE FIELD VINEYARD	Winery	2911 ROZA DR	ZILLA	6/26/2012	Routine Inspection	15/17 Improperly stocked hand wash sink, inoperable metal stem thermometer
				6/15/2012	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
AM/PM # 4437	Mini-mart	601 E YAKIMA AVE.	YAKIMA	6/15/2012	Routine Inspection	30/40 Missing FWCs, blocked hand wash sink, inaccurate metal stem thermometer
AMERICAN LEGION # 133		210 E 3RD ST	WAPATO			
ARAMARK CORRECTIONAL SERVICES	Jail	111 N FRONT ST.	YAKIMA	6/1/2012	Routine Inspection	20/20 Missing FWC, improperly stocked hand wash sink, inaccurate metal stem thermometer
ARBY'S RESTAURANT	Restaurant	4002 SUMMITVIEW AVE.	YAKIMA	6/13/2012	Routine Inspection	10/15 Improperly stocked hand wash sinks
B.J.'S GET & GO	Mini-mart	3101 MAIN STREET	UNION GAP	6/5/2012	Routine Inspection	20/20 - Several FWC needed and bare hand contact with ready-to-eat food.
BASKIN-ROBBINS # 4314 - SO. 1ST STR.	Ice Cream Parlor	1505 S. 1ST STREET	YAKIMA	6/14/2012	Routine Inspection	10/10 Missing FWC, no metal stem thermometer available
BIG RED'S DINER	Restaurant	110 S. HOLLY DR.	MOXEE	6/11/2012	Routine Inspection	5/8 Missing FWC
BOB'S BURGERS & BREW	Restaurant/Lounge	121 N. FAIR AVE	YAKIMA	6/7/2012	Routine Inspection	0/0
COLLEGE MART	Mini-mart	1106 W NOB HILL BLVD	YAKIMA	6/27/2012	Routine Inspection	0/0
				6/11/2012	Routine Inspection	10/16 Improperly stocked hand wash sinks

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
CRUISIN COFFEE - NOB HILL	Espresso Stand	3202 W. NOB HILL BLVD.	YAKIMA	6/6/2012	Routine Inspection	10/15 Missing FWC, inaccurate metal stem thermometer
CURLY'S BAR & GRILL	Tavern	111 N. GLEED RD.	GLEED	6/5/2012	Complaint Inspection	Dog was in establishment on Saturday for little while. The food worker did not know that the dog could not be there.
DISCOVERY LAB SCHOOL	School	2810 CASTLEVALE RD	YAKIMA	6/5/2012	Routine Inspection	30/30 Missing FWC, improperly cold holding PHF, inaccurate metal stem thermometer
DOCTOR DELICIOUS	Mobile	112 W. WASHINGTON # 16 - UNION GAP - MAIN STREET MARKET		6/6/2012	Routine Inspection	0/0
DOLLAR STORE N MORE	Grocery Store	2010 YAKIMA VALLEY HWY #30	SUNNYSIDE	6/16/2012	Routine Inspection	0/0 - At Old Town Days in Union Gap
DOMINO'S PIZZA # 7061	Restaurant	1019 YAKIMA VALLEY HWY.	SUNNYSIDE	6/21/2012	Routine Inspection	10/10 Refrigeration issues
DOMO DOGS	Mobile		WAPATO	6/15/2012	Routine Inspection	0/0
EGLEY'S SPORTS BAR	Tavern	627 E. EDISON AVE.	SUNNYSIDE	6/1/2012	Routine Inspection	10/10 No hot water available, closed them
				6/2/2012	Routine Inspection	35/53 Missing FWC, improperly stocked hand wash sink, moldy food, unlabeled chemical

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
EL FARO TAQUERIA # 1	Mobile	VARIOUS ORCHARDS	SUNNYSIDE	6/1/2012	Routine Inspection	No problems.
EL FARO TAQUERIA # 2	Mobile		SUNNYSIDE	6/1/2012	Routine Inspection	Thermometer needs to be calibrated.
EL FARO TAQUERIA # 3	Mobile		SUNNYSIDE	6/1/2012	Routine Inspection	Need paper towels.
EL RANCHERO	Restaurant	1103 ROCK AVE. - YAKIMA	YAKIMA	6/20/2012	Routine Inspection	15/15 inadequate hand washing facilities, no thermometer available
EL TAPATIO #6-A	Mobile	800 W. Wine Country Road, Grandview	GRANDVIEW	6/26/2012	Follow-Up Inspection	They have corrected all the problems from previous inspection.
ESSENCIA ARTISAN BAKERY	Restaurant/Catering	4 N. 3RD ST.	YAKIMA	6/28/2012	Routine Inspection	20/41 Missing FWC, hands not washed as required
FIESTA FOODS	Deli/Catering	2010 YAKIMA VALLEY HWY. B-1 # 7	SUNNYSIDE	6/6/2012	Other Inspection	55/73 Missing FWCs, improperly stocked hand wash sink, improperly washing vegetables, improperly hot holding PHF, inaccurate metal stem thermometer
FIRING CENTER SUBWAY # 48238	Restaurant	51 FIRING CENTER RD.	YAKIMA	6/5/2012	Follow-Up Inspection	5/13 Missing FWC

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
FLIGHTLINE CONVENIENCE CENTER	Mini-mart	2805 W. WASHINGTON AVE.	YAKIMA	6/20/2012	Follow-Up Inspection	65/85 Hands not washed as required, improperly stocked hand wash sink, improperly washing vegetables, RTS of PHF, inaccurate metal stem thermometer
GROMORE TRADING	Mini-mart	14411 WIDE HOLLOW RD	YAKIMA	6/12/2012	Follow-Up Inspection	0/0
HOLIDAY INN EXPRESS - YAKIMA	Continental Brkfst	1001 'A' STE	YAKIMA	6/13/2012	Routine Inspection	0/0
HUMMINGBIRD CAFE	Restaurant	3 W. YAKIMA AVENUE # 1	YAKIMA	6/22/2012	Routine Inspection	25/30 - Improper hot holding temperatures.
IGLESIA DEL VALLE ASSEMBLIES OF GOD		320 TOPPENISH AVE	TOPPENISH	6/11/2012	Routine Inspection	0/8 Dishwasher is not sanitizing dishes, they will hand wash dishes for now
IPANEMA BRAZILIAN GRILL	Restaurant	5110 TIETON DRIVE # 150	YAKIMA	6/29/2012	Routine Inspection	15/23 - Several FWC needed and no paper towels at handwash sink in kitchen.
JIMMY JOHN'S GOURMET SANDWICHES	Restaurant	120 E. YAKIMA AVENUE	YAKIMA	6/13/2012	Routine Inspection	5/8 - Missing FWC.
KENTUCKY FRIED CHICKEN	Restaurant	107 S 5TH AVE.	YAKIMA	6/15/2012	Routine Inspection	30/30 missing FWCs, improper hot holding of PHF

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
KIKI RESTAURANT	Restaurant	505 W. YAKIMA AVENUE	YAKIMA	6/26/2012	Routine Inspection	35/40 Improperly cooling PHF, inaccurate metal stem thermometer
LA ESPIGA DE ORO BAKERY	Bakery	803 W NOB HILL BLVD	YAKIMA	6/19/2012	Routine Inspection	5/5 - Missing FWC
LA MONTANA	Juice Bar	1408 E NOB HILL BLVD	YAKIMA	6/25/2012	Routine Inspection	0/5 Improper sewage disposal
LAS PALOMAS	Restaurant	15 ELM ST S	TOPPENISH	6/21/2012	Follow-Up Inspection	0/0
LITTLE CAESARS # 205	Restaurant	2010 YAKIMA VALLEY HWY. # A-2	SUNNYSIDE	6/15/2012	Routine Inspection	5/5 - Missing some FWC.
LUTONG PINOY (FILIPINO FOOD)	Restaurant/Catering	1510 SUMMITVIEW AV	YAKIMA	6/11/2012	Routine Inspection	10/10 spoiled foods
LYDIA'S ICE CREAM	Mobile		WAPATO	6/6/2012	Routine Inspection	0/5 The mobile was very dirty. Market Place closed, they said they are using International Market, we need a letter stating so.
LYTLE SEAFOODS	Mobile	YAKIMA COUNTY MOBILE - K-MART	YAKIMA	6/9/2012	Routine Inspection	0/0
M & N GROCERY & BAKERY	Mini-mart	309 YAKIMA VALLEY HWY.	SUNNYSIDE	6/15/2012	Routine Inspection	5/5 - Need a metal stem thermometer.
MAISON DE PADGETT WINERY	Winery	2231 ROZA DR	ZILLAH	6/8/2012	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
MAX'S BAR & GRILL	Tavern	1107 S. 3RD STREET	YAKIMA	6/18/2012	Routine Inspection	35/56 Missing FWCs, hands not washed as required, improperly stocked hand wash sink, inaccurate metal stem thermometer
MC ILRATH FAMILY FARMS	Fruit Stand	10 OLD NACHES HIGHWAY	YAKIMA	6/14/2012	Routine Inspection	0/0
MEMO'S MEXICAN FOOD RESTAURANT	Restaurant	306 S. 1ST ST.	YAKIMA	6/15/2012	Routine Inspection	115/138 PIC answered incorrectly, missing FWC, hands not washed as required, improperly stocked hand wash sink, raw meats stored above ready to eat food, improperly cooling PHF, RTS of PHF, improperly reheating PHF for hot holding, inaccurate metal stem thermometer
MERCADO LATINO	Mini-mart	902 N 4TH ST.	YAKIMA	6/21/2012	Routine Inspection	20/30 Missing FWCs, improperly stocked hand wash sink, inaccurate metal stem thermometer, limited on food preparation because of the sewage back up.
MERCADO LOS AMIGOS	Grocery Store	1409 FRUITVALE BLVD.	YAKIMA	6/21/2012	Other Inspection	They have cleared the sewage blockage. They can now do food preparation in the meat department.
MOJO'S ESPRESSO	Espresso Stand	1003 W YAKIMA AVE	YAKIMA	6/28/2012	Routine Inspection	55/68 - Improper hot holding temperatures, room temperature storage of chorizo, no metal stem thermometer, plumbing issues.
NOB HILL FOOD STORE	Mini-mart	1710 E. NOB HILL BLVD.	YAKIMA	6/13/2012	Routine Inspection	0/0
				6/25/2012	Routine Inspection	5/8 Inaccurate metal stem thermometers

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
NORTH PARK LODGE	Continental Brkfst	659 N. WENAS	SELAH	6/15/2012	Follow-Up Inspection	5/8 No metal stem thermometer
NORTH TOWN COFFEEHOUSE SELAH	Espresso Stand	406 S 1ST ST <sup>2</sup>	SELAH	6/22/2012	Compliance Inspection	5/8 No metal stem thermometer was available
PAPA MURPHY'S PIZZA STORE # WA189	Restaurant	1515 SUMMITVIEW AVE. # 2	YAKIMA	6/28/2012	Routine Inspection	10/13 Unlabeled chemical
PARADISOS DEL SOL	Winery	3230 HIGHLAND DR	ZILLAH	6/29/2012	Routine Inspection	0/0
PUERTO ESCONDIDO	Restaurant/Lounge	811 N 1ST STREET	YAKIMA	6/15/2012	Routine Inspection	0/0
RESTAURANTE & CENADURIA CONCHITAS	Restaurant	606 S 36TH AVE	YAKIMA	6/18/2012	Routine Inspection	40/53 Missing FWCs, hands not washed as required, improperly stocked hand wash sink, unlabeled chemicals
RIMROCK STORE	Grocery Store	34090 HWY 12	NACHES	6/4/2012	Routine Inspection	55/55 Improper cooling, room temperature storage of PHF's. Follow up needed.
ROCKY MART	Mini-mart	1003 W NOB HILL BLVD <sup>2</sup>	YAKIMA	6/4/2012	Routine Inspection	0/0
				6/13/2012	Routine Inspection	5/5 missing FWCs



Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SAFEWAY # 462	Grocery Store	205 N. 5TH AVENUE	YAKIMA	6/22/2012	Routine Inspection	15/31 Missing FWCs, raw meats stored above ready to eat food, inaccurate metal stem thermometer
SANTIAGOS	Restaurant/Catering	111 E YAKIMA AVE.	YAKIMA	6/21/2012	Routine Inspection	25/28 - BHC with ready-to-eat food and no paper towels at hand wash sink in the bar.
SEA GALLEY	Restaurant/Catering	25 E VALLEY MALL BLVD.	UNION GAP	6/22/2012	Catering Routine Inspection	0/2 Need copy of food license at site
SELAH CONOCO FOOD MART	Mini-mart	301 S. 1ST STREET	SELAH	6/6/2012	Routine Inspection	0/0
SELAH EXPRESS	Mini-mart	777 NORTH PARK CENTER	SELAH	6/12/2012	Routine Inspection	0/0
SHELL MARKET	Mini-mart	313 S. 1ST STREET	SELAH	6/12/2012	Routine Inspection	15/20 - Inaccurate thermometer and handwash sink problems.
SHORTY'S SWEETS, TREATS, 'N CAKES	Bakery	115 3RD ST N	YAKIMA	6/15/2012	Pre-Opening Inspection	Approved to open.
SLOPPY SLAW BURGERS & RIBS	Restaurant	3207 W NOB HILL BLVD	YAKIMA	6/13/2012	Routine Inspection	25/35 No hand wash sink available in the kitchen, inaccurate metal stem thermometer, unlabeled chemicals
STARBUCKS COFFEE # 9680	Espresso Stand	2409 S 1ST ST	YAKIMA	6/11/2012	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
STREAMLINE SHAVED ICE CO.	Snack Bar	3714 TIETON DR	YAKIMA	6/11/2012	Routine Inspection	0/0
SUB SHOP OF YAKIMA	Restaurant	20 N. 2ND STREET	YAKIMA	6/18/2012	Routine Inspection	5/10 - Several FWC needed.
SUBWAY # 46233	Restaurant	123 E. YAKIMA AVE.	YAKIMA	6/26/2012	Routine Inspection	0/8
SUBWAY # 6870	Restaurant	2402 S. 1ST ST. # A-100	YAKIMA	6/22/2012	Routine Inspection	20/31 Missing FWCs, no metal stem thermometer available, improper chemical storage
SUNSHINE MART	Grocery Store	6712 TIETON DR	YAKIMA	6/21/2012	Routine Inspection	15/28 Improperly stocked hand wash sink, inaccurate metal stem thermometer
TACO BELL # 5088	Restaurant	1602 W. NOB HILL BLVD	YAKIMA	6/15/2012	Routine Inspection	5/5 improper hot holding of PHF
TACOS ARIEL	Mobile	809 W Nob Hill BLVD	YAKIMA	6/11/2012	Routine Inspection	15/31 Improperly stocked hand wash sink, inaccurate metal stem thermometers
TANJULI WINERY	Winery	209 N. BONAIR RD	ZILLA	6/8/2012	Routine Inspection	0/0
TAQUERIA MEXICANA	Restaurant	105 1/2 S ALDER ST	TOPPENISH	6/1/2012	Follow-Up Inspection	5/10 Inaccurate metal stem thermometer

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
TARGET STORES T-760	Snack Bar	12 N FAIR AVE.	YAKIMA	6/14/2012	Pre-Opening Inspection	Remodeled grocery area - Approved.
THE RANCH TAVERN	Tavern	515 FRUITVALE BLVD.	YAKIMA	6/14/2012	Routine Inspection	10/15 - FWC needed and hot dog buns stored on top of raw hamburger.
TOM - TOM ESPRESSO	Espresso Stand	412 S. 40TH AVENUE	YAKIMA	6/13/2012	Routine Inspection	5/10 Inaccurate metal stem thermometer
TORTA CUBANA	Restaurant	1003 W NOB HILL BLVD <sup>2</sup>	YAKIMA	6/22/2012	Routine Inspection	40/40 Improperly stocked hand wash sink, improperly hot holding PHF, inaccurate metal stem thermometer
TWO MOUNTAIN WINERY	Winery	2151 CHEYNE RD	ZILLA	6/15/2012	Routine Inspection	0/0
WALKABOUT CREEK SALOON	Restaurant/Lounge	9990 U.S. HWY. 12	NACHES	6/12/2012	Routine Inspection	60/66 Missing FWCs, hands not washed as required, BHC with RTE food, improperly stocked hand wash sink, inaccurate metal stem thermometer, unlabeled chemical
WRAY'S MEADOWBROOK	Grocery Store	7200 W. NOB HILL BLVD.	YAKIMA	6/2/2012	Routine Inspection	10/10 No hot water available at the hand wash station
XPRESS MART	Mini-mart	503 FAIR AV	YAKIMA	6/19/2012	Routine Inspection	15/21 Missing FWCs, improperly stocked hand wash sink, blocked hand wash sink
YAKIMA NATIONAL LITTLE LEAGUE	Snack Bar - Seasonal	1101 HATHAWAY ST.	YAKIMA	6/2/2012	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
YAKIMA VALLEY JUSTICE CENTER	Jail	1500 PACIFIC	YAKIMA	6/14/2012	Routine Inspection	0/0
ZAGELow BEEFALO RANCH	Mobile		WAPATO	6/18/2012	Routine Inspection	0/0