

Monthly Food Inspection Report

SPECIAL NOTES:

IN THE NOTES PORTION OF THE REPORT THE FIRST NUMBER LISTED IS THE TOTAL POINTS FOR RED/HIGH RISK ITEMS FOUND . THE SECOND NUMBER IS THE TOTAL POINTS FOR HIGH RISK AND LOW RISK ITEMS.

HIGH RISK ITEMS ARE CORRECTED PRIOR TO THE COMPLETION OF THE INSPECTION. 35 OR MORE HIGH RISK POINTS OR 45 OR MORE TOTAL POINTS REQUIRES A FOLLOW-UP INSPECTION.

Abbreviations

- BHC: Bare Hand Contact
- DOH: Washington State Department of Health
- FDA: Food and Drug Administration
- FWC: Food Worker Card
- HACCP: Hazard Analysis Critical Control Point
- PHF: Potentially Hazardous Food
- PIC: Person in Charge
- ROP: Reduced Oxygen Packaging
- RTE: Ready to Eat
- RTS: Room Temperature Storage
- USDA: United States Department of Agriculture
- WAC: Washington Administrative Code
- WSDA: Washington State Department of Agriculture

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
5 NORTH METROPOLITAN KITCHEN & LOUNGE	Restaurant/Catering	5 N. FRONT ST. SUITE # 103	YAKIMA	6/14/2013	Routine Inspection	50/70 Missing FWCs, hands not washed as required, BHC with RTE food, raw meat stored above RTE food, improperly cold holding PHF
AM/PM # 4387	Mini-mart	912 N. 1ST STREET	YAKIMA	6/6/2013	Routine Inspection	15/25 Missing FWCs, mislabeled chemicals
ARBY'S RESTAURANT	Restaurant	4002 SUMMITVIEW AVE.	YAKIMA	6/24/2013	Routine Inspection	0/0
BILL'S PLACE	Tavern	206 S 3RD AVE.	YAKIMA	6/20/2013	Routine Inspection	10/15 - Missing some FWC and raw hamburger stored next to deli meat.
BLUE BARN FARM (MOBILE)	Mobile	VARIES, YAKIMA FARMER'S MARKET	ZILLA	6/9/2013	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
BONNEVILLE SMOKED PRODUCTS		616 S 20TH AVE	YAKIMA	6/17/2013	Routine Inspection	0/0
BURGER RANCH	Restaurant	1801 S 1ST STREET	YAKIMA	6/28/2013	Follow-Up Inspection	5/21 Missing FWCs
CATS LITERACY CENTER	School	107 BUENA WAY #10	TOPPENISH	6/3/2013	Routine Inspection	0/0
CENTERPLATE	Catering	10 N. 8TH STREET	YAKIMA	6/17/2013	Other Inspection	Met with centerplate GM. Discussed "Centerplate" food service replacing former "M&M Catering". Also passed on recent complaints. These will be discussed further during next week's routine inspection of "Centerplate".
CHINA BLUE ESPRESSO CAFE	Deli	315 W YAKIMA AVE. - YAKIMA	YAKIMA	6/24/2013	Routine Inspection	10/10 Walk-in cooler contents found above 41 degrees.
DISCOVERY LAB SCHOOL	School	2810 CASTLEVALE RD	YAKIMA	6/17/2013	Routine Inspection	0/0
DOMINO'S PIZZA # 7170	Restaurant	6 S UNION ST	YAKIMA	6/6/2013	Routine Inspection	0/0
DUTCH BROS. YAKIMA	Espresso Stand	6520 W. NOB HILL BLVD	YAKIMA	6/18/2013	Routine Inspection	15/15 Missing FWC, improper chemical storage
EAGLE HIGH SCHOOL	School	143 WARD RD	TOPPENISH	6/11/2013	Routine Inspection	10/5 Missing FWCs, potential food contamination practice
				6/3/2013	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
EARLY CHILDHOOD CENTER	School	600 E. "E" STREET	GRANGER	6/5/2013	Routine Inspection	0/0
EL JALAPENOS MEXICAN FOOD	Restaurant	306 S. 1ST ST.	YAKIMA	6/11/2013	Compliance Inspection	10/28 Improperly stocked hand wash sink, need air gap installed on food preparation sink plumbing
EL RANCHERO	Restaurant	1103 ROCK AVE. - YAKIMA	YAKIMA	6/19/2013	Compliance Inspection	25/35 BHC with RTE food, need air gap at food preparation sink
EL TACO LOCO	Restaurant	19 W YAKIMA AVE.	YAKIMA	6/17/2013	Routine Inspection	10/13 - Spoiled milk in the refrigerator.
FIESTA FOODS	Deli/Catering	2010 YAKIMA VALLEY HWY. B-1 # 7	SUNNYSIDE	6/24/2013	Routine Inspection	10/15 Missing/expired FWCs, improper cold holding of PHF, improper sanitizer concentration, facility upgrade recommendation (see report in imaging).
FRUTAS EL PARAISO	Fruit Stand	1404 FRUITVALE BV	YAKIMA	6/27/2013	Routine Inspection	50/76 Missing FWCs, blocked hand wash sink, no hot water at one hand wash sink, food not in good condition, raw meat stored next to ready to eat food, improperly cold holding PHF, improper chemical storage
				6/28/2013	Complaint Inspection	Food workers wearing gloves to handle food, burnt char speck in package of rolls, hams were past pull date and were pulled from the shelf and discarded.
				6/26/2013	Routine Inspection	No problems.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
GOURMET TRIO DELI & ESPRESSO / C. & L. CATERING	Deli/Catering	1304 N. 1ST STREET	YAKIMA	6/6/2013	Routine Inspection	20/35 Hands not washed as required, inaccurate metal stem thermometer
HILTON ELEMENTARY SCHOOL	School	211 4TH AVE	ZILLA	6/7/2013	Routine Inspection	0/0
HOKUS POKUS BEER & DELI	Mini-mart	2401-B W. NOB HILL BLVD.	YAKIMA	6/21/2013	Routine Inspection	0/0
HOLIDAY INN EXPRESS - YAKIMA	Continental Brkfst	1001 'A' ST E	YAKIMA	6/28/2013	Routine Inspection	0/0
IMOGENE'S	Catering	1024 W NOB HILL BLVD	YAKIMA	6/21/2013	Routine Inspection	0/0
JIMMY JOHN'S GOURMET SANDWICHES	Restaurant	122 E YAKIMA AVE	YAKIMA	6/20/2013	Routine Inspection	0/0
LA ESPIGA DE ORO BAKERY	Bakery	803 W NOB HILL BLVD	YAKIMA	6/17/2013	Routine Inspection	0/0
LA PACHANGA (MOBILE)	Mobile		TIETON	6/27/2013	Routine Inspection	5/5 Missing FWCs
LARIAT BAR B Q	Restaurant	621 W. YAKIMA AVE.	YAKIMA	6/3/2013	Routine Inspection	10/15 Raw meats stored next to RTE food

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
LUTONG PINOY (FILIPINO FOOD)	Restaurant/Catering	1510 SUMMITVIEW AV	YAKIMA	6/9/2013	Catering Routine Inspection	35/37 Missing FWCs, ice scoop handle is contacting the ice, not using metal stem thermometer to evaluate temperature of PHF
MC GUIRE'S IRISH RESTAURANT & PUB	Tavern	4807 TIETON DR	YAKIMA	6/23/2013	Catering Follow-Up Inspect	25/25 Improperly hot holding rice
McCLURE ELEMENTARY SCHOOL	School	1222 S. 22ND AVE	YAKIMA	6/19/2013	Routine Inspection	0/0
McKINLEY ELEMENTARY SCHOOL	School	621 S. 13TH AVE	YAKIMA	6/5/2013	Routine Inspection	0/0
MEXICAN FRUIT	Mobile	2201 E. EDISON - SUNNYSIDE SCHUCK'S PARKING LOT	GRANDVIEW	6/6/2013	Routine Inspection	0/0
MINDA LANES CAFE	Restaurant	701 S. 2ND STREET	YAKIMA	6/28/2013	Routine Inspection	20/20 No paper towels for hand washing, improperly cold holding cantaloupe
MOULIN BREW	Espresso Stand	2412 S. 1ST STREET	YAKIMA	6/17/2013	Routine Inspection	15/23 Missing FWC, unlabeled chemical
NACHES VALLEY HIGH SCHOOL	School	101 W. 5TH ST.	NACHES	6/24/2013	Routine Inspection	0/0
				6/5/2013	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
NACHES VALLEY INTERMEDIATE SCHOOL	School	101 SHAFER AVENUE	NACHES	6/5/2013	Routine Inspection	0/0
NACHES VALLEY MIDDLE SCHOOL	School	32 SHAFER AVENUE	NACHES	6/5/2013	Routine Inspection	5/5 inaccurate thermometers
NACHES VALLEY PRIMARY SCHOOL	School	2700 OLD NACHES HWY	YAKIMA	6/5/2013	Routine Inspection	0/5 Dishwasher was not sanitizing properly (empty chlorine supply)
NOB HILL FOOD STORE	Mini-mart	1710 E. NOB HILL BLVD.	YAKIMA	6/18/2013	Routine Inspection	0/0
PANADERIA BAMBÌ	Bakery	116 S. WAPATO AVE.	WAPATO	6/28/2013	Compliance Inspection	35/40 Hands not washed as required, blocked hand wash sink, improperly cold holding PHF
PANADERIA SANTOS	Bakery	810 WISCONSIN AVE	TIETON	6/27/2013	Routine Inspection	15/18 Missing FWCs, improper cold holding of PHF, dirty non-food contact surfaces
PANDA EXPRESS # 1881	Restaurant	6560 W. NOB HILL BLVD.	YAKIMA	6/17/2013	Routine Inspection	25/25 Inadequately hot held PHF
PIZZA HUT # 11	Restaurant	2002 W. NOB HILL BLVD.	YAKIMA	6/6/2013	Pre-Opening Inspection	A complete remodel has just been finished. Facility continues to meet health code requirements for level 2 operation. The new floor plan can be viewed in imaging.
RICO'S TACOS	Restaurant	1221 BAILEY AVE SUITE C	GRANGER	6/11/2013	Pre-Opening Inspection	Ok to open.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
RIDGEVIEW ELEMENTARY SCHOOL	School	609 W. WASHINGTON AVE	UNION GAP	6/3/2013	Routine Inspection	5/0 Reported insufficient refrigeration space for volume & menu of food.
ROBERT S. LINCE ELEMENTARY SCHOOL	School	316 W NACHES	SELAH	6/5/2013	Routine Inspection	0/0
ROBERTSON ELEMENTARY SCHOOL	School	2807 W. LINCOLN	YAKIMA	6/6/2013	Routine Inspection	0/0
ROSEDELL BED & BREAKFAST	Bed & Breakfast	1811 W. YAKIMA AVE.	YAKIMA	6/6/2013	Routine Inspection	5/5 inaccurate thermometer
SELAH NATIONAL LITTLE LEAGUE	Snack Bar - Seasonal	440 MCGONAGLE RD	SELAH	6/4/2013	Routine Inspection	5/5 No thermometer.
SHARI'S RESTAURANT - UNION GAP	Restaurant	16 E VALLEY MALL BLVD.	UNION GAP	6/11/2013	Complaint Inspection	10/20 Improperly stocked handwash sink, kitchen floor has not been cleaned thoroughly
SHELL MARKET	Mini-mart	313 S. 1ST STREET	SELAH	6/7/2013	Routine Inspection	5/5 - Metal stem thermometer was not accurate.
SHORTY'S SWEETS, TREATS, 'N CAKES	Bakery	115 3RD ST N	YAKIMA	6/3/2013	Pre-Opening Inspection	Ok to open as a Level 2 Food Service

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
STANTON ACADEMY	School	802 RIVER RD.	YAKIMA	6/6/2013	Routine Inspection	0/0
SU MERCADO	Grocery Store	123 DIVISION ST.	GRANDVIEW	6/26/2013	Follow-Up Inspection	10/10 - No soap at handwash sink.
SUB SHOP OF YAKIMA	Restaurant	20 N. 2ND STREET	YAKIMA	6/7/2013	Routine Inspection	0/0
SUBWAY # 36788	Restaurant	210 S. 72ND AVE. SUITE # 100	YAKIMA	6/6/2013	Routine Inspection	0/0
SUBWAY # 3842	Restaurant	2301 W. NOB HILL BLVD. SUITE # 9	YAKIMA	6/17/2013	Routine Inspection	10/16 Improperly cold held chicken
SUMMITVIEW BURGER RANCH	Restaurant	911 SUMMITVIEW AVE.	YAKIMA	6/11/2013	Compliance Inspection	5/8 Raw meat stored above RTE food
SUPERMEX OF YAKIMA	Grocery Store	316 3RD ST S	YAKIMA	6/3/2013	Routine Inspection	40/48 Missing FWCs, improperly hot holding PHF, improperly cold holding PHF
TAQUERIA CAMINO REAL	Restaurant/Catering	1112 1/2 TIETON DR.	YAKIMA	6/19/2013	Follow-Up Inspection	65/70 Missing FWC, hands not washed as required, no soap at hand wash sink, eggs stored at room temperature
TAQUERIA EL RINCONSITO # 13	Restaurant	1001 N 1ST ST.	YAKIMA	6/22/2013	Catering Routine Inspection	10/10 Horchata did not have ice
				6/7/2013	Pre-Opening Inspection	Approved to open.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
THAI ORCHID	Restaurant/Catering	14 N 2ND ST.	YAKIMA	6/9/2013	Catering Routine Inspection	0/0
THE RIB SHACK	Restaurant	2511 MAIN ST	UNION GAP	6/24/2013	Complaint Inspection	5/5 Smoked chicken temped at 204 F. Metal stem thermometer was not working.
TOM - TOM ESPRESSO	Espresso Stand	412 S. 40TH AVENUE	YAKIMA	6/3/2013	Routine Inspection	06-01 Did inspection, at fairgrounds truck event, gah.
TOPPENISH SENIOR HIGH SCHOOL	School	141 WARD RD	TOPPENISH	6/3/2013	Routine Inspection	0/0
WAL-MART # 5078-01 (NOB HILL BLVD.)	Grocery Store	6600 W. NOB HILL BLVD.	YAKIMA	6/7/2013	Complaint Inspection	Restrooms appear to be clean. Storage of the food sample carts for Crossmark is near the wash area for the trash collector bins. They moved the carts out of the wash area to prevent splashing potential.
WESTPARK CHRISTIAN ACADEMY	School	3902 SUMMITVIEW AVE	YAKIMA	6/5/2013	Routine Inspection	0/0
WESTSIDE MARKET	Mini-mart	500 E EUCLID	GRANDVIEW	6/26/2013	Routine Inspection	35/35 - No FWC available, improper hot holding temperatures, and metal stem thermometer not accurate.
WILSON MIDDLE SCHOOL	School	902 S. 44TH AVE	YAKIMA	6/5/2013	Routine Inspection	0/0
XPRESS MART	Mini-mart	503 FAIR AV	YAKIMA	6/18/2013	Routine Inspection	30/45 Missing FWC, improperly stocked hand wash sink, food not in good condition, no metal stem thermometer was available

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
Y.V.C. DINING SERVICES (HUB)	Restaurant	1015 S. 16TH AVENUE	YAKIMA	6/3/2013	Routine Inspection	10/18 Improperly cold holding PHF
YAKIMA ATHLETIC CLUB	Snack Bar	2501 RACQUET LANE	YAKIMA	6/17/2013	Routine Inspection	0/0
YAKIMA ELK'S LODGE # 318		GOLF COURSE RD.	SELAH	6/28/2013	Routine Inspection	12/10 - Adulterated food, missing lights in walkin
YAKIMA SPEEDWAY	Snack Bar - Seasonal	1600 PACIFIC AVE.	YAKIMA	6/22/2013	Routine Inspection	100/118 Missing FWCs, hands not washed as required, ice scoop handle contacting the ice, hand wash sink in employee's restroom has two faucets for hot and cold, raw meat stored next to ready to eat food, inaccurate metal stem thermometer
YAKIMA VALLEY AEROMODELERS	Seasonal Concession	3515 CHEYNE ROAD	ZILLA	6/5/2013	Routine Inspection	0/0
YO YAKIMA	Ice Cream Parlor	2401 S. 1ST STREET SUITE# 100	YAKIMA	6/7/2013	Routine Inspection	0/0
YUMMY MEATS	Mobile			6/24/2013	Routine Inspection	0/0
ZAGELOW BEEFALO RANCH	Mobile		WAPATO	6/5/2013	Routine Inspection	0/0
ZILLA MIDDLE SCHOOL	School	1301 CUTLER WAY	ZILLA	6/10/2013	Routine Inspection	0/0
				6/7/2013	Routine Inspection	0/0