

Monthly Food Inspection Report

SPECIAL NOTES:

IN THE NOTES PORTION OF THE REPORT THE FIRST NUMBER LISTED IS THE TOTAL POINTS FOR RED/HIGH RISK ITEMS FOUND . THE SECOND NUMBER IS THE TOTAL POINTS FOR HIGH RISK AND LOW RISK ITEMS.

HIGH RISK ITEMS ARE CORRECTED PRIOR TO THE COMPLETION OF THE INSPECTION. 35 OR MORE HIGH RISK POINTS OR 45 OR MORE TOTAL POINTS REQUIRES A FOLLOW-UP INSPECTION.

Abbreviations

BHC: Bare Hand Contact

DOH: Washington State Department of Health

FDA: Food and Drug Administration

FWC: Food Worker Card

HACCP: Hazard Analysis Critical Control Point

PHF: Potentially Hazardous Food

PIC: Person in Charge

ROP: Reduced Oxygen Packaging

RTE: Ready to Eat

RTS: Room Temperature Storage

USDA: United States Department of Agriculture

WAC: Washington Administrative Code

WSDA: Washington State Department of Agriculture

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
7-ELEVEN # 2362-17080-C	Mini-mart	1512 SUMMITVIEW	YAKIMA	6/12/2014	Routine Inspection	20/22 Improperly stocked hand wash sink, food not in good condition
AFC SUSHI @ FRED MEYER # 486	Deli	1206 N. 40TH AVE.	YAKIMA	6/6/2014	Routine Inspection	0/5
AGAPE MT. SUNSHINE B. & B. / RETREAT	Bed & Breakfast	10121 HWY 410	NACHES	6/6/2014	Routine Inspection	10/10 Missing FWCs, inaccurate metal stem thermometer
ARBY'S RESTAURANT	Restaurant	4002 SUMMITVIEW AVE.	YAKIMA	6/23/2014	Routine Inspection	0/0
ARTHUR H. SMITH ELEMENTARY SCHOOL	School	205 FIR ST.	GRANDVIEW	6/4/2014	Routine Inspection	0/3

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
ARTY'S BAR & GRILL	Tavern	1402 FRUITVALE BLVD	YAKIMA	6/6/2014	Routine Inspection	10/10 Raw meat stored above RTE food, inaccurate metal stem thermometer
BASKIN-ROBBINS # 4314 - SO. 1ST STR.	Ice Cream Parlor	1505 S. 1ST STREET	YAKIMA	6/30/2014	Routine Inspection	5/10 Missing FWCs
BI-MART # 605	Grocery Store	309 S. 5TH AVE. - YAKIMA	YAKIMA	6/18/2014	Routine Inspection	10/10 Food not in good condition
C & D MARKET	Grocery Store	426 S MAIN STREET	MABTON	6/9/2014	Routine Inspection	0/0
CAFFE CAPRI @ VALLEY MALL	Espresso Stand/Deli	2529 MAIN STR. # 118	UNION GAP	6/17/2014	Pre-Opening Inspection	Current location is being remodeled. Temporarily moved to a new location in the mall for about 6 weeks until remodel is done. Approved to open.
CLARENCE MCCLURE ELEMENTARY	School	811 W. 2ND STREET	GRANDVIEW	6/4/2014	Routine Inspection	0/0
COCINA MELISSA'S	Fruit Stand	6 JEFFERSON AVE. - TOPPENISH	TOPPENISH	6/3/2014	Pre-Opening Inspection	
CRUISIN COFFEE - NOB HILL	Espresso Stand	3202 W. NOB HILL BLVD.	YAKIMA	6/18/2014	Routine Inspection	15/20 PIC did not answer correctly, missing FWCs, no metal stem thermometer
DEEP SEA DELI	Grocery Store	20 N. 9TH AVE.	YAKIMA	6/30/2014	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
DISCOVERY LAB SCHOOL	School	2810 CASTLEVALE RD	YAKIMA	6/2/2014	Routine Inspection	0/0
DOWNTOWN MARKET & DELI	Grocery Store	131 S. 2ND ST.	YAKIMA	6/25/2014	Routine Inspection	15/15 - FWC needed and need paper towels at handwash sink.
EL RANCHERO	Restaurant	1103 ROCK AVE. - YAKIMA	YAKIMA	6/19/2014	Routine Inspection	0/0
GOLDEN BULL CHINESE RESTAURANT	Restaurant	106 N. 1ST STREET	SELAH	6/24/2014	Routine Inspection	10/20 - No hot water in facility (this was fixed).
GRANDVIEW HIGH SCHOOL	School	1601 W. 5TH ST.	GRANDVIEW	6/4/2014	Routine Inspection	0/0
GRANDVIEW MARKET	Mini-mart	100 E. WINE COUNTRY RD.	GRANDVIEW	6/30/2014	Routine Inspection	0/0
HARRIETT THOMPSON ELEMENTARY SCHOOL	School	1105 W. 2ND ST.	GRANDVIEW	6/4/2014	Routine Inspection	0/0
HOKUS POKUS BEER & DELI	Mini-mart	2401-B W. NOB HILL BLVD.	YAKIMA	6/23/2014	Routine Inspection	0/0
HOOVER ELEMENTARY SCHOOL	School	400 W. VIOLA	YAKIMA	6/5/2014	Routine Inspection	0/0 Food prep sink & hand wash sink should be labeled

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
HOT T ESPRESSO	Espresso Stand/Deli	1304 N. 1ST STREET	YAKIMA	6/4/2014	Routine Inspection	5/5 Missing FWCs
Jahr's European Sausage & Custom Cutting	Meat Market	160 RANCHETTE LN	SELAH	6/18/2014	Routine Inspection	10/10 Improperly stocked hand wash sink
JIMMY JOHN'S GOURMET SANDWICHES	Restaurant	122 E YAKIMA AVE	YAKIMA	6/12/2014	Routine Inspection	5/5 - Several FWC needed.
JULIANA'S BOUTIQUE	Fruit Stand	716 1ST ST N	YAKIMA	6/19/2014	Pre-Opening Inspection	Owner would like to upgrade to a full service restaurant. Several items needed. See inspection report in imaging.
LA ESPIGA DE ORO BAKERY	Bakery	803 W NOB HILL BLVD	YAKIMA	6/18/2014	Routine Inspection	0/0
LARIAT BAR B Q	Restaurant	621 W. YAKIMA AVE.	YAKIMA	6/17/2014	Routine Inspection	60/60 Improperly cooling PHF, RTS of PHF, inaccurate metal stem thermometer
LONGMIRE'S T & T LOUNGE	Tavern	307 S. 1ST STREET	SELAH	6/18/2014	Routine Inspection	10/18 Missing FWCs, inaccurate metal stem thermometer
MARISCOS MARY TIERRA # 12	Mobile		WAPATO	6/27/2014	Routine Inspection	40/42 Missing FWCs, improperly stocked hand wash sink, improperly hot holding PHF

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
McCLURE ELEMENTARY SCHOOL	School	1222 S. 22ND AVE	YAKIMA	6/2/2014	Routine Inspection	0/0
McKINLEY ELEMENTARY SCHOOL	School	621 S. 13TH AVE	YAKIMA	6/2/2014	Routine Inspection	0/0
MEADOWBROOK CONVENIENCE CENTER	Mini-mart	7200 W. NOB HILL BLVD.	YAKIMA	6/23/2014	Routine Inspection	0/0
MEL'S DINER	Restaurant	314 N. 1ST STREET	YAKIMA	6/4/2014	Routine Inspection	0/10
MERCADO LATINO	Mini-mart	902 N 4TH ST.	YAKIMA	6/12/2014	Routine Inspection	40/40 Missing FWC, improperly stocked hand wash sink, PHF is not in good condition, not keeping oyster tags for 90 days, raw meat stored above RTE food, inaccurate metal stem thermometer
MEXICAN FRUIT	Mobile	2201 E. EDISON - SUNNYSIDE SCHUCK'S PARKING LOT	GRANDVIEW	6/11/2014	Routine Inspection	15/15 Missing FWC and no I.D. available, no hot water was available, CLOSED THEM
				6/11/2014	Opening Inspection	They have hot water and are ok to open.
MINER'S DRIVE IN	Restaurant	2415 S. 1ST STREET	UNION GAP	6/17/2014	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
MIZ DEE'S B.B.Q. WORKS & CATERING	Restaurant/Catering	523 W. YAKIMA AVE.	YAKIMA	6/26/2014	Routine Inspection	45/55 Missing FWCs, improperly stocked hand wash sink, improperly cooled beans
MOULIN BREW	Espresso Stand	2412 S. 1ST STREET	YAKIMA	6/17/2014	Routine Inspection	0/0
MR. PIZZA	Restaurant	2019 FRUITVALE BLVD.	YAKIMA	6/9/2014	Routine Inspection	30/35 Missing FWCs, blocked hand wash sink, inaccurate metal stem thermometer, improper chemical storage
NEW CHEN'S CHINA BUFFET	Restaurant	2616 W NOB HILL BLVD.	YAKIMA	6/4/2014	Routine Inspection	15/23 Raw meat stored above RTE food, improperly cold holding PHF
				6/6/2014	Complaint Inspection	Restrooms are cleaned, however the men's restroom toilet was overflowing during the inspection. Ice cream machine was clean.
NOB HILL BOWLING CENTER	Snack Bar	3807 W NOB HILL	YAKIMA	6/17/2014	Routine Inspection	35/46 Missing FWCs, hands not washed as required, improperly reheating PHF for hot holding
NOB HILL ELEMENTARY SCHOOL	School	801 S. 34TH AVE	YAKIMA	6/2/2014	Routine Inspection	0/0
ON-LINE SCHOOL - YV TECH	School	1120 S. 18TH ST. , PORTABLE B	YAKIMA	6/6/2014	Routine Inspection	0/0
OUTBACK ESPRESSO NORTH	Espresso Stand	1212 S. 80TH AVE	YAKIMA	6/9/2014	Routine Inspection	0/2

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
PANDA EXPRESS #1725	Restaurant	1915 1ST ST S	YAKIMA	6/3/2014	Routine Inspection	0/0
RAJ & CO.	Mini-mart	4708 TIETON DR	YAKIMA	6/4/2014	Routine Inspection	10/18 PIC was not knowledgeable about food safety, missing FWC
RUSSILLOS PIZZA & GELATO	Restaurant/Catering	32 N. FRONT ST. SUITE # 102 - YAKIMA	YAKIMA	6/30/2014	Routine Inspection	25/25 Improper hot holding of PHF
SAFEWAY # 1660	Grocery Store	905 E. MEAD	YAKIMA	6/26/2014	Complaint Inspection	Supervisor said that the food workers know that they are to use gloves when handling ready to eat food. Natalia will speak with the food worker.
				6/26/2014	Routine Inspection	15/28 Improperly stocked hand wash sink, raw meat stored next to cooked food,
SAKURA TERIYAKI & SUSHI	Restaurant	2000 E. YAKIMA VALLEY HWY.	SUNNYSIDE	6/19/2014	Routine Inspection	45/58 PIC did not answer correctly, missing FWCs, raw meat stored above RTE food, improperly cooling PHF
SEA GALLEY	Restaurant/Catering	25 E VALLEY MALL BLVD.	UNION GAP	6/13/2014	Follow-Up Inspection	30/35 Missing FWCs, hands not washed as required, improperly stocked hand wash sink
SELAH CHEVRON	Mini-mart	313 S. 1ST STREET	SELAH	6/11/2014	Routine Inspection	65/65 - Expired FWC, BHC with ready to eat food, items stored in handwash sink, and improper cooling.
				6/23/2014	Follow-Up Inspection	0/0
SELAH MINI MART/GYROS	Mini-Mart/Catering	103 S 1ST ST	SELAH	6/6/2014	Routine Inspection	30/30 - FWC needed and improper hot holding temperatures.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SNIPES MOUNTAIN BREWING, INC.	Restaurant/Catering	905 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	6/30/2014	Routine Inspection	45/58 Raw meat stored above RTE food, RTS of PHF, inaccurate metal stem thermometers, unlabeled chemical, improper chemical storage
STANTON ACADEMY	School	802 RIVER RD.	YAKIMA	6/5/2014	Routine Inspection	0/0
STARBUCKS COFFEE #3370	Espresso Stand	420 S 72ND AVE	YAKIMA	6/9/2014	Routine Inspection	0/0
STARBUCKS COFFEE CO. # 3407	Espresso Stand	1208 N. 40TH AVE. SUITE # A	YAKIMA	6/10/2014	Routine Inspection	5/5 - Several FWC needed.
SUB SHOP OF YAKIMA	Restaurant	20 N. 2ND STREET	YAKIMA	6/11/2014	Routine Inspection	10/10 - Refrigerator and food inside was at 52 degrees.
SUBWAY # 27775	Restaurant	4040 TERRACE HEIGHTS DR	YAKIMA	6/25/2014	Routine Inspection	5/15 Missing FWC
SUNNYSIDE CHEVRON	Mini-mart	1805 S. 1ST STREET	SUNNYSIDE	6/11/2014	Routine Inspection	0/5
T. W. MARKET	Mini-mart	1143 TACOMA AVENUE	SUNNYSIDE	6/13/2014	Routine Inspection	40/40 Improperly stocked hand wash sink, improperly hot holding PHF, inaccurate metal stem thermometer
				6/19/2014	Follow-Up Inspection	25/25 Improperly hot holding PHF

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
TACO BELL - SELAH	Restaurant	721 N. PARK CENTRE	SELAH	6/20/2014	Routine Inspection	5/5 Missing FWCs
TACO TIME	Restaurant	1020 S 16TH AVE.	YAKIMA	6/24/2014	Routine Inspection	0/0
TACOS LUNA	Mobile	206 N. EUCLID - GRANDVIEW	GRANDVIEW	6/20/2014	Follow-Up Inspection	10/10 Improperly cold holding PHF
				6/30/2014	Compliance Inspection	10/10 Improperly cold holding PHF
TAMPICO STORE	Restaurant	1 SOUTH FORK RD.	YAKIMA	6/18/2014	Routine Inspection	0/0
TAQUERIA JACOBO'S	Mobile			6/18/2014	Routine Inspection	20/20 Handwashing sink not functioning, improper hot holding of PHF, no working thermometer, refrigeration concerns - see report in imaging
THE CHERRY PATCH	Restaurant	101 W. 1ST AVE.	ZILLAH	6/2/2014	Routine Inspection	30/38 Hands not washed as required, improperly cold holding PHF, inaccurate metal stem thermometer
THE TACO SHACK	Restaurant	130 E NACHES	SELAH	6/9/2014	Routine Inspection	65/71 PIC was not available, missing FWC, hands not washed as required, kitchen hand wash sink was blocked, improperly stocked hand wash sink, RTS of PHF, inaccurate metal stem thermometer
TITO'S # 2	Mobile		YAKIMA	6/3/2014	Pre-Opening Inspection	Approved to open.
UNION GAP CARNICERIA	Meat Market	909 LOWER AHTANUM RD	UNION GAP	6/12/2014	Follow-Up Inspection	0/5

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
WALMART #2241	Grocery Store	2675 LINCOLN AVE.	SUNNYSIDE	6/9/2014	Routine Inspection	10/15 inadequate hand washing sinks, missing sanitizer
WEST VALLEY LITTLE LEAGUE	Seasonal Concession	1041 S. 96TH AVE	YAKIMA	6/9/2014	Routine Inspection	15/15 No hot water was available at the kitchen hand wash sink, inaccurate metal stem thermometer
WHISTLIN' JACK LODGE	Restaurant/Lounge	20800 HWY 410	NACHES	6/20/2014	Routine Inspection	45/50 Hands not washed as required, raw meat stored above ready to eat food, improperly cold holding PHF, inaccurate metal stem thermometers
WINE COUNTRY DELI	Mini-mart	940 E. WINE COUNTRY RD. SUITE "C"	GRANDVIEW	6/30/2014	Routine Inspection	0/0
WOODSHED RESTAURANT & LOUNGE	Restaurant/Lounge	8590 HWY 410	NACHES	6/6/2014	Follow-Up Inspection	5/5 Raw meat stored above RTE food
YAKIMA VALLEY PIPPINS BASEBALL	Seasonal Concession	1301 S. FAIR AVE. - YAKIMA	YAKIMA	6/4/2014	Opening Inspection	Approved to open all concession stands.
YAKIMA YOUTH BASEBALL	Snack Bar - Seasonal	1405 W NOB HILL BLVD.	YAKIMA	6/19/2014	Routine Inspection	45/45 - PIC was not knowledgeable of food safety, FWC needed, raw beef stored above RTE food, improper hot holding temperatures, and inaccurate metal stem thermometers.