

Monthly Food Inspection Report

SPECIAL NOTES:

IN THE NOTES PORTION OF THE REPORT THE FIRST NUMBER LISTED IS THE TOTAL POINTS FOR RED/HIGH RISK ITEMS FOUND . THE SECOND NUMBER IS THE TOTAL POINTS FOR HIGH RISK AND LOW RISK ITEMS.

HIGH RISK ITEMS ARE CORRECTED PRIOR TO THE COMPLETION OF THE INSPECTION. 35 OR MORE HIGH RISK POINTS OR 45 OR MORE TOTAL POINTS REQUIRES A FOLLOW-UP INSPECTION.

Abbreviations

BHC: Bare Hand Contact

DOH: Washington State Department of Health

FDA: Food and Drug Administration

FWC: Food Worker Card

HACCP: Hazard Analysis Critical Control Point

PHF: Potentially Hazardous Food

PIC: Person in Charge

ROP: Reduced Oxygen Packaging

RTE: Ready to Eat

RTS: Room Temperature Storage

USDA: United States Department of Agriculture

WAC: Washington Administrative Code

WSDA: Washington State Department of Agriculture

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
2 BUSY 2 COOK/CATERING CREATIONS BY TONI	Catering	6002 SUMMITVIEW	YAKIMA	7/25/2014	Routine Inspection	0/0
5 NORTH METROPOLITAN KITCHEN & LOUNGE	Restaurant/Cateri ng	5 N. FRONT ST. SUITE # 103	YAKIMA	7/23/2014	Routine Inspection	5/5 Expired FWCs
AHTANUM FOOD MART (2)	Mini-mart	207 AHTANUM RD.	UNION GAP	7/25/2014	Routine Inspection	0/3 Dirty surfaces
ARBY'S RESTAURANT	Restaurant	1227 S 1ST ST.	YAKIMA	7/22/2014	Routine Inspection	0/0
B.J.'S COFFEE BARN	Espresso Stand	514 W. 1ST STREET	WAPATO	7/10/2014	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
BACKWOODS COUNTRY FARE CAFE	Restaurant	913 S. 1ST STREET	YAKIMA	7/30/2014	Routine Inspection	90/96 Missing FWC, hands not washed as required, BHC with RTE food, RTS of PHF, unlabeled chemical
BENCH MARK SHELL	Mini-mart	1202 N 1ST ST.	YAKIMA	7/30/2014	Routine Inspection	
BEST WESTERN LINCOLN INN	Snack Bar	1614 N. 1ST STREET	YAKIMA	7/22/2014	Routine Inspection	40/43 Improperly hot holding PHF, improperly cold holding PHF, inaccurate metal stem thermometer, unlabeled chemical
BI-MART # 636	Grocery Store	110 W. SOUTH HILL RD.	SUNNYSIDE	7/21/2014	Routine Inspection	0/0
BREWS & CUES	Tavern	104 S 2ND STREET	YAKIMA	7/22/2014	Routine Inspection	55/50 Missing FWCs, BHC w/RTE, inadequate hand washing facilities, sanitizer needed
BUENA VISTA MINI MARKET	Mini-mart	701 S. 6TH	SUNNYSIDE	7/1/2014	Routine Inspection	10/10 No paper towels at restroom hand wash sink
C.J.'S CUSTOM MEATS	Meat Market	671 JONES ROAD	WAPATO	7/10/2014	Routine Inspection	5/5 variance needed for ROPed products. HACCP plan must be approved to receive variance. Improper labeling on packaged meats.
CLASSIC EVENTS CATERING	Catering	5453 ASHUE RD	WAPATO	7/18/2014	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
COMPASS ALTERNATIVE HIGH SCHOOL	School	913 W. 2ND	GRANDVIEW	7/30/2014	Routine Inspection	0/0
COOL MART	Mini-mart	101 E 1ST STREET	GRANGER	7/15/2014	Routine Inspection	25/25 Missing FWCs, food not in good condition, improperly cold holding PHF
				7/31/2014	Follow-Up Inspection	20/20 Blocked hand wash sink, improperly cold holding PHF, inaccurate metal stem thermometer
DOLLAR STRETCHER	Grocery Store	501 LINCOLN AV W	YAKIMA	7/17/2014	Routine Inspection	0/0
DOMINO'S PIZZA # 7061	Restaurant	1019 YAKIMA VALLEY HWY.	SUNNYSIDE	7/28/2014	Routine Inspection	0/0
EL SOL MEAT MARKET	Meat Market	1516 YAKIMA VALLEY HWY	SUNNYSIDE	7/21/2014	Routine Inspection	15/15 Improper cold holding of PHF, inaccurate thermometer
ELECTRIC BEACH TANNING & ESPRESSO	Espresso Stand	318 7TH ST S	SUNNYSIDE	7/23/2014	Routine Inspection	0/ No problems.
EXPRESS MART / SUBWAY	Restaurant	51 FIRING CENTER RD.	YAKIMA	7/22/2014	Routine Inspection	55/65 Missing FWCs, hands not washed as required, improperly stocked hand wash sink, inaccurate metal stem thermometer
FAMOUS BURGER & TERIYAKI SANDWICH	Restaurant	401 W. LINCOLN AVE.	YAKIMA	7/24/2014	Routine Inspection	25/30 Improperly stocked hand wash sink, improperly cold holding PHF, metal stem thermometer not used to evaluate PHF temperatures

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
GARCIA'S DRIVE - THRU	Restaurant/Catering	1027 W WINE COUNTRY RD.	GRANDVIEW	7/31/2014	Routine Inspection	23/15 Missing FWCs, inadequate handwashing facilities, no sanitizer available, dirty kitchen.
GAS MAX	Mini-mart	608 WINE COUNTRY ROAD	GRANDVIEW	7/31/2014	Routine Inspection	30/30 Improper hot holding of PHF, missing FWCs
GATEWAY 76 STORE # 180	Mini-mart	1802 E NOB HILL BLVD.	YAKIMA	7/21/2014	Routine Inspection	35/40 Missing FWC, improperly hot holding PHF, inaccurate metal stem thermometers
GRAND CINEMAS - YAKIMA VALLEY	Snack Bar	3400 PICARD PLACE	SUNNYSIDE	7/23/2014	Routine Inspection	0/0
GRANDVIEW MIDDLE SCHOOL	School	1401 W. 2ND ST.	GRANDVIEW	7/30/2014	Routine Inspection	10/10 - No hot water at handwash or dishwash sinks.
INTERNATIONAL MARKET	Grocery Store	512 W 1ST ST.	WAPATO	7/10/2014	Routine Inspection	30/30 Improper hot holding of PHF, inaccurate thermometer
JACK IN THE BOX # 8362	Restaurant	100 W. SOUTH HILL RD.	SUNNYSIDE	7/21/2014	Routine Inspection	10/10 Inadequate hand washing facilities
KENTUCKY FRIED CHICKEN/A&W	Restaurant	1928 YAKIMA VALLEY HWY.	SUNNYSIDE	7/23/2014	Routine Inspection	10/10 - Improperly stocked handwash sink.
KIANNA'S	Restaurant	1 TOPPENISH AV S	TOPPENISH	7/31/2014	Routine Inspection	30/33 Missing FWCs, improperly stocked hand wash sink, inaccurate metal stem thermometer, improper chemical storage

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
K-MART LITTLE CAESAR'S PIZZA STATION	Restaurant	2304 E NOB HILL BLVD	YAKIMA	7/21/2014	Routine Inspection	5/13 Inaccurate metal stem thermometer
KNIGHTS INN	Continental Brkfst	818 N. 1ST STREET	YAKIMA	7/24/2014	Routine Inspection	5/5 Expired FWC
L STOP -N- GO	Restaurant	330 SOUTH STREET	MABTON	7/21/2014	Pre-Opening Inspection	Need air break for food preparation sink and three compartment sinks. Boards under the three compartment sink must be painted.
				7/28/2014	Opening Inspection	They have an indirect drain installed for the food preparation sink and the three compartment sink wastewater plumbing.
LAMAS BILLIARDS	Snack Bar	405 S. WAPATO AVE.	WAPATO	7/31/2014	Routine Inspection	0/0 No problems.
LEWISVILLE	Tavern	301 N. 6TH AVENUE	YAKIMA	7/30/2014	Routine Inspection	5/8 Missing FWCs
LIGHT DELIGHT		1405 36TH AVE, S	YAKIMA	7/2/2014	Pre-Opening Inspection	Approved to open. There is not an indirect drain on the 3-comp sink. However, product is only made about twice a week and dishes are washed right after baking each day. There is a pump system on the 3-comp sink.
MC DONALD'S RESTAURANT	Restaurant	2326 S. 1ST STREET - UNION GAP	UNION GAP	7/24/2014	Routine Inspection	0/5 Improper storage of ice scoop
MC ILRATH FAMILY FARMS	Fruit Stand	10 OLD NACHES HIGHWAY	YAKIMA	7/22/2014	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
MR MO'S ESPRESSO	Espresso Stand	103 W. FREMONT	SELAH	7/29/2014	Pre-Opening Inspection	Approved to open.
NOB HILL FOOD STORE	Mini-mart	1710 E. NOB HILL BLVD.	YAKIMA	7/31/2014	Routine Inspection	0/0
ON THE GO ESPRESSO	Espresso Stand	101 BUTTERFIELD RD	YAKIMA	7/3/2014	Routine Inspection	0/0
PAPA MURPHY'S PIZZA	Restaurant	609 E. WINE COUNTRY RD. - GRANDVIEW	GRANDVIEW	7/30/2014	Routine Inspection	0/0
PEACH TREE RETIREMENT	Retirement Housing	2800 W. VIOLA - YAKIMA	YAKIMA	7/23/2014	Routine Inspection	0/0
PEEK-A-BREW ESPRESSO	Espresso Stand	1206 N. 16TH AVE. - YAKIMA	YAKIMA	7/17/2014	Routine Inspection	0/8
POWERHOUSE GRILL	Restaurant	3807 RIVER RD.	YAKIMA	7/24/2014	Routine Inspection	20/38 Hands not washed as required, inaccurate metal stem thermometer
RITE AID # 4063	Grocery Store	12 N 9TH AVE.	YAKIMA	7/25/2014	Routine Inspection	0/0
ROADRUNNER GAS	Mini-mart	1820 S. 3RD AVE.	YAKIMA	7/24/2014	Routine Inspection	20/22 - All workers need FWC available, handwash sink and food prep sink need to be installed, hood needed for stove unit, and metal stem thermometer is not accurate.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
ROBERT'S MARKET	Mini-mart	602 MAPLE STREET	TIETON	7/24/2014	Routine Inspection	0/0
RUBEN'S TORTILLERIA	Bakery	1518 S. 1ST STREET	YAKIMA	7/24/2014	Routine Inspection	63/55 Missing FWCs, Improper hot holding of PHF, Room temp storage of PHF, potential pest entry points, thorough cleaning needed. Follow-up necessary
SAFEWAY # 1593	Grocery Store	610 E. WINE COUNTRY RD.	GRANDVIEW	7/31/2014	Routine Inspection	0/5 missing sanitizer
SAKURA TERIYAKI & SUSHI	Restaurant	2000 E. YAKIMA VALLEY HWY.	SUNNYSIDE	7/28/2014	Follow-Up Inspection	5/13 Missing FWCs
SENIOR NUTRITION PROGRAM - RESPITE ADULT DAY CENTER		1604 W YAKIMA AVE	YAKIMA	7/24/2014	Routine Inspection	0/0
SMITTY'S MARKET & DELICATESSAN	Mini-mart	3508 FRUITVALE BLVD.	YAKIMA	7/24/2014	Routine Inspection	15/20 Improperly cold holding PHF, no metal stem thermometer was available
SNIPES MOUNTAIN BREWING, INC.	Restaurant/Catering	905 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	7/29/2014	Follow-Up Inspection	15/25 Unlabeled chemicals, raw meat stored next to ready to eat food

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
STARBUCKS	Espresso Stand	2550 W. NOB HILL BLVD. STE. # 102 - YAKIMA	YAKIMA	7/15/2014	Pre-Opening Inspection	Not ready
				7/16/2014	Pre-Opening Inspection	Ok to open.
STOP-N-GO EXPRESS-O	Espresso Stand	3005 MAIN STREET	UNION GAP	7/24/2014	Routine Inspection	0/0
SUN COUNTRY INN	Continental Brkfst	1700 1ST ST N	YAKIMA	7/24/2014	Routine Inspection	0/5 Refrigerator containing PHF missing a temperature gauge
SUNNYSIDE COMMUNITY CENTER/SUNNYSI DE PROMISE	Snack Bar	1521 S. 1ST STREET	SUNNYSIDE	7/28/2014	Routine Inspection	0/0
T. M. MARKET	Mini-mart	417 N CEMETERY RD	SUNNYSIDE	7/23/2014	Routine Inspection	0/0
T. W. MARKET	Mini-mart	1143 TACOMA AVENUE	SUNNYSIDE	7/29/2014	Compliance Inspection	25/30 Missing FWC, improperly hot holding PHF
T.L.C. CAFE	Restaurant	428 S. "G" STREET	TOPPENISH	7/31/2014	Routine Inspection	30/30 BHC with RTE food, no metal stem thermometer was available
TACO BELL # 9461	Restaurant	2124 S. 1ST STREET	YAKIMA	7/30/2014	Routine Inspection	15/15 Missing FWC, improperly cold holding PHF
TACO TIME	Restaurant	2111 S 1ST ST.	YAKIMA	7/30/2014	Routine Inspection	25/28 Missing FWC, improperly stocked hand wash sink, improperly cold holding PHF

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
TACOS LUNA	Mobile	206 N. EUCLID - GRANDVIEW	GRANDVIEW	7/15/2014	Compliance Inspection	10/10 Improperly cold holding PHF
TACOS PUERTO VALLARTA	Mobile		MABTON	7/28/2014	Pre-Opening Inspection	5/10 Missing FWC
TAMALES EXPRESS AND MORE 50/50	Restaurant	315 W. MARTIN LUTHER KING JR. BLVD.	YAKIMA	7/25/2014	Routine Inspection	5/5 inaccurate thermometer
TAQUERIA MEXICANA	Restaurant	105 1/2 S ALDER ST	TOPPENISH	7/21/2014	Routine Inspection	10/15 Missing FWC, inaccurate metal stem thermometer
TARGET STORES T-760	Snack Bar	12 N FAIR AVE.	YAKIMA	7/30/2014	Routine Inspection	25/25 Missing FWC, food not in good condition, improper chemical storage
THE COFFEE POT	Espresso Stand	3120 MAPLEWAY	YAKIMA	7/22/2014	Routine Inspection	5/5 Missing FWC
THE FUEL YARD	Espresso Stand	314 1ST AVE.	ZILLAH	7/15/2014	Routine Inspection	0/0
THE MARKET PLACE DELI / TOM TOM ESPRESSO	Deli/Catering	304 E YAKIMA AVE.	YAKIMA	7/1/2014	Catering Routine Inspection	6-28-14 Did inspection for itinerants at arboretum; No copy of license on-site. Told Yvonne she needed a copy during operation.
TIENDITA LOS AMIGOS	Restaurant	302 MAIN STREET	GRANGER	7/9/2014	Routine Inspection	No problems.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
TRIUMPH TREATMENT SERVICES	Catering	3300 ROOSEVELT AVE.	YAKIMA	7/30/2014	Routine Inspection	30/30 Bare hand contact with RTE food, inaccurate metal stem thermometer
WAFFLE CAFFE	Restaurant	1510 N. 1ST STREET	YAKIMA	7/24/2014	Routine Inspection	0/3
WASHINGTON FRUIT PLACE	Fruit Stand	1209 PECKS CANYON RD.	YAKIMA	7/2/2014	Routine Inspection	10/15 Inadequately cold held PHF, missing temp gauges
WHISTLIN' JACK LODGE	Restaurant/Lounge	20800 HWY 410	NACHES	7/18/2014	Follow-Up Inspection	65/70 Hands not washed as required, BHC with RTE food, improperly cold holding PHF, inaccurate metal stem thermometer
YAKIMA AVE QUICK STOP	Mini-mart	702 W YAKIMA AVE.	YAKIMA	7/25/2014	Routine Inspection	25/25 improper hot holding of PHF
YO YAKIMA	Ice Cream Parlor	2401 S. 1ST STREET SUITE# 100	YAKIMA	7/3/2014	Routine Inspection	0/0
ZAGELOW BEEFALO RANCH	Mobile		WAPATO	7/18/2014	Routine Inspection	0/0
ZIGGYS MARKET AND SMOKE SHOP	Mini-mart	225 W WINE COUNTRY ROAD	GRANDVIEW	7/31/2014	Routine Inspection	40/35 inadequate hand washing facilities, improper hot holding of PHF, inadequate warewashing facilities