

Monthly Food Inspection Report

SPECIAL NOTES:

IN THE NOTES PORTION OF THE REPORT THE FIRST NUMBER LISTED IS THE TOTAL POINTS FOR RED/HIGH RISK ITEMS FOUND . THE SECOND NUMBER IS THE TOTAL POINTS FOR HIGH RISK AND LOW RISK ITEMS.

HIGH RISK ITEMS ARE CORRECTED PRIOR TO THE COMPLETION OF THE INSPECTION. 35 OR MORE HIGH RISK POINTS OR 45 OR MORE TOTAL POINTS REQUIRES A FOLLOW-UP INSPECTION.

Abbreviations

- BHC:** Bare Hand Contact
- DOH:** Washington State Department of Health
- FDA:** Food and Drug Administration
- FWC:** Food Worker Card
- HACCP:** Hazard Analysis Critical Control Point
- PHF:** Potentially Hazardous Food
- PIC:** Person in Charge
- ROP:** Reduced Oxygen Packaging
- RTE:** Ready to Eat
- RTS:** Room Temperature Storage
- USDA:** United States Department of Agriculture
- WAC:** Washington Administrative Code
- WSDA:** Washington State Department of Agriculture

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
"HOLY" PIES! DELI AND COFFEE	Espresso Stand/Deli	1829 S 1ST STREET SUITE "B"	SUNNYSIDE	2/24/2016	Routine Inspection	0/5 Bag of flour on the floor.
1885 BAR & GRILL @ VAN'S	Restaurant	208 NACHES AVENUE	NACHES	2/4/2016	Routine Inspection	10/18 Missing FWC's, no consumer advisory posted for undercooked foods, improper dishwashing procedures, no handwash signs in restrooms
2ND STREET MINI MART & SMOKE SHOP	Mini-mart	201 AVE. "F"	GRANDVIEW	2/22/2016	Routine Inspection	5/15 No FWC.No chlorine in sanitizer. Food uncovered in freezer.
3D AM/PM	Mini-mart	1801 E NOB HILL	YAKIMA	2/17/2016	Routine Inspection	0/0
41ST STREET ESPRESSO	Espresso Stand	4112 1/2 TERRACE HGTS. DR.	YAKIMA	2/25/2016	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
A & A MINI MART & SMOKE SHOP	Mini-mart	708 N. 5TH AVE.	YAKIMA	2/4/2016	Routine Inspection	45/45 PIC was not knowledgeable about food safety rules, missing FWCs, improperly stocked hand wash sink, improperly hot holding PHF
AHTANUM GENERAL STORE	Mini-mart	8301 AHTANUM	YAKIMA	2/26/2016	Routine Inspection	15/25 Missing FWC, improperly stocked hand wash sink
ALBERTSON'S FOOD CENTER # 249	Mult Food Service	1610 W. LINCOLN AVE.	YAKIMA	2/24/2016	Routine Inspection	0/0 No problems observed during inspection.
AM/PM # 4387	Mini-mart	912 N. 1ST STREET	YAKIMA	2/25/2016	Routine Inspection	25/30 No FWC, PIC didn't know cold and hot holding temperatures, PHF at 58 degrees in refrigerator, no thermometer to evaluate temperature of PHFs, uncovered PHFs in freezer.
ANTOJITOS LUCY #2	Cafeteria	31 ALLAN ROAD	NACHES	2/4/2016	Routine Inspection	5/10 Missing FWC, no thermometer in refrigerator
ARCO AM/PM	Mini-mart	1850 WANETA ROAD	SUNNYSIDE	2/29/2016	Routine Inspection	0/0
BALLESTERI'S CAFE	Restaurant	4001 SUMMITVIEW AVE. # 3	YAKIMA	2/22/2016	Routine Inspection	35/35 Expired FWC's, hands not washed as required, improper cold holding of PHF
BASKIN-ROBBINS	Ice Cream Parlor	3802 W. NOB HILL BLVD.	YAKIMA	2/24/2016	Routine Inspection	20/10 Sanitizing solution stored above food prep surface. Temperature gauge needed in refrigerator near triple sink. No sanitizing cloth in sanitizing solution.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
BEST WESTERN AHTANUM INN	Continental Brkfst	2408 RUDKIN RD.	UNION GAP	2/17/2016	Routine Inspection	0/0
BIG LOTS # 4558	Grocery Store	120 N. FAIR AVE. # 102	YAKIMA	2/17/2016	Routine Inspection	0/2 Current license not posted
BONNEVILLE SMOKED PRODUCTS	Mobile		YAKIMA	2/24/2016	Routine Inspection	0/0
BREWER'S MINI-MART II	Mini-mart	3922 FRUITVALE BLVD.	YAKIMA	2/17/2016	Routine Inspection	0/2 Kitchen area needs general cleaning.
BURGER KING	Restaurant	1605 E. YAKIMA AVE.	YAKIMA	2/16/2016	Routine Inspection	25/25 RTS of PHF
BURGER RANCH	Restaurant	1801 S 1ST STREET	YAKIMA	2/19/2016	Routine Inspection	10/26 Missing FWC, raw meat stored above RTE food, improperly stored in-use utensil, dishes are not being sanitized, floors and walls are not cleaned thoroughly
CAFE GRANDE VUE	Deli	1021 W. WINE COUNTRY RD. - GRANDVIEW	GRANDVIEW	2/22/2016	Routine Inspection	10/20 Improper refrigeration, no thermometer to monitor temperatures, no chlorine in sanitizer
CARL'S JR.	Restaurant	2500 YAKIMA VALLEY HWY	SUNNYSIDE	2/26/2016	Pre-Opening Inspection	Facility is approved to open
CHEVRON MINI MART	Mini-mart	5604 SUMMITVIEW	YAKIMA	2/2/2016	Routine Inspection	10/10 Improper hot holding of PHF's.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
CHINA WOK	Restaurant	613 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	2/25/2016	Routine Inspection	8/5 Missing accurate thermometer, dirty surfaces in kitchen
CHINA WOK - TOPPENISH	Restaurant	208 S. TOPPENISH AVENUE	TOPPENISH	2/22/2016	Routine Inspection	0/0 No problems observed during inspection.
COCINA ARIEL	Commissary	807 W. NOB HILL BLVD.	YAKIMA	2/24/2016	Routine Inspection	13/5 Missing thermometer, no sanitizer present during food preparation, dirty & cluttered kitchen
COUNTRY ROCK CAFE	Restaurant	216 NACHES AVE.	NACHES	2/23/2016	Routine Inspection	8/0 Dirty food preparation areas, handwash plumbing fix needed
COWICHE HARVEST FOODS	Mult Food Service	16850 SUMMITVIEW RD	COWICHE	2/29/2016	Routine Inspection	5/5 Meat species were not separated
CRUISIN COFFEE SOUTH FIRST	Espresso Stand	111 E. WASHINGTON AVE.	YAKIMA	2/23/2016	Routine Inspection	0/3 Improperly stored in-use utensils
DOC'S ON THE GREEN PIZZERIA	Restaurant	530 CHERRY HILL RD. - GRANGER	GRANGER	2/10/2016	Routine Inspection	0/0
DOLLAR TREE STORE # 2753	Grocery Store	2660 YAKIMA VALLEY HWY	SUNNYSIDE	2/29/2016	Routine Inspection	0/0
DOMINO'S PIZZA # 7170	Restaurant	6 S UNION ST	YAKIMA	2/25/2016	Routine Inspection	10/10 unidentified chemicals

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
DOMINO'S PIZZA # 7171	Restaurant	420 S. 72ND AVE.	YAKIMA	2/9/2016	Routine Inspection	5/5 Expired FWC
DON'S DONUTS & JULIE'S JAVA	Bakery	1024 W. NOB HILL BLVD.	YAKIMA	2/11/2016	Routine Inspection	5/10 Improper handling of pooled eggs, food contact surfaces need cleaning.
DOUBLE SHOT	Espresso Stand	2800 TERRACE HTS DRIVE	YAKIMA	2/8/2016	Routine Inspection	0/3 Improper storage of ice-scoop
DREAMGIRLS ESPRESSO	Espresso Stand	1323 S. 8TH STREET	YAKIMA	2/29/2016	Routine Inspection	10/15 Blocked handwash sink, inaccurate refrigerator thermometer
EL CAMPESTRE	Restaurant	225 DIVISION ST	GRANDVIEW	2/25/2016	Routine Inspection	0/0
EL CHARRITO #2	Restaurant	2695 E. LINCOLN - BAY "F"	SUNNYSIDE	2/3/2016	Routine Inspection	0/0 No problems observed during inspection.
EL FOGON (MOBILE)	Mobile		SUNNYSIDE	2/19/2016	Routine Inspection	0/0 No problems observed during inspection.
EL MEJOR TAQUITO RESTAURANT	Restaurant	544 S. 6TH STREET	SUNNYSIDE	2/12/2016	Routine Inspection	30/30 Raw meat stored above RTE food, chicken was improperly reheated, improper chemical storage
EL RANCHITO	Restaurant	117 S. WAPATO AVE.	WAPATO	2/22/2016	Routine Inspection	20/20 No FWC's available, HW sink was blocked, no thermometer available for PHF's.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
EL SOL MEAT MARKET	Meat Market	1516 YAKIMA VALLEY HWY	SUNNYSIDE	2/25/2016	Routine Inspection	0/0
EVIE'S ON THE BOULEVARD	Catering	3402 W NOB HILL	YAKIMA	2/25/2016	Routine Inspection	10/12 Missing FWC, raw meat stored above RTE food
FAIRFIELD INN & SUITES	Continental Brkfst	137 FAIR AVENUE	YAKIMA	2/18/2016	Routine Inspection	0/0
FRATERNAL ORDER OF EAGLES	Restaurant/Loung e	100 E. SOUTH HILL RD.	SUNNYSIDE	2/19/2016	Routine Inspection	0/0 No problems observed during inspection.
GENERAL STORE	Mini-mart	505 W. 1ST STREET	TOPPENISH	2/22/2016	Routine Inspection	0/3 Improper thawing of chicken.
GOLDEN NUGGET	Mini-mart	1041 BUENA RD	ZILLAH	2/10/2016	Routine Inspection	25/25 Improper hot holding of PHF
HAZELY'S REALM	Espresso Stand	900 WEST WINE COUNTRY RD STE. "B"	GRANDVIEW	2/2/2016	Pre-Opening Inspection	Need some corrections see inspection form.
				2/24/2016	Routine Inspection	0/0
JACK IN THE BOX # 8315	Restaurant	1002 N. 1ST STREET	YAKIMA	2/25/2016	Routine Inspection	20/28 No FWC, no paper towels for the hand washing sink, uncovered food in refrigerator at 41 degrees, garbage on the kitchen floor.
JENNY MAE'S	Bakery	730 N. 16TH AVE. # 2	YAKIMA	2/17/2016	Routine Inspection	0/0 No problems observed during inspection.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
JERRY'S VALLEY MEATS	Meat Market	2561 SUNNYSIDE MABTON RD	SUNNYSIDE	2/19/2016	Routine Inspection	0/0 No problems observed during inspection.
KABOB HOUSE	Rest/Lounge/Catering	2612 NOB HILL BLVD #2B	YAKIMA	2/24/2016	Pre-Opening Inspection	Approved to open
KEILSIE'S PASTRIES	Restaurant/Catering	808 N 1ST ST.	YAKIMA	2/1/2016	Routine Inspection	90/90 PIC not knowledgeable, BHC w/RTE foods, inadequate HW sink, improper cooling procedures, room temperature storage. Follow up needed.
				2/1/2016	Follow-Up Inspection	Handwash sink is fixed.
				2/18/2016	Follow-Up Inspection	Problems from the previous inspection have been corrected.
KIMBERLY'S	Restaurant	2011 W. WASHINGTON AVE.	YAKIMA	2/29/2016	Routine Inspection	0/0
KYOTO STEAKHOUSE	Restaurant	2405 W WASHINGTON AVE 150	YAKIMA	2/24/2016	Routine Inspection	45/48 BHC with RTE food, handwash sinks inadequately supplied, improper storage of raw meat, improper cold holding of PHF, improper storage of ice-scoop
LA MAS BARATA	Meat Market	111 N 6TH ST. #A	SUNNYSIDE	2/11/2016	Follow-Up Inspection	30/30 PIC without proper food safety knowledge, improper hot holding of PHF (both repeat items) Compliance inspection required
				2/25/2016	Compliance Inspection	No repeat issues
LA SUPER BAKERY (GRANDVIEW)	Bakery	210 W. 2ND STREET	GRANDVIEW	2/22/2016	Routine Inspection	5/5 No FWC

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
LINCOLN AVENUE ESPRESSO BAR	Espresso Stand	1801 W LINCOLN AVE	YAKIMA	2/25/2016	Routine Inspection	0/0
LIQUOR & MORE STORE & DELI	Deli	316 S. 1ST ST.	SELAH	2/3/2016	Routine Inspection	0/0
LUPE'S KITCHEN	Restaurant	9-A S. TOPPENISH AVENUE	TOPPENISH	2/8/2016	Pre-Opening Inspection	Air gaps needed on food prep sinks.
MARISCOS NAYARIT	Restaurant	606 S 36TH AVE	YAKIMA	2/25/2016	Routine Inspection	15/31 Blocked hand wash sink, raw meat stored above RTE food, need refrigerator thermometer, thawing PHF at room temperature, no sanitizer was available
MELISSA'S CATERING	Mobile	839 W 1st St, Toppenish	TOPPENISH	2/26/2016	Routine Inspection	0/0
MERCADO LATINO II	Meat Market	718 S. 6TH STREET	YAKIMA	2/23/2016	Routine Inspection	40/40 Expired FWC's, shellstock tags are not being retained, room temperature storage of PHF's, inaccurate thermometers. Follow-up required.
MERCEDES AND FAMILY II	Restaurant	5603 TIETON DRIVE	YAKIMA	2/9/2016	Routine Inspection	30/30 BHC with RTE food, raw meat stored next to RTE food
MEXICAN FRUIT # 3	Mobile		GRANDVIEW	2/24/2016	Routine Inspection	50/50 PIC was not knowledgeable of food safety practices, missing FWC, no hot water was available for hand washing, hands not washed as required, improperly cold holding PHF.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
MINDA LANES CAFE	Restaurant	701 S. 2ND STREET	YAKIMA	2/25/2016	Routine Inspection	5/5 No thermometer available
MINER'S DRIVE IN	Restaurant	2415 S. 1ST STREET	UNION GAP	2/19/2016	Routine Inspection	35/40 Hands not washed as required, improperly cold holding PHF, food improperly stored
MINUTE MART & SMOKE SHOP	Mini-mart	301 S. 13TH STREET	SUNNYSIDE	2/29/2016	Routine Inspection	10/0 Improper cold holding of PHF
NACHES VALLEY HIGH SCHOOL	School	101 W. 5TH ST.	NACHES	2/19/2016	Routine Inspection	0/0
NACHES VALLEY INTERMEDIATE SCHOOL	School	101 SHAFER AVENUE	NACHES	2/19/2016	Routine Inspection	0/0
NACHES VALLEY MIDDLE SCHOOL	School	32 SHAFER AVENUE	NACHES	2/19/2016	Routine Inspection	0/0
NACHES VALLEY PRIMARY SCHOOL	School	2700 OLD NACHES HWY	YAKIMA	2/19/2016	Routine Inspection	0/0
NANA KATE'S	Espresso/Catering	432 E GOODLANDER RD.	SELAH	2/8/2016	Routine Inspection	5/10 Improper cold holding of PHF, several refrigerators missing thermometers

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
NEW YORK TERIYAKI	Restaurant	210 S. 72ND AVE. SUITE# 150	YAKIMA	2/25/2016	Routine Inspection	15/25 Improperly stocked hand wash sink, metal stem thermometer was not used to evaluate temperature of PHF
				2/26/2016	Routine Inspection	40/35 Inadequate handwashing facilities, RTS of PHF, personal items in ice machine (potential food contamination)
NORTH PARK LODGE	Continental Brkfst	659 N. WENAS	SELAH	2/29/2016	Routine Inspection	30/35 Expired FWC, improper cooling procedures, improper dishwashing procedures
OLIVE GARDEN ITALIAN RESTAURANT #1352	Restaurant/Catering	222 E YAKIMA AVE.	YAKIMA	2/1/2016	Routine Inspection	0/0 No problems.
OXFORD SUITES	Restaurant	1701 E. YAKIMA AVE.	YAKIMA	2/12/2016	Routine Inspection	5/5 Missing FWCs
PALETERIA LA NORTENA	Ice Cream Parlor	120 ROHMAN ST.	SUNNYSIDE	2/24/2016	Routine Inspection	0/0
PANADERIA EL SOLESITO	Bakery	303 W PINE ST.	YAKIMA	2/25/2016	Routine Inspection	0/0
PANDA EXPRESS # 1881	Restaurant	6560 W. NOB HILL BLVD.	YAKIMA	2/26/2016	Routine Inspection	15/20 Improperly stocked hand wash sink, metal stem thermometer was not used for evaluating PHF temperatures
PAPA MURPHY'S	Restaurant	2695 E. LINCOLN	SUNNYSIDE	2/22/2016	Routine Inspection	15/20 No soap to wash hands, ham and salads at 45 degrees, no thermometer to control temperatures.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
PAPA MURPHY'S PIZZA	Restaurant	609 E. WINE COUNTRY RD. - GRANDVIEW	GRANDVIEW	2/24/2016	Routine Inspection	0/0
PAPA MURPHY'S PIZZA STORE # WA189	Restaurant	1515 SUMMITVIEW AVE. # 2	YAKIMA	2/25/2016	Routine Inspection	0/0
PEEK-A-BREW ESPRESSO # 2	Espresso Stand	2524 RUDKIN RD.	UNION GAP	2/8/2016	Routine Inspection	10/13 Inadequately supplied handwash sink, inadequately supplied restroom
PEKING PALACE	Restaurant/Lounge	610 N. 1ST STREET	YAKIMA	2/23/2016	Routine Inspection	5/10 Raw chicken stored above other food, non-functioning thermometer in refrigerator
PEPE'S BAKERY	Bakery	636 DECATUR AVE.	SUNNYSIDE	2/24/2016	Routine Inspection	35/38 No FWC, bare hand contact with ready-to-eat food, cheese cake at 52 degrees, used toilet paper in a basket. Needs a reinspection within 3 weeks.
PHO KING CRAB	Restaurant	1601 E. WASHINGTON AVE # 104	UNION GAP	2/12/2016	Routine Inspection	0/0
PIK-A-POP # 11	Mini-mart	1524 YAKIMA VALLEY HWY.	SUNNYSIDE	2/9/2016	Routine Inspection	5/5 Inaccurate metal stem thermometer
PIT STOP	Mini-mart	10121 HWY 12	NACHES	2/18/2016	Routine Inspection	35/40 No FWC's, PHF improperly hot-held, inaccurate metal stem thermometer, no thermometer in small refrigerator

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
PIZZA HUT	Restaurant	304 S. 1ST STREET SUITE # 1	SELAH	2/29/2016	Routine Inspection	0/0
PRIMO MINI MART	Mini-mart	516 W. LINCOLN AVE	YAKIMA	2/3/2016	Follow-Up Inspection	0/2 Need to post a new food license
PUERTO ESCONDIDO	Restaurant/Lounge	811 N 1ST STREET	YAKIMA	2/4/2016	Routine Inspection	50/55 PIC was not knowledgeable about food safety rules, missing FWC, improperly stocked hand wash sink, raw meat stored above RTE food, improperly cold holding PHF, no metal stem thermometer was available, unlabeled chemical, wiping cloths stored on the counter between uses.
QUALITY INN	Continental Brkfst	12 VALLEY MALL BLVD.	UNION GAP	2/17/2016	Routine Inspection	0/0
QUALITY MART	Mini-mart	616 S 3RD ST.	YAKIMA	2/16/2016	Routine Inspection	0/5 Ice scoop stored on dirty surface.
RASPADOS DONA CHELITO	Espresso Stand	511 N. 1ST STR. # 2	YAKIMA	2/17/2016	Routine Inspection	0/0 No problems observed during inspection.
RED LION HOTEL YAKIMA CENTER	Restaurant/Lounge	607 E YAKIMA AVE.	YAKIMA	2/26/2016	Routine Inspection	30/30 Missing FWCs, improperly stocked hand wash sink, raw meat stored above RTE food, improperly cold holding PHF
RED ROBIN GOURMET BURGERS & BREWS	Restaurant/Lounge	2702 W. NOB HILL BLVD. - YAKIMA	YAKIMA	2/25/2016	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
RESER'S FINE FOODS	Grocery Store	605 E. NOB HILL BLVD.	YAKIMA	2/24/2016	Routine Inspection	0/0
RESTAURANTE MI LINDO	Restaurant	1600 YAKIMA VALLEY HWY	SUNNYSIDE	2/8/2016	Pre-Opening Inspection	Need corrections. See inspection form.
				2/17/2016	Pre-Opening Inspection	Need corrections. See inspection form.
				2/17/2016	Pre-Opening Inspection	Ok to open, when items on inspection form have been completed.
RUSH COFFEE	Espresso Stand	4801 W. NOB HILL BLVD.	YAKIMA	2/24/2016	Routine Inspection	0/0
SAFEWAY # 462	Mult Food Service	205 N. 5TH AVENUE	YAKIMA	2/29/2016	Routine Inspection	5/10 Improper cold holding of PHF, missing and inaccurate refrigerator thermometers
SAFEWAY # 502	Mult Food Service	5702 SUMMITVIEW AVE.	YAKIMA	2/16/2016	Routine Inspection	28/25 Room temperature storage of PHF, dirty food preparation & storage areas
SAINT JACK'S VIDEO	Snack Bar	614 W. 1ST STREET	WAPATO	2/22/2016	Routine Inspection	0/0 No problems observed during inspection.
SELAH CONOCO FOOD MART	Mini-mart	301 S. 1ST STREET	SELAH	2/22/2016	Routine Inspection	25/33 Improper hot holding of PHF, inaccurate thermometer in sandwich refrigerator, no handwash sign in restroom
SHORTY'S SWEETS, TREATS, 'N CAKES	Bakery	115 3RD ST N	YAKIMA	2/16/2016	Routine Inspection	0/0 No problems observed during inspection.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SILVER CREEK BAR & GRILL	Tavern	108 ILER ST.	MOXEE	2/5/2016	Routine Inspection	50/50 Improper cooling procedures, improper hot holding of PHF
SKY MARKET	Mini-mart	502 S. 2ND STREET	YAKIMA	2/4/2016	Routine Inspection	20/25 Missing FWC, improperly stocked hand wash sink, no metal stem thermometer was available, microwave has not been cleaned thoroughly
SLIM'S MARKET	Grocery Store	9951 HIGHWAY 12	NACHES	2/8/2016	Routine Inspection	3/0 Dirty surfaces in kitchen area
SMITTY'S CONOCO #60	Mini-mart	304 W. MEAD AVE.	YAKIMA	2/24/2016	Routine Inspection	6/0 Hand washing sign needed in restroom, potential food contamination
SMITTY'S CONOCO-STORE #190	Mini-mart	301 N 1ST ST.	YAKIMA	2/16/2016	Routine Inspection	5/5 Improper cold holding of PHF's.
SNIPES MOUNTAIN BREWING, INC.	Restaurant/Catering	905 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	2/3/2016	Routine Inspection	0/5 Food contact surfaces need cleaning.
SPORTS CENTER	Restaurant/Lounge	214 E YAKIMA AVE.	YAKIMA	2/25/2016	Routine Inspection	Inspection attempted. Establishment is temporarily closed for remodeling. Next inspection rescheduled.
SPORTS CENTER LOUNGE	Tavern	108 DIVISION ST.	GRANDVIEW	2/2/2016	Routine Inspection	5/5 Missing FWC

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SPRUCE STREET COMMISSARY & TASTE & SEE CATERING	Deli/Catering	1103 W SPRUCE	YAKIMA	2/11/2016	Pre-Opening Inspection	LIMITED ON COOKING REQUIRING A HOOD. THEY WILL NEED TO INSTALL HOOD AND FIRE SUPPRESSION BEFORE THEY ARE ALLOWED TO COOK FOODS REQUIRING A HOOD AND FIRE SUPPRESSION. ONCE FEES PAID, THEY ARE APPROVED TO OPEN.
SUBWAY # 36788	Restaurant	210 S. 72ND AVE. SUITE # 100	YAKIMA	2/16/2016	Routine Inspection	0/0
SUBWAY # 3842	Restaurant	2301 W. NOB HILL BLVD. SUITE # 9	YAKIMA	2/16/2016	Routine Inspection	No problems observed during inspection.
SUBWAY # 46232 (WAL-MART)	Restaurant	6600 W. NOB HILL BLVD.	YAKIMA	2/16/2016	Routine Inspection	0/0 No problems observed during inspection.
SUBWAY # 46233	Restaurant	123 E. YAKIMA AVE.	YAKIMA	2/23/2016	Routine Inspection	20/25 Missing FWC, need to use metal stem thermometer to evaluate PHF temperatures, improper chemical storage, need accurate thermometer for milk display refrigerator
SUBWAY # 6870	Restaurant	2402 S. 1ST ST. # A-100	YAKIMA	2/17/2016	Routine Inspection	5/0 Need to renew food handler card
SUBWAY #10324	Restaurant	1607 W. LINCOLN	YAKIMA	2/16/2016	Routine Inspection	0/5 Missing thermometer in refrigerator
SUGAR SHACK ESPRESSO	Espresso Stand	1302 FAIR AVE.	YAKIMA	2/17/2016	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SUNDOME	Snack Bar	1301 S. FAIR AVE.	YAKIMA	2/26/2016	Routine Inspection	5/8 Missing FWCs, improperly stored ice scoop
SUNSHINE MART	Grocery Store	6712 TIETON DR	YAKIMA	2/26/2016	Routine Inspection	25/35 PIC was not knowledgeable about food safety practices, missing FWC, improperly stocked hand wash sink, no metal stem thermometer
SUPER TACOS (Mobile)	Mobile	At laundromat located at the corner of Lincoln and 1st street in Sunnyside	SUNNYSIDE	2/11/2016	Routine Inspection	5/5 Inaccurate thermometer
TACO BELL # 30509	Restaurant	716 E YAKIMA AVE	YAKIMA	2/17/2016	Routine Inspection	0/0
TACO KING	Mobile	615 YAKIMA VALLEY HWY.	SUNNYSIDE	2/10/2016	Routine Inspection	0/0
TACOS EL REY	Restaurant	1218 S. 6TH STREET	YAKIMA	2/11/2016	Routine Inspection	25/28 Missing FWC's, improper storage of raw meat, PHF improperly cold-held, inaccurate metal stem thermometers, improper storage of ice-scoop
TAJ PALACE	Restaurant/Catering	2710 W. NOB HILL BLVD.	YAKIMA	2/16/2016	Routine Inspection	0/3 Improper storage of ice-scoop
TAQUERIA CHAPALA	Restaurant	1121 FRUITVALE BLVD.	YAKIMA	2/5/2016	Follow-Up Inspection	0/0 Problems from previous inspection have been corrected.
THAI HOUSE	Restaurant/Catering	14 N 2ND ST.	YAKIMA	2/26/2016	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
THE COFFEE POT	Espresso Stand	3120 MAPLEWAY	YAKIMA	2/17/2016	Routine Inspection	10/15 Improper cold holding of PHF's, thermometer missing inside cold holding unit.
THE END ZONE SPORTS BAR & GRILL	Restaurant	1023 N 1ST ST.	YAKIMA	2/17/2016	Routine Inspection	20/28 No FWC's, improper cold holding of PHF's, missing thermometer.
THE HIDEOUT RESTAURANT & LOUNGE	Restaurant/Lounge	401 WAPATO AV S	WAPATO	2/1/2016	Routine Inspection	5/29 Expired FWC's, no thermometer in refrigerator, ice-scoop stored in ice supply, water bottle and pop can stored in ice-supply, no sanitizer used for dishwashing, restrooms need handwash signs, improper thawing of raw meat
THE RANGE	Espresso Stand	1701 GARRETSON LANE	YAKIMA	2/25/2016	Routine Inspection	0/0
TINY'S TAVERN	Tavern	501 W. 1ST STREET	WAPATO	2/10/2016	Routine Inspection	10/10 Inadequate hand washing facilities
TOM - TOM ESPRESSO	Espresso Stand	412 S. 40TH AVENUE	YAKIMA	2/25/2016	Routine Inspection	0/0
TUCKER CELLARS	Winery	70 RAY RD.	SUNNYSIDE	2/29/2016	Routine Inspection	Attempted inspection, facility closed. Rescheduled inspection.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
UXO COFFEE (HOSPITAL)	Espresso Stand	110 9TH AV S	YAKIMA	2/5/2016	Routine Inspection	50/55 PIC not knowledgeable about food safety rules; no current food handler cards on-site; improper hand washing; soap dispenser not functional at hand wash sink; refrigerator at 43 degrees; wiping cloths not stored in bleach water.
				2/25/2016	Follow-Up Inspection	0/0 No repeated issues observed.
VALLEY LANES CAFE	Restaurant	1802 E EDISON AVE.	SUNNYSIDE	2/19/2016	Routine Inspection	15/20 Improper cold holding of PHF's, raw meats stored above other foods, refrigerators missing thermometers.
WALKABOUT CREEK SALOON	Restaurant/Lounge	9990 U.S. HWY. 12	NACHES	2/18/2016	Routine Inspection	15/15 Blocked handwash sink, raw meat stored above ice-supply and other food
WALMART # 5078-01 (NOB HILL BLVD.)	Mult Food Service	6600 W. NOB HILL BLVD.	YAKIMA	2/8/2016	Routine Inspection	0/0
WHITE HOUSE CAFE	Restaurant	3602 KERN ROAD	YAKIMA	2/22/2016	Routine Inspection	10/10 Improper cold holding of PHF's.
XOCHIMILCO TEQUILA BAR & RESTAURANT	Restaurant/Lounge	5110 TIETON DR. # 270	YAKIMA	2/29/2016	Routine Inspection	15/15 Inadequate hand washing facilities, missing accurate thermometer
XOCHIMILICO MEXICAN RESTAURANT	Restaurant/Catering	2304 W. NOB HILL BLVD.	YAKIMA	2/9/2016	Routine Inspection	35/35 PIC requirement failed, missing FWC, improper hot holding of PHF

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
Y.V.C.C. ATHLETICS CONCESSIONS	Seasonal Concession	1015 S. 16TH AVE.	YAKIMA	2/8/2016	Routine Inspection	0/0
YAKIMA GROCERY OUTLET	Grocery Store	2109 S. 1ST STREET	YAKIMA	2/24/2016	Routine Inspection	0/0