

Monthly Food Inspection Report

SPECIAL NOTES:

IN THE NOTES PORTION OF THE REPORT THE FIRST NUMBER LISTED IS THE TOTAL POINTS FOR RED/HIGH RISK ITEMS FOUND . THE SECOND NUMBER IS THE TOTAL POINTS FOR HIGH RISK AND LOW RISK ITEMS.

HIGH RISK ITEMS ARE CORRECTED PRIOR TO THE COMPLETION OF THE INSPECTION. 35 OR MORE HIGH RISK POINTS OR 45 OR MORE TOTAL POINTS REQUIRES A FOLLOW-UP INSPECTION.

Abbreviations

BHC: Bare Hand Contact

DOH: Washington State Department of Health

FDA: Food and Drug Administration

FWC: Food Worker Card

HACCP: Hazard Analysis Critical Control Point

PHF: Potentially Hazardous Food

PIC: Person in Charge

ROP: Reduced Oxygen Packaging

RTE: Ready to Eat

RTS: Room Temperature Storage

USDA: United States Department of Agriculture

WAC: Washington Administrative Code

WSDA: Washington State Department of Agriculture

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
7-ELEVEN #14435F	Mini-mart	3908 TERRACE HGTS DR	YAKIMA	11/8/2017	Routine Inspection	5/5 All foodworkers must have current foodworker cards
AMERISTAR STORE # 8	Mini-mart	1005 W. WALLACE WAY	GRANDVIEW	11/7/2017	Pre-Opening Inspection	
ANITAS MEXICAN AMERICAN RESTAURANT	Restaurant	2201-A W. LINCOLN AVE.	YAKIMA	11/8/2017	Pre-Opening Inspection	plumber was connecting grease trap at 3 compartment sink
ANTOJITOS LOS MICHOACANOS	Mini-mart	131 S. 2ND ST.	YAKIMA	11/30/2017	Routine Inspection	0/0
APPLE TREE RESTAURANT	Restaurant/Lounge	8804 OCCIDENTAL	YAKIMA	11/1/2017	Routine Inspection	10/10 Missing FWCs, raw meat stored above RTE food
ARBY'S RESTAURANT	Restaurant	4002 SUMMITVIEW AVE.	YAKIMA	11/29/2017	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
AUNTIE ANNE'S SOFT ROLLED PRETZELS		2529 MAIN ST. # 183	UNION GAP	11/15/2017	Routine Inspection	5/5 Expired FWC's
B.J.'S COFFEE BARN	Espresso Stand	514 W. 1ST STREET	WAPATO	11/30/2017	Routine Inspection	0/0
BONNEVILLE SMOKED PRODUCTS	Mobile		YAKIMA	11/25/2017	Routine Inspection	0/0
BRON-YR-AUR BREWING CO.	Deli	12160 HWY 12	NACHES	11/17/2017	Routine Inspection	0/0
CAROUSEL FRENCH CUISINE	Restaurant/Cateri ng	25 N. FRONT STREET	YAKIMA	11/30/2017	Routine Inspection	25/25 PHF at 87 degrees.
CASINO CARIBBEAN	Restaurant	1901 E. BOGGESS STREET - YAKIMA	YAKIMA	11/30/2017	Routine Inspection	5/10 PHF at 43 degrees.
CHANDLER'S CONOCO	Mini-mart	1201 BAILEY AVENUE	GRANGER	11/17/2017	Routine Inspection	10/10 Cold Deli table at 54 degrees. PHF must be at 41 degrees or lower. Owner corrected by closing Deli lid and will ensure that lid is closed to ensure proper temperature. Employee drinks and meals next to handwashing sink and prep table. Ensure meals are away from prep areas and handwashing. Owner corrected and will implement a employee break area away from food preparation.
CHRIST THE TEACHER	School	5508 W. CHESTNUT	YAKIMA	11/17/2017	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
CHRONIC FOODS	Mobile		YAKIMA	11/14/2017	Routine Inspection	0/0 This operation has excellent safe handling practices. Food is purchased fresh and prepared daily. High level of cleanliness and all food temperatures were in the proper range. No concerns noted.
COCINA MELISSA'S	Commissary	215 BUENA WAY	TOPPENISH	11/30/2017	Routine Inspection	0/0
COMFORT SUITES	Snack Bar	3702 FRUITVALE BLVD.	YAKIMA	11/1/2017	Routine Inspection	0/0
CON SABOR A MEXICO	Restaurant	2150 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	11/2/2017	Pre-Opening Inspection	Authorized to open - contingent on City of Sunnyside final approval on bathroom toilet for handicap use.
COZY ROSE INN	Bed & Breakfast	1220 FORSELL RD	GRANDVIEW	11/7/2017	Routine Inspection	0/0 This is an excellent Bed and Breakfast facility with outstanding food processes and a exemplary staff.
Denny's	Restaurant	3704 FRUITVALE BL	YAKIMA	11/21/2017	Pre-Opening Inspection	
				11/30/2017	Routine Inspection	0/0 All management staff are in possession of an advanced food safety manager's course. All staff (over 100) were provided safe food practices instruction by the Yakima Health District on 11/28/17. This routine inspection was a perfect score. Excellent storage, preparation and serving processes of food and beverages. All equipment is state of the art and maintains safe temperatures. There are no concerns for this facility. Excellent job!
DISCOUNT MINI MART AND SMOKE SHOP	Mini-mart	921 SUMMITVIEW AVE	YAKIMA	11/29/2017	Routine Inspection	5/5 No FWC

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
DOLLAR TREE # 5723	Grocery Store	614 E WINE COUNTRY ROAD	GRANDVIEW	11/7/2017	Routine Inspection	0/0
DOMINO'S PIZZA	Restaurant	506 S 1ST ST SUITE A	SELAH	11/30/2017	Routine Inspection	0/0
DON MATEO	Restaurant	704 1/2 WISCONSIN AVE..	TIETON	11/7/2017	Pre-Opening Inspection	Authorized to open - no concerns noted
EARLY CHILDHOOD CENTER	School	601 EAST "E" STREET	GRANGER	11/16/2017	Routine Inspection	0/0
EAST VALLEY ELEMENTARY SCHOOL	School	1951 BEAUDRY RD	YAKIMA	11/21/2017	Routine Inspection	0/0
EISENHOWER HIGH SCHOOL "CONCESSIONS"	Seasonal Concession	611 S. 44TH AVE. - YAKIMA	YAKIMA	11/3/2017	Routine Inspection	0/0
EL NOA NOA	Restaurant	4671 N TRACK ROAD	WAPATO	11/16/2017	Routine Inspection	0/0 The purpose of this inspection was due to a complain received of insects in this facility. A complete inspection of this facility was completed with a perfect score of 0/0. The owner of this facility was present and showed copies of monthly fumigation by Yellow Jacket Extermination. An inspection showed a clean facility with no concerns of cross contamination or concerns with safe food practices or temperature concerns. This facility has both in-door and out-door seating. There are steps in place to control and prevent pests and rodents. the owner will provide copies of monthly pest control to the YHD.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
EL PORVENIR	Bakery	209 S. TOPPENISH AVE.	TOPPENISH	11/30/2017	Routine Inspection	0/0
EL VALLE FAMILY MEXICAN RESTAURANT	Restaurant	410 YAKIMA VLY HWY	SUNNYSIDE	11/1/2017	Follow-Up Inspection	13/10 Two workers without FHC, Food at the steam table at 130 degrees, thawing meat in water.
				11/30/2017	Follow-Up Inspection	50/50 Cooked beans at 128 degrees, cooling PHF in big containers thicker than 2 inches.
GAS MAX	Mini-mart	608 WINE COUNTRY ROAD	GRANDVIEW	11/7/2017	Routine Inspection	10/5 Missing thermometer in cold reach-in refrigerator, accurate thermometers are required to evaluate PHF, owner to correct no later than 20 November. Walk in collar requires a closing handle to ensure proper cooling and safety. Owner to correct no later than 20 November and to contact the Yakima Health District when corrected.
HARRAH ELEMENTARY SCHOOL	School	3851 HARRAH RD	HARRAH	11/30/2017	Routine Inspection	0/0
HIGHLAND HIGH SCHOOL CONCESSIONS	Seasonal Concession	17000 SUMMITVIEW	COWICHE	11/3/2017	Routine Inspection	25/25 Hot dogs at 112 degrees.
HOKUS POKUS BEER & DELI	Mini-mart	2401-B W. NOB HILL BLVD.	YAKIMA	11/27/2017	Routine Inspection	0/0
IN N OUT MARKET & DELI	Mini-mart	1513 TIETON DR	YAKIMA	11/27/2017	Routine Inspection	30/30 Corn dogs at 110 degrees, Thermometer not accurate.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
INTERNATIONAL MARKET	Multi Food Service	512 W 1ST ST.	WAPATO	11/30/2017	Routine Inspection	0/0
JACK-SON'S SPORTS BAR	Restaurant/Catering	432 S 48TH AVE.	YAKIMA	11/27/2017	Routine Inspection	20/15 FWC not current, no paper available at the hand washing sink, food on floor.
KEOKI'S ORIENTAL RESTAURANT	Restaurant	2107 W LINCOLN AVENUE	YAKIMA	11/30/2017	Routine Inspection	15/15 All food workers must have valid foodworker cards. Hand wash sink must be stocked with paper towels
KINGS ROW	Restaurant	210 S. 1ST STREET	SELAH	11/30/2017	Routine Inspection	30/30 Improperly cold help PHF, improper utilization of sinks
LA GUADALUPANA	Restaurant	3990 HARRAH ROAD	HARRAH	11/30/2017	Routine Inspection	0/0
LA GUADALUPANA EXPRESS	Mobile		HARRAH	11/30/2017	Routine Inspection	0/0
LA GUADALUPANA EXPRESS # 2	Mobile		HARRAH	11/30/2017	Routine Inspection	0/0
La Michoacana Ice Cream	Ice Cream Parlor	907 S 1ST STREET	YAKIMA	11/30/2017	Routine Inspection	10/10 Handwash facilities must be properly stocked.
LA OAXAQUENA	Mobile		YAKIMA	11/29/2017	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
Lencha's Hot Dogs	Snack Bar	2400 W. WASHINGTON	YAKIMA	11/29/2017	Routine Inspection	10/10 Using cloth towels for the washing hand sink.
LONGMIRE'S T & T LOUNGE	Tavern	307 S. 1ST STREET	SELAH	11/28/2017	Routine Inspection	5/5 Expired FWCs for some employees
MABTON HIGH SCHOOL - CONCESSION STAND	Seasonal Concession	500 E B STREET, MABTON	MABTON	11/1/2017	Routine Inspection	40/40 Hands not wash as required, no metal stem thermometer was available, improperly cold holding PHF
MARGARET'S APPLE CART DELI	Deli	220 NACHES AVE.	NACHES	11/17/2017	Routine Inspection	5/5 Expired Food Worker Cards for 2 staff members. Food Worker cards must be current for all food workers. Owner will correct no later than 1 December.
MOXEE ELEMENTARY SCHOOL	School	528 E. SEATTLE	MOXEE	11/16/2017	Routine Inspection	0/0
MT. ADAMS COUNTRY CLUB SNACK BAR	Deli	1250 ROCKY FORD ROAD	TOPPENISH	11/30/2017	Routine Inspection	0/0
NACHES CHINOOK CENTER	Mini-mart	10450 HWY 12	NACHES	11/17/2017	Routine Inspection	35/35 No Food Worker Card for manager on staff. The person in charge must be knowledgeable of food safety processes. The manager will complete food worker training within 48 hours. Corn dogs at 105 degrees in the deli case. All PHF must be at 135 degrees minimum. The manager reheated the corn dogs and will ensure proper temperatures for hot holding are kept.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
NACHES VALLEY H.S. ASB	Seasonal Concession	101 5TH ST W	NACHES	11/3/2017	Routine Inspection	0/0
NEW YORK TERIYAKI - SELAH	Restaurant	723 NORTH PARK CENTER	SELAH	11/22/2017	Pre-Opening Inspection	
NILE VALLEY GAME PROCESSING	Meat Market	4721 S.R. 410	NACHES	11/17/2017	Routine Inspection	0/0
				11/17/2017	Routine Inspection	0/0
NOB HILL FOOD STORE	Mini-mart	1710 E. NOB HILL BLVD.	YAKIMA	11/14/2017	Routine Inspection	5/5 - accurate thermometer needed in reach in refrigerators.
OXFORD INN	Continental Brkfst	1603 E YAKIMA AVE	YAKIMA	11/14/2017	Routine Inspection	0/0
PANADERIA DELICIAS	Bakery	1705 FRUITVALE BLVD	YAKIMA	11/14/2017	Routine Inspection	10/20 - Pooled eggs in refrigerator; no thermoter in dairy refrigerator and the refrigerator in back area; cactus for sale from an unapproved source and not labelled; flour sacks stored on floor.
PANADERIA DELICIAS # 2	Bakery	2301 W NOB HILL BLVD #5	YAKIMA	11/14/2017	Routine Inspection	10/20 - expired food handler card for one worker; pooled eggs in refrigerator; cut cactus from home for sale in unlabelled containers; sacks of flour stored on floor.
PANADERIA LA MORENITA	Bakery	117 E WALNUT	YAKIMA	11/14/2017	Routine Inspection	5/5 - pooled eggs being used

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
PEOPLE FOR PEOPLE - MEALS-ON-WHEELS (SELAH CIVIC CENTER)	Serving Site	216 S 1ST ST.	SELAH	11/30/2017	Routine Inspection	0/8 2 low risk items
PIT STOP MARKET		508 NOB HILL BLVD	YAKIMA	11/14/2017	Routine Inspection	30/30 - need food worker cards, food in deli case at 94 degrees, need thermometer.
RESTAURANTE COLIMA	Restaurant	1501 YAKIMA VALLEY HWY.	SUNNYSIDE	11/1/2017	Follow-Up Inspection	0/0
Reyna's Espresso	Espresso Stand	326 N. 1ST ST.	YAKIMA	11/30/2017	Pre-Opening Inspection	Authorized to open. Owner to cover all bare wood on floor and have hot water tank serviced within 30 days of opening.
ROOSEVELT ELEMENTARY SCHOOL	School	405 BAILEY AVE.	GRANGER	11/16/2017	Routine Inspection	0/0
STARBUCKS COFFEE CO. # 3407	Espresso Stand	1208 N. 40TH AVE. SUITE # A	YAKIMA	11/14/2017	Routine Inspection	0/0
SUBWAY # 27775	Restaurant	4040 TERRACE HEIGHTS DR	YAKIMA	11/14/2017	Routine Inspection	5/5 - No thermometer
Sunnyside I Child Development Center	School	1751 WASHINGTON CT	SUNNYSIDE	11/16/2017	Pre-Opening Inspection	
				11/16/2017	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
TACO BELL # 30511	Restaurant	4001 FRUITVALE BLVD	YAKIMA	11/14/2017	Routine Inspection	35/35 - improper hot holding temperatures. improper cold holding temperatures.
TACO BELL # 30514 - SELAH	Restaurant	721 N. PARK CENTRE	SELAH	11/30/2017	Routine Inspection	0/0
TACOS EL GRULLO	Restaurant/Catering	102 N. ILER STREET	MOXEE	11/21/2017	Routine Inspection	0/0 This is a seasonal business - closed until 2018 - commissary location will change back to Iler Road in 2018
TAILGATERS BAR AND GRILL	Restaurant/Lounge	110 E 3RD AVE	SELAH	11/28/2017	Routine Inspection	10/10 Blocked handwash station, CDI
Test Facility	IceCreamPar/Catering	2 ARK VIEW LN	BROWNSTOWN	11/7/2017	Routine Inspection	
THE COFFEE SHACK	Espresso Stand	7111 POSTMA RD	MOXEE	11/16/2017	Routine Inspection	0/0
THE SPICY QUESADILLA	Restaurant	227 S TOPPENISH AVE.	TOPPENISH	11/30/2017	Routine Inspection	0/0 Excellent food processes.
TIENDA DE ABARROTOS LOS AMIGOS	Meat Market	209 S. WAPATO AVE. - WAPATO	WAPATO	11/30/2017	Routine Inspection	50/50 Improper hot-holding of PHF's, Room temperature storage of PHF's.
TOPPENISH COMMUNITY CHEST	Serving Site	4 N. "B" STREET	TOPPENISH	11/30/2017	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
VALLEY ITALIAN PIZZA AND PASTA	Restaurant	2304 S 1ST ST	YAKIMA	11/2/2017	Pre-Opening Inspection	
WAPATO DAIRY QUEEN	Restaurant	318 S. WAPATO AVE.	WAPATO	11/30/2017	Routine Inspection	5/5 Expired FWC's