


Lower
Yakima
Valley
Groundwater
Management
Program

Volume IV
Member Contributions
August 20, 2018



Research (Long List) of Health Problems Related to Nitrates

Abu Naser AA, Ghbn N, Khoudary R. (2007) Relation of nitrate contamination of groundwater with methaemoglobin level among infants in Gasa East Mediterr Health J. 12(5) pp. 994-1004. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/18290391>

Agency for Toxic Substances and Disease Registry. (2001). Case Studies in Environmental Medicine Nitrate/Nitrite Toxicity. *Department of Health & Human Services*. Atlanta, GA. Retrieved from http://www.atsdr.cdc.gov/csem/nitrate/docs/nitrate_nitrite.pdf

Arbuckle, T.E., Sherman, G.J., Corey, P.N., Walters, D. & Lo, B. (1988) Water nitrates and CNS birth defects: a population-based case-control study. *Arch.Environ.Health* 43(2) pp. 162-167. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/3377550>

Avery A.A. (1999) Infantile methemoglobinemia: reexamining the role of drinking water nitrates. *Environmental Health Perspectives* 107(7) pp. 583–6. Retrieved from <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC1566680/pdf/envhper00512-0111.pdf>

Balazs, C., Morello-Frosch, R., Hubbard, A., & Ray, I. (2011). Social disparities in nitrate-contaminated drinking water in California's San Joaquin Valley. *Environmental Health Perspectives*, 119(9), 1272. Retrieved from <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3230390/>

Barrett, J. H., Parslow, R. C., McKinney, P. A., Law, G. R., & Forman, D. (1998). Nitrate in drinking water and the incidence of gastric, esophageal, and brain cancer in Yorkshire, England. *Cancer Causes and Control*, 9(2), 153-159. Retrieved from

https://www.researchgate.net/profile/Graham_Law/publication/226280359_Nitrate_in_drinking_water_and_the_incidence_of_gastric_esophageal_and_brain_cancer_in_Yorkshire_England/links/54368e0d0cf2dc341db35c4f.pdf

Benini, D., Vino, L., & Fanos, V. (1998) Acquired methemoglobinemia: a case report. *Pediatr Med Chir* 20(6) pp. 411-413. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/10335542>

Berlin G., Brodin B., Hilden J. (1985) Acute dapsone intoxication: a case treated with continuous infusion of methylene blue, forced diuresis, and plasma exchange. *J Toxicol Clin Toxicol* 22 pp. 537–48. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/6535846>

Brender, J.D., Olive, J.M., Felkner, M., Suarez, L., Marckwardt, W., & Hendricks, K.A. (2004) Dietary nitrites and nitrates, nitrosatable drugs, and neural tube defects. *Epidemiology* 15(3) pp. 330-336. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/15097014>

Brender, J., Olive, J., Felkner, M., Suarez, L., Hendricks, K., & Marckwardt, W. (2004). Intake of nitrates and nitrites and birth defects in offspring. *Epidemiology*, 15(4), S184. Retrieved from

http://journals.lww.com/epidem/Citation/2004/07000/Intake_of_Nitrates_and_Nitrites_and_Birth_Defects.487.aspx

Bukowski, J., Somers, G., & Bryanton, J. (2001) Agricultural contamination of groundwater as a possible risk factor for growth restriction or prematurity. *J.Occup.Environ.Med.* 43(4) pp. 377-383. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/11322099>

Bunin, G.R., Kuijten, R.R., Boesel, C.P., Buckley, J.D. & Meadows, A.T. (1993) Relation between maternal diet and subsequent primitive neuroectodermal brain tumors in young children. *New England Journal of Medicine* 19;329(8) pp. 536-541. <http://www.ncbi.nlm.nih.gov/pubmed/8167265>

Burkholder, J., Libra, B., Weyer, P., Heathcote, S., Kolpin, D., Thorne, P. S., & Wichman, M. (2007). Impacts of waste from concentrated animal feeding operations on water quality. *Environmental health perspectives*, 115(2), 308. Retrieved from <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1817674/>

Cantor, K. P. (1997). Drinking water and cancer. *Cancer Causes & Control*, 8(3), 292-308. Retrieved from https://www.researchgate.net/profile/Kenneth_Cantor/publication/51297605_Drinking_water_and_cancer/links/548719ca0cf268d28f070c4f/Drinking-water-and-cancer.pdf

Cedergren, M.I., Selbing, A.J., Lofman, O., & Kallen, B.A. (2002) Chlorination byproducts and nitrate in drinking water and risk for congenital cardiac defects. *Environmental Research* 89(2) pp. 124-130. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/12123645>

Center for Disease Control (1993) Methemoglobinemia in an infant - - Wisconsin, 1992 Morbidity & Mortality Weekly <http://www.ncbi.nlm.nih.gov/pubmed/8450825>

Centers for Disease Control and Prevention. (1995) A survey of the quality of water drawn from domestic wells in nine Midwest states. *US Department of Health and Human Services*. Retrieved from <http://www.cdc.gov/nceh/hsb/disaster/pdfs/A%20Survey%20of%20the%20Quality%20of%20Water%20Drawn%20from%20Domestic%20Wells%20in%20Nine%20Midwest%20States.pdf>

Center for Disease Control (1996) Spontaneous abortions possibly related to ingestion of nitrate-contaminated well water-LaGrange County, Indiana, 1991–1994. *MMWR* 45 pp. 569–72. Retrieved from <http://www.cdc.gov/mmwr/preview/mmwrhtml/00042839.htm>

Center for Disease Control (1997) Methemoglobinemia Attributable to Nitrite Contamination of Potable Water Through Boiler Fluid Additives - New Jersey, 1992-1996. *Morbidity and Mortality Weekly Report* March 7, 1997. Retrieved from <http://www.cdc.gov/mmwr/preview/mmwrhtml/00046656.htm>

Chan, T.Y. (1996) Food-borne nitrates and nitrites as a cause of methemoglobinemia. *Southeast Asian J Trop Med Public Health* 27(1) Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/9031426>

Chiu, H. F., Tsai, S. S., & Yang, C. Y. (2007). Nitrate in drinking water and risk of death from bladder cancer: an ecological case-control study in Taiwan. *Journal of toxicology and environmental Health, Part A*, 70(12), 1000-1004. Retrieved from <https://www.tandfonline.com/doi/abs/10.1080/15287390601171801>

Comly HH. Landmark article Sept 8, 1945: cyanosis in infants caused by nitrates in well-water. *JAMA*. 1987;257:2788–2792. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/3553637> or <http://jama.jamanetwork.com/article.aspx?articleid=366259>

Coss, A., Cantor, K. P., Reif, J. S., Lynch, C. F., & Ward, M. H. (2004). Pancreatic cancer and drinking water and dietary sources of nitrate and nitrite. *American Journal of Epidemiology*, 159(7), 693-701. Retrieved from <https://academic.oup.com/aje/article/159/7/693/71809>

Craun, G.F., Greathouse, D.G. & Gunderson, D.H. (1981) Methaemoglobin levels in young children consuming high nitrate well water in the United States. *Int.J.Epidemiol.* 10(4) pp. 309-317. Retrieved from <http://ije.oxfordjournals.org/content/10/4/309.abstract>

- Croen, L.A., Todoroff K., Shaw G.M. (2001) Maternal exposure to nitrate from drinking water and diet and risk of neural tube defects. *Am J Epidemiol* 153 pp.325–31. Retrieved from <http://aje.oxfordjournals.org/content/153/4/325.full.pdf>
- Crutchfield, S., Cooper, J., & Hellerstein, D. (2016). The Benefits of Safer Drinking Water: The Value of Nitrate Reduction. Retrieved from https://papers.ssrn.com/sol3/papers.cfm?abstract_id=2736657
- Dean B.S., Lopez G., Krenzelok E.P. (1992) Environmentally-induced methemoglobinemia in an infant. *Toxicol Clin Toxicol* 30(1) pp. 127-133 Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/1542142>
- De Roos, A. J., Ward, M. H., Lynch, C. F., & Cantor, K. P. (2003). Nitrate in public water supplies and the risk of colon and rectum cancers. *Epidemiology*, 14(6), 640-649. Retrieved from http://journals.lww.com/epidem/Abstract/2003/11000/Nitrate_in_Public_Water_Supplies_and_the_Risk_of.4.aspx
- Donahoe, W. E. (1949). Cyanosis in infants with nitrates in drinking water as cause. *Pediatrics*, 3(3), 308-311. Retrieved from <http://pediatrics.aappublications.org/content/pediatrics/3/3/308.full.pdf>
- Dorsch, M.M., Scragg, R.K., McMichael, A.J., Baghurst, P.A. & Dyer, K.F. (1984) Congenital malformations and maternal drinking water supply in rural South Australia: a case-control study. *Am.J.Epidemiol.* 119(4) pp. 473-486. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/6711537>
- Durosev, D. (1979) Toxic methemoglobinemia in newborns and infants. *Bilt Hematol Transfuz* <http://www.ncbi.nlm.nih.gov/pubmed/552247>
- Dusdieker L.B., Getchell J.P., Liarakos T.M., Hausler W.J., Dungy C.I. (1994) Nitrate in baby foods: adding to the nitrate mosaic. *Arch Pediatric Adolesc Med* 148 pp. 490–94. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/8180640>
- Dusdieker L.B., Dungy C.I. (1996) Nitrates and babies: A dangerous combination. *Contemp Pediatr* 13(11) pp. 91–102.
- Eichholzer M., Gutzwiller F. (1998) Dietary nitrates, nitrites, and N-nitroso compounds and cancer risk: a review of the epidemiologic evidence. *Nutr Rev* 56 pp.95–105. Retrieved from <http://onlinelibrary.wiley.com/doi/10.1111/j.1753-4887.1998.tb01721.x/abstract>
- Environmental Protection Agency (2010) Yakima Valley Groundwater Contamination: Summary of EPA Sampling Activities. Retrieved from [http://yosemite.epa.gov/r10/water.nsf/bb9c63e62d1ae1f8882564f4007da918/1ea7e8c810acb757882576470077b0e3/\\$FILE/Yakima%20Valley%20EPA%20Sampling%20Summary%20June%2022%202010.pdf](http://yosemite.epa.gov/r10/water.nsf/bb9c63e62d1ae1f8882564f4007da918/1ea7e8c810acb757882576470077b0e3/$FILE/Yakima%20Valley%20EPA%20Sampling%20Summary%20June%2022%202010.pdf)
- Environmental Working Group. (n.d.) *Pouring it on: the health effects of Nitrate Exposure*. Retrieved from <http://www.ewg.org/node/7712>
- Eubank, W., Carpenter, J. D., Maltsberger, B. A., & Mancl, K. (1998). Nitrate in drinking water. Retrieved from <https://mospace.umsystem.edu/xmlui/bitstream/handle/10355/52688/wq0103-1998.pdf?sequence=1>
- Fan A.M, Steinberg V.E. (1996) Health implications of nitrate and nitrite in drinking water: An update on methemoglobinemia occurrence and reproductive and development toxicity. *Regul Toxicol Pharmacol* 23(11) pp. 35–43. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/8628918>

- Felsot A.S. (1998) Re-examining the link between nitrates and “blue baby” syndrome: a necessary first step for managing ground water quality to protect public health. *Agric Environ News*. 150 pp. 1–14. Retrieved from <http://aenews.wsu.edu/Oct98AENews/aenewsoctober98.htm#anchor545063>
- Fewtrell, L (2004) Drinking-Water Nitrate, Methemoglobinemia, and Global Burden of Disease *Environmental Health Perspectives* 112:1371-1374. Doi:10.1289/ehp.7216 <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC1247562/pdf/ehp0112-001371.pdf>
- Freedman, D. M., Cantor, K. P., Ward, M. H., & Helzlsouer, K. J. (2000). A case-control study of nitrate in drinking water and non-Hodgkin's lymphoma in Minnesota. *Archives of Environmental Health: An International Journal*, 55(5), 326-329. Retrieved from <https://www.tandfonline.com/doi/abs/10.1080/00039890009604024>
- Gatseva, P. D., & Argirova, M. D. (2008). High-nitrate levels in drinking water may be a risk factor for thyroid dysfunction in children and pregnant women living in rural Bulgarian areas. *International journal of hygiene and environmental health*, 211(5-6), 555-559. Retrieved from <https://www.sciencedirect.com/science/article/pii/S1438463907001812>
- Gebara B., Goetting M.M. (1994) Life-threatening methemoglobinemia in infants with diarrhea and acidosis. *Clin Pediatr* 33 pp. 370–3. Retrieved from <http://cpj.sagepub.com/content/33/6/370.extract>
- Gulis, G., Czompolyova, M., & Cerhan, J. R. (2002). An ecologic study of nitrate in municipal drinking water and cancer incidence in Trnava District, Slovakia. *Environmental research*, 88(3), 182-187. Retrieved from https://www.researchgate.net/publication/11321531_An_Ecologic_Study_of_Nitrate_in_Municipal_Drinking_Water_and_Cancer_Incidence_in_Trnava_District_Slovakia
- Gupta, S.K., Gupta, R.C., Seth, A.K., Gupta, A.B., Bassin, J.K. & Gupta, A. (1999) Adaptation of cytochrome-b5 reductase activity and methaemoglobinaemia in areas with a high nitrate concentration in drinking-water. *Bull.World Health Organ* 77(9) pp. 749-753. Retrieved from <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2557725/pdf/10534899.pdf>
- Gupta, S. K., Gupta, R. C., Seth, A. K., Gupta, A. B., Bassin, J. K., Gupta, D. K., & Sharma, S. (1999). Epidemiological evaluation of recurrent stomatitis, nitrates in drinking water, and cytochrome b5 reductase activity¹. *The American journal of gastroenterology*, 94(7), 1808-1812. Available at <https://www.sciencedirect.com/science/article/pii/S0002927099001884>
- Gupta, S.K., Gupta, R.C., Gupta, A.B., Seth, A.K., Bassin, J.K., Gupta, A. (2000) Recurrent acute respiratory tract infections in areas with high nitrate concentrations in drinking water. *Environ.Health Perspect.* 108(4) pp. 363-366. Retrieved from <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC1638033/>
- Gupta SK, Gupta RC, Seth AK, Gupta AB, Bassin JK, Gupta A. (2000) Methaemoglobinemia in areas with high nitrate concentration in drinking water. *Natl Med J India* 12(2) pp. 58-61 Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/10835850>
- Gupta, S.K., Gupta, R.C., Gupta, A.B., Seth, A.K., Bassin, J.K., Gupta, A. & Sharma, M.L. (2001) Recurrent diarrhea in children lining in areas with high levels of nitrate in drinking water. *Arch of Environ Health* 56(4) pp. 369 – 373. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/11572282>
- Hanukoglu A, Danon PN. (1996) Endogenous methemoglobinemia associated with diarrheal disease in infancy. *J Pediatr Gastroenterol Nutr.* 23 pp. 1–7. Retrieved from

http://journals.lww.com/jpgn/Abstract/1996/07000/Endogenous_Methemoglobinemia_Associated_wit_h.1.aspx

Harris J.C., Rumack B.H., Peterson R.G., McGuire B.M. (1979) Methemoglobinemia resulting from absorption of nitrates. *JAMA* 242(26) pp. 2869–71. Retrieved from <http://jama.jamanetwork.com/article.aspx?articleid=368092>

Hegesh E, Shiloah J. (1982) Blood nitrates and infantile methemoglobinemia. *Clin Chim Acta.* 125 pp. 107–115. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/7139953>

Howe, G.R., Burch, D., Chiarelli, A.M., Risch, H.A. & Choi, B.C.K. (1989) An exploratory case-control study of brain tumors in children. *Cancer Res.* 49(15) pp. 4349-4352. Retrieved from <http://cancerres.aacrjournals.org/content/49/15/4349.long>

Infante-Rivard, C., Olson, E., & Ayotte, J.L. (2001) Drinking water contaminants and childhood leukemia. *Epidemiology* 12(1) pp. 13-19. <http://www.ncbi.nlm.nih.gov/pubmed/11138808>

Jensen, O. M. (1982). Nitrate in drinking water and cancer in northern Jutland, Denmark, with special reference to stomach cancer. *Ecotoxicology and environmental safety*, 6(3), 258-267. Retrieved from <https://www.sciencedirect.com/science/article/pii/0147651382900161>

Johnson C.J., Kross B.C. (1990) Continuing importance of nitrate contamination of groundwater and wells in rural areas. *American Journal of Industrial Medicine* 18(4) pp. 449–56. Retrieved from <http://onlinelibrary.wiley.com/doi/10.1002/ajim.4700180416/abstract>

Jones, J.H., Sethney, H.T., Schoenhals, G.W., Grantham, R.N. & Riley, H.D. (1973) Grandmother's poisoned well: report of a case of methemoglobinemia in an infant in Oklahoma. *J.Okla.State Med.Assoc.* 66(2) pp. 60-66. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/4688467>

Jones, R. R., Weyer, P. J., Dellavalle, C. T., Inoue-Choi, M., Anderson, K. E., Cantor, K. P., ... & Ward, M. H. (2016). Nitrate from drinking water and diet and bladder cancer among postmenopausal women in Iowa. *Environmental health perspectives*, 124(11), 1751. Retrieved from <https://ehp.niehs.nih.gov/wp-content/uploads/124/11/EHP191.alt.pdf>

Kean-Cowdin, R., Pogoda, J.M., Lijinsky, W., Holly, E.A., Mueller, B.A. & Preston-Martin, S. (2003) Maternal prenatal exposure to nitrosatable drugs and childhood brain tumours. *International Journal of Epidemiology* 32(2) pp. 211-217. <http://www.ncbi.nlm.nih.gov/pubmed/12714539> and <http://ije.oxfordjournals.org/content/32/2/211.long>

Keating JP, Lell ME, Strauss AW, Zarkowsky H, Smith GE. (1973) Infantile methemoglobinemia caused by carrot juice. *N Engl J Med* 288(16) pp. 824–6. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/4693932>

Knobeloch L., Salna B., Hogan A., Postle J., Anderson H. (2000) Blue babies and nitrate-contaminated well water. *Environ Health Perspect* 108(7) Retrieved from <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC1638204/pdf/envhper00308-0137.pdf>

Knobeloch, L., and M. Proctor (2001) Eight blue babies. *WMJ.* 100(8) pp. 43-47. http://www.wisconsinmedicalsociety.org/WMS/publications/wmj/issues/wmj_v100n8/100-8-SA-Knobeloch.pdf

Kross B.C., Ayebo A.D., Fourtes L.J. (1992) Methemoglobinemia: nitrate toxicity in rural America. *American Family Physician* 46 pp. 183–88 retrieved from <http://ukpmc.ac.uk/abstract/MED/1621630>

Kuijten, R.R., Bunin, G.R., Nass, C.C. & Meadows, A.T. (1990) Gestational and familial risk factors for childhood astrocytoma: results of a case-control study. *Cancer Res.* 50(9) pp. 2608-2612.

<http://www.ncbi.nlm.nih.gov/pubmed/2328486> and
<http://cancerres.aacrjournals.org/content/50/9/2608.long>

Kumar, M., & Puri, A. (2012). A review of permissible limits of drinking water. *Indian journal of occupational and environmental medicine*, 16(1), 40. Retrieved from

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3482709/>

Kuo, H. W., Wu, T. N., & Yang, C. Y. (2007). Nitrates in drinking water and risk of death from rectal cancer in Taiwan. *Journal of Toxicology and Environmental Health, Part A*, 70(20), 1717-1722. Retrieved from

<https://www.tandfonline.com/doi/abs/10.1080/15287390701457704>

Laitinen, S., Virtanen, S.M., Rasanen, L. & Penttila, P.L. (1993) Calculated dietary intakes of nitrate and nitrite by young Finns" *Food Addit. Contam* 10(4) pp. 469-477.

<http://www.ncbi.nlm.nih.gov/pubmed/8405586>

Law, G., Parslow, R., McKinney, P., & Cartwright, R. (1999) Non-Hodgkin's lymphoma and nitrate in drinking water: a study in Yorkshire, United Kingdom. *Journal of Epidemiological Community Health* 53(6) pp. 383-384. <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC1756892/pdf/v053p00383.pdf>

Lebby T., Roco J.J., Arcinue E.L. (1993) Infantile methemoglobinemia associated with acute diarrheal illness. *American Journal of Emergency Medicine* 11 pp. 471-2. Retrieved from

<http://www.sciencedirect.com/science/article/pii/073567579390086Q>

Loomis, J., Bell, P., Cooney, H., & Asmus, C. (2009). A comparison of actual and hypothetical willingness to pay of parents and non-parents for protecting infant health: the case of nitrates in drinking water. *Journal of Agricultural and Applied Economics*, 41(3), 697-712. Retrieved from

https://www.researchgate.net/profile/John_Loomis3/publication/46534234_A_Comparison_of_Actual_and_Hypothetical_Willingness_to_Pay_of_Parents_and_Non-Parents_for_Protecting_Infant_Health_The_Case_of_Nitrates_in_Drinking_Water/links/552d171f0cf2e089a3ad2de6.pdf

Lundberg J.O., Weitzberg E., Cole J.A., Benjamin N. (2004) Nitrate, bacteria and human health. *Nat Rev Microbiol* 2(7) pp. 593-602 Retrieved from

<http://www.nature.com/nrmicro/journal/v2/n7/full/nrmicro929.html>

Manassaram, D.M., Backer, L.C. & Moll, D.M. (2006) A Review of Nitrates in Drinking water: Maternal Exposure and Adverse Reproductive and Developmental Outcomes. *Environ Health Perspect.* 2006 March; 114(3): 320-327. <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC1392223/>

Mansouri A., Lurie A.A. (1993) Concise review: Methemoglobinemia. *American Journal of Hematology* 42 pp. 7-12. <http://www.ncbi.nlm.nih.gov/pubmed/8416301>

McCredie, M., Maisonneuve, P. & Boyle, P. (1994) Antenatal risk factors for malignant brain tumours in New South Wales children. *Int.J.Cancer* 56(1) pp. 6-10. Retrieved from

<http://www.ncbi.nlm.nih.gov/pubmed/8262678>

McKnight G.M., Duncan C.W., Leifert C., Golden M.H. (1999) Dietary nitrate in man: Friend or foe? *British Journal of Nutrition* 81(5) pp. 349-58. Retrieved from

http://journals.cambridge.org/download.php?file=%2F16032_A63A7D5ABC20BC7365F40DBF4A377C7F

[_journals_BJN_BJN81_05_S000711459900063Xa.pdf&cover=Y&code=940bf72a94083432b5d589f01343f27cbf](#)

Mensinga T.T., Speijers G.J.A., Meulenbelt J. (2003) Health implications of exposure to environmental nitrogenous compounds. *Toxicol Rev* 22(1) pp. 41–51. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/14579546> and [http://adisonline.com/toxicology/Abstract/2003/22010/Health Implications of Exposure to Environmental.5.aspx](http://adisonline.com/toxicology/Abstract/2003/22010/Health_Implications_of_Exposure_to_Environmental.5.aspx)

Moller, H. (1997) Work in agriculture, childhood residence, nitrate exposure, and testicular cancer risk: a case-control study in Denmark. *Cancer Epidemiol.Biomarkers Prev.* 6(2) pp. 141-144. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/9037566>

Moltchanova, E., Rytönen, M., Kousa, A., Taskinen, O., Tuomilehto, J., & Karvonen, M. (2004) Zinc and nitrate in the ground water and the incidence of Type 1 diabetes in Finland. *Diabet.Med.* 21(3) pp. 256-261. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/15008836>

Morales-Suarez-Varela, M. M., Llopis-Gonzalez, A., & Tejerizo-Perez, M. L. (1995). Impact of nitrates in drinking water on cancer mortality in Valencia, Spain. *European journal of epidemiology*, 11(1), 15-21. Retrieved from https://www.researchgate.net/profile/Maria_Morales-Suarez-Varela/publication/226070795_Impact_of_nitrates_in_drinking_water_on_cancer_mortality_in_Valencia_Spain/links/0fcfd50cb503af3128000000.pdf

Morris, R. D. (1995). Drinking water and cancer. *Environmental health perspectives*, 103(Suppl 8), 225. Retrieved from <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1518976/pdf/envhper00368-0223.pdf>

Mueller, B.A., Newton, K., Holly, E.A. & Preston-Martin, S. (2001) Residential water source and the risk of childhood brain tumors. *Environmental Health Perspectives* 109(6) pp. 551-556. <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC1240334/pdf/ehp0109-000551.pdf>

Mueller, B.A., Searles Nielsen, S., Preston-Martin, S. Holly, E.A., Cordier, S., Filippin, G., Peris-Bonet, R., Choi, N.W. (2004) Household water source and the risk of childhood brain tumours: results of the SEARCH International Brain Tumor Study. *Int.J.Epidemiol.* 33(6):1209-1216. <http://www.ncbi.nlm.nih.gov/pubmed/15567873> and <http://ije.oxfordjournals.org/content/33/6/1209.long>

National Research Council, Committee on Toxicology. (1995) Nitrate and nitrite in drinking water. Washington, DC: National Academies Press

Nolan, B. T., & Hitt, K. J. (2006). Vulnerability of shallow groundwater and drinking-water wells to nitrate in the United States. *Environmental science & technology*, 40(24), 7834-7840. Retrieved from <https://pdfs.semanticscholar.org/9499/0f272fea508adcd5f21766d2fbe01a30178c.pdf>

Nolan BT, Hitt KJ, Ruddy BC. (2002) Probability of nitrate contamination of recently recharged ground waters in the conterminous United States. *U.S.G.S. Environ Sci Technol* 36(10) pp. 2138–45. http://water.usgs.gov/nawqa/nutrients/pubs/est_v36_no10/ and http://water.usgs.gov/nawqa/nutrients/pubs/est_v36_no10/est_v36_no10.pdf

Odorog, C. M. (2016). Nitrates and drinking water. *Scientific Papers-Series A, Agronomy*, 59, 122-126. Retrieved from <http://agronomyjournal.usamv.ro/pdf/2016/Art20.pdf>

Pacific Groundwater Group (2011) Request for identification Lower Yakima Valley Groundwater Management Area. WA State Department of Ecology. Retrieved from www.yakimacounty.us/NitrateProgram/English/Docs/Lower%20Yakima%20GWMA%20Request%20For%20Identification%20FINAL.pdf

Parslow R.C., McKinney P.A., Law G.R., Staines A., Williams R., Bodansky H.J. (1997) Incidence of childhood diabetes mellitus in Yorkshire, northern England, is associated with nitrate in drinking water: an ecological analysis. *Diabetologia* 40(5) pp. 550–6. Retrieved from <http://www.springerlink.com/content/7d21fcmtmgj54pt/> and <http://www.springerlink.com/content/7d21fcmtmgj54pt/fulltext.pdf>

Pogoda, J.M., and Preston-Martin, S. (2001) Maternal cured meat consumption during pregnancy and risk of paediatric brain tumour in offspring: potentially harmful levels of intake. *Public Health Nutr.* 4(2) pp. 183-189. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/11299090>

Pollack, E.S. & Pollack, C.V. (1994) Incidence of subclinical methemoglobinemia in infants with diarrhea. *Annals of Emergency Medicine.* <http://www.ncbi.nlm.nih.gov/pubmed/8092592>

Preston-Martin, S., Yu, M.C., Benton, B., & Henderson, B.E. (1982) N-Nitroso compounds and childhood brain tumors: a case-control study. *Cancer Res.* 42(12) pp. 5240-5245. Retrieved from <http://cancerres.aacrjournals.org/content/42/12/5240.abstract>

Preston-Martin, S., Pogoda, J.M., Mueller, B.A., Holly, E.A., Lijinsky, W. & Davis, R.L. (1996) Maternal consumption of cured meats and vitamins in relation to pediatric brain tumors. *Cancer Epidemiol.Biomarkers Prev.* 5(8) pp. 599-605. Retrieved from <http://cebp.aacrjournals.org/content/5/8/599.long>

Reinik, M., Tamme, T., Roasto, M., Juhkam, K., Jurstenko. S., Tenno, T. & Kiis, A. (2005) Nitrites, nitrates and N-nitrosoamines in Estonian cured meat products: intake by Estonian children and adolescents. *Food Addit.Contam* 22(11) pp. 1098-1105. <http://www.ncbi.nlm.nih.gov/pubmed/16332632>

Reynolds K.A. (2002) The prevalence of nitrate contamination in the United States. *Water Conditioning and Purification* 44(1). Retrieved from <http://www.wcponline.com/ArchiveNewsView.cfm?pkArticleID=1330&AT=T>

Sadeq, M., Moe, C.L., Attarassi, B., Cherkaouil, L., Elauad, R., & Idrissi, L. (2008) Drinking water nitrate and prevalence of methemoglobinemia among infants and children ages 1-7 years in Moroccan areas. *International Journal of Environmental Health* <http://www.ncbi.nlm.nih.gov/pubmed/18155958>

Saito T., Takeichi S., Osawa M., Yukawa N., Huang X.L. (2000) A case of fatal methemoglobinemia of unknown origin but presumably due to ingestion of nitrate. *International Journal of Legal Med* 113(3) pp. 164–7. Retrieved from <http://www.springerlink.com/content/34befl8dg6v6p9rr/>

Sanchez J., Benito-Fernandez J., Mintegui-Raso S. (2001) Methemoglobinemia and consumption of vegetables in infants. *Pediatrics* 107(5) pp. 1024–8. Retrieved from <http://pediatrics.aappublications.org/content/107/5/1024.abstract> and http://content.ebscohost.com/pdf13_15/pdf/2001/PDT/01May01/4441433.pdf?T=P&P=AN&K=4441433&S=R&D=aph&EbscoContent=dGJyMNLr40SeprY4y9f3OLCmr0qeqLBSs6a4TLKWxWXS&ContentCustom er=dGJyMPGssk2xqLJNuePfgex44Hy

- Sandor, J., Kiss, I., Farkas, O., & Ember, I. (2001). Association between gastric cancer mortality and nitrate content of drinking water: ecological study on small area inequalities. *European journal of epidemiology*, 17(5), 443-447. Retrieved from https://www.researchgate.net/publication/226891543_Association_between_gastric_cancer_mortality_and_nitrate_content_of_drinking_water_Ecological_study_on_small_area_inequalities
- Sarasua, S., and Savitz, D.A. (1994) Cured and broiled meat consumption in relation to childhood cancer: Denver, Colorado (United States) *Cancer Causes Control* 5(2) pp. 141-148. <http://www.ncbi.nlm.nih.gov/pubmed/8167261>
- Savino, F., Maccario, S., Guido, C., Castagno, E., Farinasso, D., Cresi, F., Silvestro, L., & Mussa, G.C. (2006) Methemoglobinemia caused by the ingestion of courgette soup given in order to resolve constipation in two formula-fed infants. *Ann Nutr.Metab* 50(4) pp. 368-371. <http://www.ncbi.nlm.nih.gov/pubmed/16809905>
- Schmitz J.T. (1961) Methemoglobinemia—a cause of abortions? Preliminary report. *Obstet Gynecol.* 17 pp. 413–415. Retrieved from http://journals.lww.com/greenjournal/Citation/1961/04000/Methemoglobinemia_A_Cause_of_Abortions.2.aspx
- Scragg RK, Dorsch MM, McMichael AJ, Baghurst PA. (1982) Birth defects and household water supply. Epidemiological studies in the Mount Gambier region of South Australia. *Med J Aust.* 2 pp. 577–579. <http://www.ncbi.nlm.nih.gov/pubmed/7162445>
- Shearer L.A., Goldsmith J.R., Young C., Kearns O.A., Tamplin B.R. (1972) Methemoglobin levels in infants in an area with high nitrate water supply. *American Journal of Public Health* 62(9) pp. 1174–80. Retrieved from <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC1530503/pdf/amjph00731-0006.pdf>
- Shuval H.I., Gruener N. (1992) Epidemiological and toxicological aspects of nitrates and nitrites in the environment. *American Journal of Public Health* 62(8):1045–52. <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC1530374/pdf/amjph00730-0007.pdf>
- Spalding, R. F., & Exner, M. E. (1993). Occurrence of nitrate in groundwater—a review. *Journal of environmental quality*, 22(3), 392-402. Retrieved from <https://nature.berkeley.edu/classes/espm-120/Website/Spalding1993.pdf>
- Super, M., Heese, H. D. V., MacKenzie, D., Dempster, W. S., Du Plessis, J., & Ferreira, J. J. (1981). An epidemiological study of well-water nitrates in a group of South West African/Namibian infants. *Water Research*, 15(11), 1265-1270. Retrieved from <http://www.sciencedirect.com/science/article/pii/0043135481901032>
- Tabacova S., Balabaeva L., Little R.E. (1997) Maternal exposure to exogenous nitrogen compounds and complications of pregnancy. *Arch Environ Health* 52(5) pp. 341–7. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/9546756>
- Tajtakova, M., Semanova, Z., Tomkova, Z., Szokeova, E., Majoros, J., Radikova, Z., Sebokova, E. Klines, I, & Langer, P. (2006) Increased thyroid volume and frequency of thyroid disorders signs in schoolchildren from nitrate polluted area. *Chemosphere* 62(4) pp. 559-564. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/16095667>
- Tamme, T., Reinik, M., Roasto, M., Juhkam, K., Tenno, T., & Kiis, A. (2006) Nitrates and nitrites in vegetables and vegetable-based products and their intakes by the Estonian population. *Food*

Addit. Contam 23(4) pp. 355-361.

http://peer.ccsd.cnrs.fr/docs/00/57/75/75/PDF/PEER_stage2_10.1080%252F02652030500482363.pdf

Terblanche, A. P. S. (1991). Health hazards of nitrate in drinking water. *Water S. A.*, 17(1), 77-82.

Retrieved from

http://www.wrc.org.za/Knowledge%20Hub%20Documents/Water%20SA%20Journals/Manuscripts/1991/WaterSA_1991_17_0612.PDF

Thorpe, N., and Shirmohammadi, A. (2005) Herbicides and nitrates in groundwater of Maryland and childhood cancers: a geographic information systems approach. *J Environ Sci Health C. Environ Carcinog. Ecotoxicol. Rev.* 23(2) pp. 261-278. Retrieved from

<http://www.ncbi.nlm.nih.gov/pubmed/16291529>

Tirado, R. (2007). Nitrates in drinking water in the Philippines and Thailand. *Greenpeace Research Laboratories Technical Note*, 11, 2007. Retrieved from

http://www.greenpeace.to/publications/Nitrates_Philippines_Thailand.pdf

Tricker A.R., Preussmann R. (1991) Carcinogenic *N*-nitrosamines in the diet: occurrence, formation, mechanisms and carcinogenic potential. *Mutat Res* 259 pp. 277-89. Retrieved from

<http://www.sciencedirect.com/science/article/pii/0165121891901234> and

<http://www.ncbi.nlm.nih.gov/pubmed/2017213>

Tsezou, A., Kitsiou-Tzeli, S., Galla, A., Gourgiotis, D., Papageorgiou, J., Mitrou, S., Molybdas, P. A., Sinaniotis, C. (1996) High nitrate content in drinking water: cytogenetic effects in exposed children. *Arch. Environ. Health* 51(6) pp. 458-461. Retrieved from

<http://www.ncbi.nlm.nih.gov/pubmed/9012325>

U.S. Department of Agriculture: Food Safety and Inspection Service. (2001) Fact Sheets: Food Labeling - Additives in Meat and Poultry Products. Retrieved from

http://www.fsis.usda.gov/Fact_Sheets/Additives_in_Meat_&_Poultry_Products/index.asp

U.S. Environmental Protection Agency. (2006) 2006 Edition of the Drinking Water Standards and Health Advisories. Retrieved from

<http://www.epa.gov/waterscience/criteria/drinking/dwstandards.pdf>

U.S. Environmental Protection Agency (2006) Drinking Water Contaminants. Retrieved from

<http://www.epa.gov/safewater/contaminants/index.html>

U.S. Environmental Protection Agency. (2005) Priority List of Hazardous Substances for the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) Section 104(i). Retrieved from

<http://www.atsdr.cdc.gov/cercla/>

US Environmental Protection Agency. Consumer factsheet on: nitrates/nitrites. Washington, DC: US Environmental Protection Agency; 2004. Available from URL: <http://www.epa.gov/safewater/dwh/c-ioc/nitr>

US Environmental Protection Agency. Integrated Risk Information System (IRIS) database. Nitrate (CASRN 14797-55-8). Washington, DC: US Environmental Protection Agency. 2002. Available at URL:

<http://www.epa.gov/iris>

U.S. Environmental Protection Agency. 2007. *Nitrates and Nitrites TEACH Chemical Summary*. Retrieved from http://www.epa.gov/teach/chem_summ/Nitrates_summary.pdf

U.S. Environmental Protection Agency (2012) Preliminary data Lower Yakima Valley well testing.

Retrieved from ftp://ftp.epa.gov/reg10ftp/sites/yakima/groundwater_data/

U.S. Food and Drug Administration. (1998) A Fresh Look at Food Preservatives. Retrieved from <http://www.cfsan.fda.gov/~dms/fdpreser.html>

US Geological Survey. (1999) The quality of our nation's waters: nutrients and pesticides. Circular 1225. Reston, VA: US Department of the Interior. Retrieved from <http://pubs.usgs.gov/circ/circ1225/>

VanDerslice, J. (2009). Final Report: Dose-Response of Nitrate and Other Methemoglobin Inducers on Methemoglobin Levels of Infants. National Center for Environmental Research WA State Department of Health. Olympia, WA. Retrieved from http://cfpub.epa.gov/ncer_abstracts/index.cfm/fuseaction/display.abstractDetail/abstract/5379/report/E

Van Grinsven, H. J., Ward, M. H., Benjamin, N., & De Kok, T. M. (2006). Does the evidence about health risks associated with nitrate ingestion warrant an increase of the nitrate standard for drinking water?. *Environmental Health*, 5(1), 26. Retrieved from <https://ehjournal.biomedcentral.com/articles/10.1186/1476-069X-5-26>

Van Grinsven, H. J., Rabl, A., & de Kok, T. M. (2010). Estimation of incidence and social cost of colon cancer due to nitrate in drinking water in the EU: a tentative cost-benefit assessment. *Environmental health*, 9(1), 58. Retrieved from <https://ehjournal.biomedcentral.com/articles/10.1186/1476-069X-9-58>

Van Leeuwen, J. A., Waltner-Toews, D., Abernathy, T., Smit, B., & Shoukri, M. (1999). Associations between stomach cancer incidence and drinking water contamination with atrazine and nitrate in Ontario (Canada) agroecosystems, 1987-1991. *International Journal of Epidemiology*, 28(5), 836-840. Retrieved from https://oup.silverchair-cdn.com/oup/backfile/Content_public/Journal/ije/28/5/10.1093_ije_28.5.836/1/280836.pdf?Expires=1496077591&Signature=eJKikjMC7~pHHeXuySz6qz6lisEhlyCisyAgnbw5rBzlcj4WIXucDd8zM9nF1REGBKq54N~-RG~OVN0~UFawShZMbJgkZji64HtsX~yzlSDdNZqhXv6cevgsglrHWffbrJ8dlRp8YS8FmiXIVTlxT7RaD62Az5FISZKUGILgszWLSk13W18Pg3FewdgMxw0S6CfRzKH2I5flq5RdLRfGpDdVy5UG7TUwhV5bYTVH6t0p1xHEBhD2CTqx462wGSFVqOh~C6KAgc-s5ei6xqfr~kjb8bmuhb4gQ54mvCb52oQbH3nNSVNjHnCsdoCbU0mfM6FjLHFISf1zWaNQjnA_&Key-Pair-Id=APKAIUCZBIA4LVPVW3Q

Van Loon A.J., Botterweck A.A., Goldbohm R.A., Brants H.A., van Klaveren J.D., van den Brandt P.A. (1998) Intake of nitrate and nitrite and the risk of gastric cancer: a prospective cohort study. *British Journal of Cancer* 78 pp. 129–35. Retrieved from <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2062934/pdf/brjancer00001-0133.pdf>

Van Maanen, J. M., Welle, I. J., Hageman, G., Dallinga, J. W., Mertens, P. L., & Kleinjans, J. C. (1996). Nitrate contamination of drinking water: relationship with HPRT variant frequency in lymphocyte DNA and urinary excretion of N-nitrosamines. *Environmental Health Perspectives*, 104(5), 522. Retrieved from <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1469364/pdf/envhper00336-0070.pdf>

van Maanen, J.M., Albering, H.J., de Kok, T.M., van Breda, S.G., Curfs, D.M., Vermeer, I. T., Ambergen, A.W., Wolffenbuttel, B.H., Klenjans, J.C. & Reeser, H.M. (2000) Does the risk of childhood diabetes mellitus require revision of the guideline values for nitrate in drinking water? *Environ.Health Perspect.* 108(5) pp. 457-461. Retrieved from <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC1638059/>

van Maanen, J. M., van Dijk, A., Mulder, K., de Baets, M. H., Menheere, P. C., van der Heide, D., ... & Kleinjans, J. C. (1994). Consumption of drinking water with high nitrate levels causes hypertrophy of the thyroid. *Toxicology letters*, 72(1-3), 365-374. Retrieved from

https://www.researchgate.net/publication/14996221_Consumption_of_drinking_water_with_high_nitrate_levels_causes_hypertrophy_of_the_thyroid

Venkateswari R, Ganesh R, Deenadayalan M, Mahender E, Ramachandran B, Janakiraman (2007) Transient Methemoglobinemia in an infant. *Indian Journal of pediatrics* 74(11). Pp. 1037-1038. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/18057688>

Virtanen, S.M., Jaakkola, L., Rasanen, L., Ylonen, K., Aro, A., Lounamaa, R., Akerblom, H.K., & Tuomilehto, J. (1994) Nitrate and nitrite intake and the risk for type 1 diabetes in Finnish children. Childhood Diabetes in Finland Study Group. *Diabet.Med.* 11(7) pp. 656-662. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/7955990>

Volkmer, B.G., Ernst, B., Simon, J., Kuefer, R., Bartsch, G., Bach, D., & Gschwend, J.E. (2005) Influence of nitrate levels in drinking water on urological malignancies: a community-based cohort study. *BJU.Int* 95(7) pp. 972-976. <http://www.ncbi.nlm.nih.gov/pubmed/15839916>

Walton G. (1951) Survey of literature relating to infant methemoglobinemia due to nitrate-contaminated water. *Am J Public Health*. 41 pp. 986–996. Retrieved from <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC1525621/pdf/amjphnation00426-0083.pdf>

Ward M.H., Mark S.D., Cantor K.P., Weisenburger D.D., Correa-Villasenor A., Zahm S.H. (1996) Drinking water nitrate and the risk of non-Hodgkin's lymphoma. *Epidemiology*7(5) pp. 465–71. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/8862975>

Ward M.H., deKok T.M., Levallois P., Brender J., Gulis G., Nolan B.T., VanDerslice J. (2005) Workgroup report: Drinking-water nitrate and health - - recent findings and research needs. *Environ Health Perspect* 113(11) pp. 1607-1614. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/16263519> and <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC1310926/pdf/ehp0113-001607.pdf>

Ward, M. H., Cantor, K. P., Cerhan, J., Lynch, C. F., & Hartge, P. (2004). Nitrate in public water supplies and risk of cancer: Results from recent studies in the midwestern United States. *Epidemiology*, 15(4), S214. Retrieved from http://journals.lww.com/epidem/Citation/2004/07000/Nitrate_in_Public_Water_Supplies_and_Risk_of_568.aspx

Ward, M. H., Heineman, E. F., Markin, R. S., & Weisenburger, D. D. (2008). Adenocarcinoma of the stomach and esophagus and drinking water and dietary sources of nitrate and nitrite. *International journal of occupational and environmental health*, 14(3), 193-197. Retrieved from <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2797489/>

Ward, L.B. Yakima Herald Republic. (2009) "Hidden Wells, Dirty Water" <http://www.yakima-herald.com/stories/2008/10/11/hidden-wells-dirty-water>

Washington State Dept. of Ecology (2010) *Lower Yakima Valley groundwater quality: preliminary assessment and recommendations document*. Retrieved from <https://fortress.wa.gov/ecy/publications/publications/1010009.pdf>

WA State Dept. of Health (2010) Nitrate in Drinking Water – Questions and Answers (English) Retrieved from <http://www.doh.wa.gov/ehp/dw/Publications/331-214.pdf>

WA State Dept. of Health (2010) Nitrate in Drinking Water – Questions and Answers (Spanish) Retrieved from <http://www.doh.wa.gov/ehp/dw/Publications/331-214s.pdf>

Wei-Hua, J., Qing-Hua, P., Hai-De, Q., Ya-Fei, X., Guo-Ping, S., Lina, C., Li-Zhen, C., Qi-Sheng, F., Ming-Huang, H., Yi-Xin, A., & Yin Yao, S. (2000) Dietary exposure to nitrite and nitrosamines and risk of nasopharyngeal carcinoma in Taiwan. *International Journal of Cancer* 86(5) pp. 603-609. <http://carcin.oxfordjournals.org/content/30/12/2031.full>

Weyer, P. J., Cerhan, J. R., Kross, B. C., Hallberg, G. R., Kantamneni, J., Breuer, G., ... & Lynch, C. F. (2001). Municipal drinking water nitrate level and cancer risk in older women: the Iowa Women's Health Study. *Epidemiology*, 12(3), 327-338. Retrieved from http://s3.amazonaws.com/academia.edu.documents/42632538/Municipal_Drinking_Water_Nitrate_Level_a20160212-31872-gownru.pdf?AWSAccessKeyId=AKIAIWOWYYGZ2Y53UL3A&Expires=1497141341&Signature=2YyjqqK44fKWXwMm3ycZObtXrU%3D&response-content-disposition=inline%3B%20filename%3DMunicipal_Drinking_Water_Nitrate_Level_a.pdf

Wiklund, G.M., Aastrup, L., Pousette, M., Thunholm, J., Saldeen, B., Wernroth, T., Zaren, & Holmberg, L. (2001) Incidence and geographical distribution of sudden infant death syndrome in relation to content of nitrate in drinking water and groundwater levels. *Eur.J.Clin.Invest* 31(12) pp. 1083-1094. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/11903496>

World Health Organization. (2003). Nitrate and nitrite in drinking-water: background document for development of WHO guidelines for drinking-water quality. Retrieved from http://apps.who.int/iris/bitstream/handle/10665/75380/WHO_SDE_WSH_04.03_56_eng.pdf?sequence=1

World Health Organization. (2006) International Program on Chemical Safety, Environmental Health Criteria 5: Nitrates, Nitrites, and N-Nitroso Compounds. Retrieved from <http://www.inchem.org/documents/pims/chemical/pimg016.htm>

World Health Organization. (2008). *Guidelines for drinking-water quality: second addendum. Vol. 1, Recommendations*. World Health Organization. Retrieved from http://www.who.int/water_sanitation_health/dwq/secondaddendum20081119.pdf

World Health Organization. (2010). *Drinking water quality in the South-East Asia region* (No. SEA-EH-567). WHO Regional Office for South-East Asia. Retrieved from <http://apps.who.int/iris/bitstream/handle/10665/204999/B4470.pdf?sequence=1&isAllowed=y>

Wright R.O., Woolf A.D., Shannon M.W., Magnani B. (1998) N-acetylcysteine reduces methemoglobin in an in-vitro model of glucose-6-phosphate dehydrogenase deficiency. *Acad Emerg Med* 5(3) pp. 225–9. Retrieved from <http://onlinelibrary.wiley.com/doi/10.1111/j.1553-2712.1998.tb02617.x/abstract> and <http://www.ncbi.nlm.nih.gov/pubmed/9523930>

Wright R.O., Lewander W.J., Woolf A.D. (1999) Methemoglobinemia: etiology, pharmacology, and clinical management. *Annals of Emergency Medicine* 34(5) pp. 646–56. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/10533013>

Xu G, Song P, Reed P.I. (1992) The relationship between gastric mucosal changes and nitrate intake via drinking water in a high-risk population for gastric cancer in Moping County, China. *Eur J Cancer Prev* 1992; 1(6):437–43.

http://journals.lww.com/eurjcancerprev/Abstract/1992/10000/The_relationship_between_gastric_mucosal_changes.7.aspx

Yakima County (2011) Nitrate Treatment Pilot Program – Final Report. Retrieved from <https://www.yakimacounty.us/DocumentCenter/View/1983/Nitrate-Treatment-Pilot-Program-PDF>

Yang, C. Y., Cheng, M. F., Tsai, S. S., & Hsieh, Y. L. (1998). Calcium, magnesium, and nitrate in drinking water and gastric cancer mortality. *Cancer Science*, 89(2), 124-130. Retrieved from <http://onlinelibrary.wiley.com/doi/10.1111/j.1349-7006.1998.tb00539.x/pdf>

Yang, C. Y., Wu, D. C., & Chang, C. C. (2007). Nitrate in drinking water and risk of death from colon cancer in Taiwan. *Environment international*, 33(5), 649-653. Retrieved from <https://pdfs.semanticscholar.org/855d/857eea83aad377b815d3aff72cca3e8eedde.pdf>

Zeman C.L., Kross B., Vlad M. (2002) A nested case-control study of methemoglobinemia risk factors in children of Transylvania, Romania. *Environmental Health Perspectives* 110(8) pp. 817–22. Retrieved from <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC1240955/pdf/ehp0110-000817.pdf>

Zeman, C.L., Vlad, C.L., & Kross, B. (2002) Exposure methodology and findings for dietary nitrate exposures in children of Transylvania, Romania. *J.Expo.Anal.Environ.Epidemiol.* 12(1) pp. 54-63. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/11859433>

Compiled by Jean Mendoza