

Facility Name	DATE INSPECTION	INSPECTION TYPE	RESULT	COMMENTS RESULT	ADDR FULL LINE#
RUBEN'S TORTILLERIA	9/5/2023	Follow Up Inspection	Passed	All violations corrected. Inspection passed with FWCs photos emailed within 5 days.	1518 S. 1ST STREET
AUNTIE ANNE'S SOFT ROLLED PRETZELS	9/5/2023	Routine Inspection	Passed	5/5 2. Invalid food worker cards.	2529 MAIN # B-3 ST, Union Gap, WA 98903
Twistee Treat's INC. DBA Cinnabon	9/13/2023	Routine Inspection	Passed	0/0	2529 Main ST, Union Gap, WA 98903
Xochitl's Taqueria	9/17/2023	Catering Routine Inspection	Passed	0/0 - No violations.	432 N Rivard RD, Moxee, WA 98936
Xochitl's Taqueria	9/14/2023	Pre-Opening Inspection	Passed	Contingent upon all other departments, this establishment is approved to operate.	432 N Rivard RD, Moxee, WA 98936
CATALYST COFFEE	9/25/2023	Routine Inspection	Passed	0/0	712 W NOB HILL BLVD, YAKIMA, WA 98902
COCINA JALICIENSE	9/7/2023	Compliance Inspection	Passed	All violations corrected.	709 E. NOB HILL BLVD E, YAKIMA, WA 98901
COCINA ISABEL	9/8/2023	Routine Inspection	Passed	15/25 - 1. No certified manager. 11. No proper date marking of foods at high risk for Listeria. 42. Food contact surfaces not cleaned/sanitized. 44. Improper plumbing.	303 S. 13TH STREET, Sunnyside, WA 98944
DC VENDING	9/29/2023	Routine Inspection	Passed	0/0	607 R ST E, YAKIMA, WA 98901
Holiday Inn Express	9/13/2023	Routine Inspection	Passed	5/5 CFPM not on staff.	1215 Ahtanum Ridge Dr, Union Gap, WA 98903
My Place Hotel Yakima	9/29/2023	Routine Inspection	Passed	0/0	21 18th ST S, Yakima, WA 98901
RIMROCK LAKE RESORT	9/7/2023	Routine Inspection	Passed	5/5 1. Certified manager not on staff	37590 US HWY 12, NACHES, WA 98937
8th Street Market & Deli	9/28/2023	Routine Inspection	Passed	25/38 - 2. Food worker cards not current. 6. Inadequate handwashing facilities. 10. Food not in good condition. 34. No sanitizer solution. 41. Warewashing facilities not properly used. 46. Toilet facilities not properly supplied.	315 8th ST N, Yakima, WA 98901
FIDDLE'S COFFEE HOUSE	9/18/2023	Routine Inspection	Passed	0/5.	721 1ST ST W, WAPATO, WA 98951
Aventura coffee	9/11/2023	8-Week Inspection	Passed	0/0	415 W walnut ST, yakima
Cafe Manjares LLC	9/18/2023	8-Week Inspection	Passed	0/15.	0 S Wapato AVE, Wapato, WA 98951
the alignment co.	9/13/2023	Pre-Opening Inspection	Passed	Approved to open contingent upon all other departments.	12 S 2nd ST, yakima
Yakima Coffee Company	9/25/2023	Routine Inspection	Passed	5/5 21. Improper cold holding temperature.	3706 TIETON DR, Yakima, WA 98902
SUGAR SHACK ESPRESSO	9/5/2023	Routine Inspection	Passed	25/30 - 2. Food worker cards not current for all food workers. 6. Inadequate handwashing facilities. 11. Improper date marking procedures for food at high risk of Listeria. 29. Inadequate equipment for temperature control.	1302 FAIR AVE. S, Yakima, WA 98901
GRINDSTONE	9/12/2023	Routine Inspection	Passed	25/30. 19. No room temperature storage.	4112 Terrace Heights DR, Yakima, WA 98901
THE VIBE COFFEE	9/6/2023	Routine Inspection	Passed	0/5. 31.food properly labeled, proper date marking.	2105 3RD AVE S, UNION, GAP 98903
DO-SI-DO ESPRESSO	9/6/2023	Routine Inspection	Passed	15/20. 2. Food Worker Cards current for all food workers. 26. Compliance with valid permit.	1209 GAMACHE LN, UNION GAP, WA 98903
CRAVE COFFEE #6	9/26/2023	Routine Inspection	Passed	5/5 #1 - No Certified Food Protection Manager on staff	1808 1st ST N, Yakima, WA 98901
Manhattan Station Espresso	9/27/2023	Routine Inspection	Passed	5/5 #22 - Thermometer not available	2412 S 1ST ST S, Union Gap, WA 98903
Small Town Coffee	9/15/2023	Routine Inspection	Passed	0/0 No violations observed	301 N Main ST, mabton, wa 98935

Yakima Coffee Company	9/25/2023	Routine Inspection	Passed	5/5 21. Improper cold holding temperature.	3706 TIETON DR, Yakima, WA 98902
Starbucks Coffee	9/28/2023	Pre-Opening Inspection	Passed	Will send photo of thermometer. Approved to operate	21442 W Valley Mall BLVD
STARBUCKS	9/26/2023	Routine Inspection	Passed	0/0 No violations	1312 1ST ST S, Yakima, WA 98902
Cafe Main Stop	9/25/2023	Routine Inspection	Passed	15/22. 21. Improper cold holding. 25. Improper storage of toxic substances. 44. Improper maintenance of plumbing within equipment. 50. No permit posted.	5 N Front St, Yakima, wa 98901
Sip on 1st	9/25/2023	Routine Inspection	Passed	5/10. 2. No food worker cards present. 34. Improper sanitizer concentration.	615 1ST S, YAKIMA, WA 98901
Mak Daddy Coffee Roasters	9/29/2023	Routine Inspection	Passed	10/10 - 1. No certified manager. 22. No accurate thermometer.	28 N. 1ST ST N, Yakima, WA 98901
WALGREENS # 12053	9/8/2023	Routine Inspection	Passed	0/0	6400 W. NOB HILL BLVD. W, YAKIMA, WA 98905
La Mazorca #2	9/27/2023	Routine Inspection	Passed	25/33. 2. Food worker cards not current. 6. Inadequate handwashing facilities. 14. Raw meats above ready-to-eat foods. 22. No food preparation thermometer present. 37. In use utensils not properly stored. 41. Inadequate warewashing facilities.	1517 E Lincoln AVE, Sunnyside, wa 98944
Luna Bubble Tea & Foods LLC	9/13/2023	8-Week Inspection	Passed	0/12	2401 W Nob Hill BLVD, Yakima, WA 98902
Yogurt Shack	9/27/2023	Routine Inspection	Passed	15/20 - 21. Improper cold holding temperatures. 34. No sanitizer bucket.	110 S 72ND AVE S, #100, YAKIMA, WA 98908
Double Trouble Shakes N' More	9/13/2023	Routine Inspection	Passed	0/0	117 E 3rd Ave, Selah, WA 98942
YAKIMA VALLEY JUSTICE CENTER	9/28/2023	Routine Inspection	Passed	0/0	1500 PACIFIC AVE, Yakima, WA 98901
Pit Stop	9/5/2023	Compliance Inspection	Passed	5/5 - 22. No accurate thermometer provided. Inspection passed contingent upon photo evidence of thermometer sent within 5 days.	508 NOB HILL BLVD W, Yakima, WA 98902
Tino's Mini Mart	9/1/2023	Pre-Opening Inspection	Passed	Contingent on all other departments, they are ok to operate	1513 Tieton DR, Yakima, WA 98902
TERRACE HEIGHTS FOODMART	9/28/2023	Routine Inspection	Passed	15/15. 10. Frozen foods past expiration date. 17. Improper hot holding temperature.	2412 Terrace Heights DR, Yakima, WA 98901
HR FOODMART	9/28/2023	Routine Inspection	Passed	0/0.	2501 Terrace Heights DR, Yakima, WA 98901
Western Gas - Quick pick	9/7/2023	Routine Inspection	Passed	10/12. 21. Proper cold holding temperatures. 22. Accurate thermometer provided and used to evaluate temperatures.	401 S ELM ST S, Toppenish, WA 98948
WAPATO XPRESS MART	9/5/2023	Follow Up Inspection	Passed	0/0 All previous violations have been corrected	631 1ST ST W, Wapato, WA 98951
PARK 'N PAK	9/27/2023	Routine Inspection	Failed	60/65 - 2. Food worker cards not current for all food workers. 13. Food contact surfaces not sanitized. 17. Improper hot holding temperatures. 21. Improper cold holding temperatures. 25. Toxic substances improperly stored. 29. Inadequate equipment for temperature control.	905 LINCOLN AVE, Sunnyside, WA 98944
AM/PM	9/27/2023	Routine Inspection	Passed	0/0 No violations	1601 W WASHINGTON AVE. W, Yakima, WA 98903
MERCADO LATINO	9/28/2023	Routine Inspection	Failed	85/95 - 1. No certified manager. 11. No date marking. 12. Improper shellstock IDs. 13. Food contact surfaces not sanitized. 17. Improper hot holding temperatures. 19. Room temperature storage. 42. Food contact surfaces not maintained clean. 44. No indirect drains.	902 N 4TH ST N, YAKIMA, WA 98901

SELAH MINI MART	9/18/2023	Routine Inspection	Passed	25/30 #1 - No CFPM on staff. #6 - Handwashing sink not stocked. #21 - Improper cold holding temperatures.	103 S 1ST ST S, Selah, WA 98942
CHEVRON MINI MART	9/7/2023	Routine Inspection	Passed	0/0	5604 SUMMITVIEW AVE, Yakima, WA 98908
SELAH CHEVRON	9/18/2023	Routine Inspection	Re-inspection Required	35/35 #1 - No CFPM #6 - Handwash sinks not stocked #10 - Food not in good condition #21 - Improper cold holding	313 S. 1ST STREET, Selah, WA 98942
Taqueria Don Chepes	9/1/2023	8-Week Inspection	Passed	0/0	1001 N 16th AVE, Yakima 98902
TACOS ISABEL	9/8/2023	Mobile Inspection	Passed	15/15 - 1. No certified manager on staff. 6. Inadequate handwashing facilities.	303 S. 13TH ST S, SUNNYSIDE, WA 98944
TACOS ISABEL 2	9/8/2023	Mobile Inspection	Passed	5/10 - 1. No certified manager on staff. 40. Food contact surfaces not cleanable.	303 S. 13TH STREET S, Sunnyside, WA 98944
The Barndoor Espresso	9/26/2023	Pre-Opening Inspection	Passed	Approved to operate	
Erik the mercedes kid	9/26/2023	Pre-Opening Inspection	Passed	Photo Verification of Caulking and kitty litter. Approved to operate	0 N front ST, Yakima, wa 98902
Tacos El Jefe	9/6/2023	Routine Inspection	Passed	20/20 - 1. No certified manager. 14. Raw meats not below or away from ready to eat food. 21. Improper cold holding temperatures.	1302 S Fair AVE, Yakima, wa 98901
WALMART #2241	9/21/2023	Routine Inspection	Passed	0/0	2675 LINCOLN AVE. E, Sunnyside, WA 98944
CARNITAS SUPREME #2	9/11/2023	8-Week Inspection	Passed	0/8.	605 E NOBHILL BLVD, YAKIMA, WA 98901
EFFIN EGG	9/26/2023	8-Week Inspection	Passed	5/18. Foodworker cards current for all foodworkers	6530 W NOBHILL BLVD, #400, YAKIMA, WA 98908
Garcia's Cafeteria	9/11/2023	8-Week Inspection	Passed	25/25. 16. proper cooling methods.	546 WOODALL RD., Grandview, WA 98930
TIENDA LA TAPATIA	9/12/2023	Compliance Inspection	Passed	0/0 All violations corrected. Next compliance inspection will be in 1 month.	802 W. 1ST AVE. W, Toppenish, WA 98948
EL NOA NOA	9/19/2023	Compliance Inspection	Passed	0/0 - All previous violations corrected, no further inspection required.	4671 N TRACK ROAD, WAPATO, WA 98951
THE SPICE	9/25/2023	Compliance Inspection	Passed	All previous violations corrected.	1510 Summitview AVE, Yakima, WA 98902
TIENDA LA TAPATIA	9/5/2023	Follow Up Inspection	Compliance Required	No temperature log implemented as discussed in office conference 8/31/23. All other violations corrected.	802 W. 1ST AVE. W, Toppenish, WA 98948
EL NOA NOA	9/5/2023	Follow Up Inspection	Compliance Required	30/30 - 17. Improper hot holding temperatures. 21. Improper cold holding temperatures. All other violations corrected.	4671 N TRACK ROAD, WAPATO, WA 98951
XOCHIMILCO TEQUILA BAR #2	9/21/2023	Follow Up Inspection	Passed	0/0 All high risk violations from previous inspection have been corrected.	2529 MAIN ST. SUITE # D-24 - UNION GAP
THE SPICE	9/13/2023	Follow Up Inspection	Failed	15/15 - 13. Food contact surfaces not sanitized.	1510 Summitview AVE, Yakima, WA 98902
nine iron golf	9/19/2023	Follow Up Inspection	Passed	Pre-opening verification of dishwasher approved - dishwasher reached 120F.	2920 River RD, #6, Yakima, WA 98902
Comalon Express	9/21/2023	Pre-Opening Inspection	Passed	Approved to operate pending photo verification of metal stem thermometer, food worker cards, and employee handwash sign.	1123 Fruitvale BLVD, Yakima, WA 98902
EFFIN EGG	9/11/2023	Pre-Opening Inspection	Passed	Need metal stem thermometer, food worker cards and employees must wash hands sign.	6530 W NOBHILL BLVD, #400, YAKIMA, WA 98908
Pit Stop Pizza & Burgers	9/7/2023	Pre-Opening Inspection	Passed	Approved to operate contingent upon photo verification of food preparation sink sealed to wall and approval from all other departments.	401 S Elm ST, Toppenish, WA 98948

aqua tequilas restaurant & bar llc	9/6/2023	Pre-Opening Inspection	Passed	Approved to open contingent upon photo evidence of -paint on bare wood behind bar -Light in walk-in cooler -temperature of bar dishwasher reaches 180F - kitchen 3-compartment sink may be used instead and approval from all other departments.	1013 N First ST, Yakima, WA 98901
nine iron golf	9/15/2023	Pre-Opening Inspection	Passed	Photo verification of: caulk/other smooth material behind the food prep & mop sink, Employee wash hand placard in the restrooms. The dishwasher cannot be used until YHD has verified it can reach a minimum of 120F. They can operate using their three-compartment sink until their dishwasher has been serviced. Contingent upon all other departments & contingent on all other departments, they can operate.	2920 River RD, #6, Yakima, WA 98902
TAQUERIA EL WERO PAL,LLC	9/6/2023	Pre-Opening Inspection	Re-inspection Required	No hot water, no food prep sink, and no mop sink.	10138 W wine County RD, Grandview, wa 98930
TAQUERIA EL WERO PAL,LLC	9/11/2023	Pre-Opening Inspection	Passed	0/0 approved to operate	10138 W wine County RD, Grandview, wa 98930
The Chainsaw Cat	9/1/2023	Pre-Opening Inspection	Passed	Contingent on all other departments, they are approved to operate.	509 W Yakima AVE, Yakima, wa 98902
MC DONALD'S	9/13/2023	Routine Inspection	Passed	0/0	5910 SUMMITVIEW AVE, Yakima, WA 98908
VFW (WILLIAM WHARTON POST 379)	9/29/2023	Routine Inspection	Passed	0/7	118 S 5TH AVE., Yakima, WA 98902
BURGER KING	9/25/2023	Routine Inspection	Passed	0/0	1605 E. YAKIMA AVE E, Yakima, WA 98901
BURGER KING # 9876	9/21/2023	Routine Inspection	Passed	0/0	3201 PICARD PLACE, Sunnyside, WA 98944
MAJOR'S	9/25/2023	Routine Inspection	Passed	30/30. 11. Improper date marking for foods at high risk for listeria. 21. Improper cold holding temperature. 26. Improper permitted risk level for restaurant.	1705 W. LINCOLN AVE. W, Yakima, WA 98902
WEST VALLEY DAIRY QUEEN	9/27/2023	Routine Inspection	Passed	0/3 - 37. In-use utensils improperly stored.	7410 W. NOB HILL BLVD., Yakima, WA 98908
MAJOR'S	9/25/2023	Routine Inspection	Passed	30/30. 11. Improper date marking for foods at high risk for listeria. 21. Improper cold holding temperature. 26. Improper permitted risk level for restaurant.	1902 3RD AVENUE, UNION GAP, WA 98903
EL PORTON DE PEPE	9/29/2023	Routine Inspection	Passed	307/37 1. No Certified Food Protection Manager. 11. Improper date marking for foods at high risk of Listeria 14. Raw meats above RTE food. 21. Improper cold holding temperatures. 33. Potential food contamination during storage. 50. Permit not posted.	15 S 5th AVE, Yakima, WA 98902
TAQUERIA LOS PRIMOS SELAH LLC	9/13/2023	Routine Inspection	Re-inspection Required	40/45 1. No CFPM on staff. 16. Improper cooling procedures. 21. Improper cold holding procedures. 31. No date marking.	103 1ST ST. # H, SELAH, WA 98942
PANDA EXPRESS # 1881	9/7/2023	Routine Inspection	Passed	5/5 21. Improper cold holding temperatures.	6560 W NOB HILL BLVD. W, Yakima, WA 98908
XOCHIMILCO TEQUILA BAR #2	9/5/2023	Routine Inspection	Re-inspection Required	40/45 1. Certified food protection manager not on site. 2. Invalid food worker cards. 16. Improper cooling procedures. 21. Improper cold holding temperatures. 31. No date marking.	2529 MAIN ST. SUITE # D-24 - UNION GAP

PHO KING CRAB LLC	9/26/2023	Routine Inspection	Failed	45/50 - 2. Food worker cards not current for all food workers. 11. No date marking procedures for foods at high risk for Listeria. 14. Raw meats not below or away from ready to eat foods. 16. Improper cooling procedures. 42. Food contact surfaces not maintained clean.	1601 WASHINGTON AVE E, #104, UNION GAP, WA 98903
WESTSIDE PIZZA OF WEST VALLEY	9/29/2023	Routine Inspection	Passed	0/5	140 S. 72ND AVE. S, #130, Yakima, WA 98908
ARBY'S #5008012	9/26/2023	Routine Inspection	Passed	0/0 No violations	4002 SUMMITVIEW AVE, YAKIMA, WA 98908
RED LOBSTER # 0597	9/7/2023	Routine Inspection	Passed	0/0	905 N. 1ST STREET N, Yakima, WA 98901
NEW YORK TERIYAKI - SELAH	9/26/2023	Routine Inspection	Passed	5/5 #1 - No Certified Food Protection Manager on staff	723 NORTH PARK CENTER, Selah, WA 98942
Wall Flower Social	9/6/2023	Routine Inspection	Passed	5/5 21. Improper cold holding temperatures	617 Elm ST
Lab-Dogz	9/28/2023	Routine Inspection	Passed	Plans Approved	1300 N 40TH AVE, Yakima, WA 98908
Mom's Dishes	9/29/2023	Routine Inspection	Failed	75/85 - 11. Improper date marking procedures. 14. Raw meats not below or away from ready to eat foods. 16. Improper cooling procedures. 17. Improper hot holding procedures. 21. Improper cold holding temperatures. 34. Improper sanitizer. 41. Improper warewashing sanitizer concentration.	1802 S 1ST STREET STE #2, YAKIMA, WA 98903
Cielo Azul Mexican Restaurant	9/13/2023	Routine Inspection	Passed	0/0 - No violations.	2310 Rudkin RD, Union Gap, wa 98903
Taqueria Don Chepes LLC	9/20/2023	Routine Inspection	Passed	Approved to operate	1001 N 16th AVE, yakima, wa 98902
NINO'S MEXICAN GRILL #2	9/8/2023	Compliance Inspection	Passed	0/0 All violations corrected. No further inspection required.	4001 SUMMITVIEW AVE, #11, YAKIMA, WA 98908
The Willow Cafe & Market	9/8/2023	Pre-Opening Inspection	Passed	Photo verification of: caulk/other sealant behind 3-compartment sink and business sign with correct name needed.	3512 Tieton DR, Yakima, WA 98902
JEAN'S COTTAGE INN	9/12/2023	Routine Inspection	Re-inspection Required	35/40. 1. No certified food manager. 17. Proper hot holding temperatures. 21. Proper cold holding temperatures. (42-45)	3211 MAIN ST, Union Gap, WA 98903
ZESTA CUCINA	9/27/2023	Routine Inspection	Passed	10/10 26. Permit not current.	5110 TIETON DRIVE # 210, YAKIMA, WA 98908
Jessie's Sushi & Teriyaki LLC	9/13/2023	Routine Inspection	Passed	55/61. 1. certified manager on staff unless exempt. 4. Hands washed as required. 19. no room temperature storage	2304 S 1st AVE, Yakima, WA 98903
Mama Corie's Kitchen	9/25/2023	Routine Inspection	Passed	0/5. 29. Inadequate equipment used for food temperature control.	114 Staff Sergeant Pendelton WAY, Yakima, wa 98908
SECOND STREET GRILL	9/25/2023	Compliance Inspection	Passed	All previous violations corrected.	28 N 2ND ST. W, Yakima, WA 98901
SECOND STREET GRILL	9/12/2023	Follow Up Inspection	Compliance Required	20/20 - 11. Improper date marking procedures for food at high risk for Listeria. 21. Improper cold holding temperatures. All other violations corrected. Compliance inspection required within 14 days.	28 N 2ND ST. W, Yakima, WA 98901
APPLE TREE RESTAURANT	9/8/2023	Routine Inspection	Passed	20/20 11. Improper date marking. 21. Improper cold holding temperatures.	8804 OCCIDENTAL, Yakima, WA 98903
RIVER RIDGE GOLF COURSE	9/26/2023	Routine Inspection	Passed	5/5 #1 - No Certified Food Protection Manager on staff	295 GOLF COURSE LOOP, Selah, WA 98942

SECOND STREET GRILL	9/1/2023	Routine Inspection	Failed	55/68 - 11. Improper date marking procedures for food at high risk for Listeria. 17. Improper hot holding temperatures. 21. Improper cold holding temperatures. 25. Toxic substances not properly stored. 33. Potential food contamination not prevented during storage. 37. In-use utensils improperly stored. 41. Warewashing facilities functioning improperly.	28 N 2ND ST. W, Yakima, WA 98901
BOB'S BURGERS & BREW	9/13/2023	Routine Inspection	Passed	25/30. 17. Proper hot holding temperatures.	121 FAIR AVE N, Yakima, WA 98901
COWICHE CANYON KITCHEN & ICE HOUSE	9/27/2023	Routine Inspection	Passed	15/15. 21. Improper cold holding. 26. Permit not current.	202 E. YAKIMA AVE E, YAKIMA, WA 98901
AVENIDA CANTINA	9/1/2023	Routine Inspection	Passed	30/30 1. Certified manager not on staff 2. FWC's not current for all FW's 6. Inadequate HW facilities 26. Out of compliance with valid permit	121 E YAKIMA AVE, YAKIMA, WA 98901
SAINT JACK'S VIDEO	9/28/2023	Routine Inspection	Passed	0/0	614 W. 1ST STREET W, Wapato, WA 98951
CURLY'S BAR & GRILL	9/25/2023	Routine Inspection	Passed	0/0	111 N. GLEED RD. N, Yakima, WA 98904
WEST VALLEY BAR & GRILL	9/8/2023	Routine Inspection	Passed	15/15 6. Inadequate handwashing facilities. 23. No consumer advisory.	1212 S. 80TH AVE. S, Yakima, WA 98908
Exit 44 Sports Bar	9/1/2023	Routine Inspection	Passed	30/30 6. Inadequate HW facilities 11. Improper date marking for food at high risk for Listeria 26. Out of compliance with valid permit	401 S WAPATO AVE, WAPATO, WA 98951
Doodle Vines	9/11/2023	Pre-Opening Inspection	Passed	Approved to operate.	2410 Naches Heights RD, Yakima, wa 98908
ANTOLIN CELLARS	9/7/2023	Routine Inspection	Passed	0/0 No violations observed	14 N. FRONT ST. N, Yakima, WA 98901