

| Facility Name                                | DATE INSPECTION | INSPECTION TYPE        | RESULT                 | COMMENTS RESULT   | ADDR FULL LINE#                                       |
|--|-----------------|------------------------|------------------------|---|---|
| For Heavens Cake                             | 10/19/2023      | Pre-Opening Inspection | Passed                 | Approved to open and operate.   | 5621 Summitview AVE, Yakima, WA 98908                 |
| 2Friends Bakery LLC                          | 10/23/2023      | Routine Inspection     | Passed                 | 0/0   | 206 N EUCLID ST, GRANDVIEW, WA 98930                  |
| Inspire Development Centers-Parker Heights   | 10/16/2023      | Routine Inspection     | Passed                 | 0/0.  | 5420 Konnowac Pass RD, Wapato, wa 98951               |
| EL PORTON RESTAURANT                         | 10/25/2023      | Routine Inspection     | Failed                 | 35/35 - 1. No certified manager. 6. Inadequate handwashing facilities. 11. Improper date marking procedures. 14. Raw meats not below ready to eat foods, species not separated. 21. Improper cold holding temperatures.       | 4808 TIETON DRIVE., Yakima, WA 98908                  |
| QUALITY INN SELAH                            | 10/19/2023      | Routine Inspection     | Re-inspection Required | 65/65 2. Food worker cards not current 11. Improper date marking for food at high risk for Listeria 17. Improper hot holding temperature 21. Improper cold holding temperature 22. No thermometer present 26. No valid permit | 659 Wenas RD N, Selah, WA 98942                       |
| BAYMONT INN & SUITES                         | 10/18/2023      | Routine Inspection     | Passed                 | 0/5. 31. Food improperly date marked.   | 1603 YAKIMA AVE E, YAKIMA, WA 98901                   |
| The Alignment Co.                            | 10/12/2023      | 8-Week Inspection      | Passed                 | 20/30 - 11. Improper date marking. 25. Toxic substances stored improperly. 32. Animals present. 33. Potential food contamination not prevented during storage.  | 12 S 2nd ST, yakima                                   |
| CRAVE COFFEE #2                              | 10/31/2023      | Routine Inspection     | Passed                 | 10/12. 21. Improper cold holding. 50. Permit not posted.  | 1201 A BAILEY AVE, GRANGER, WA 98932                  |
| Queen Espresso                               | 10/31/2023      | Routine Inspection     | Passed                 | 20/20. 1. No Certified Food Protection Manager. 22. Inaccurate thermometer. 26. Expired permit.   | 1221 BAILEY AVE, GRANGER, WA 98932                    |
| Pudgy's                                      | 10/5/2023       | Routine Inspection     | Passed                 | 10/10. 6. Inadequate handwashing facilities.  | 5110 TIETON DRIVE, #280, YAKIMA, WA 98908             |
| Grizzly Espresso                             | 10/27/2023      | Routine Inspection     | Passed                 | 0/0   | 3602 Fruitvale BLVD, Yakima, WA 98902                 |
| Starbucks Coffee                             | 10/27/2023      | Routine Inspection     | Passed                 | 0/0   | 21442 W Valley Mall BLVD                              |
| Main Street Fruteria                         | 10/31/2023      | Routine Inspection     | Passed                 | 15/20. 1. No Certified Food Protection Manager. 10. Adulterated food. 31. Improper date marking.  | 219 Main Street, Granger, WA 98932                    |
| WILD FIRE PIZZA AT CORNER GROCERY & HARDWARE | 10/5/2023       | Routine Inspection     | Passed                 | 5/15. 1. No Certified Food Protection Manager on staff. 31. Improper date marking. 34. Improper sanitizer concentration/usage.  | 8501 AHTANUM RD, Yakima, WA 98903                     |
| RITE AID # 5296                              | 10/18/2023      | Routine Inspection     | Passed                 | 0/0 No violations   | 2204 W. NOB HILL BLVD. W, YAKIMA, WA 98902            |
| RITE AID # 5300                              | 10/18/2023      | Routine Inspection     | Passed                 | 0/0. no violations  | 2010 YAKIMA VALLEY HWY,SUITE C-1, Sunnyside, WA 98944 |
| 410 MARKET                                   | 10/2/2023       | Routine Inspection     | Passed                 | 30/40 - 1. No certified manager. 6. Inadequate handwashing facilities. 7. Food not obtained from approved source. 34. Wiping clothes not properly stored. 44. Improper backflow devices/indirect drains.                      | 1301 YAKIMA VALLEY HWY, Sunnyside, WA                 |
| Bangkok Asian Market                         | 10/18/2023      | Routine Inspection     | Passed                 | Approved to operate   | 1731 S 1st ST, #200, Yakima, wa 98902                 |
| Sweetmax                                     | 10/12/2023      | Follow Up Inspection   | Passed                 | 0/0 - All previous violations corrected.  | 2010 Yakima Valley HWY, #14, Sunnyside, WA            |

|                            |            |                        |                        |   |  |
|----------------------------|------------|------------------------|------------------------|---|--|
| Sweetmax                   | 10/2/2023  | Routine Inspection     | Failed                 | 55/73 - 1. PIC does not demonstrate knowledge. 6. Inadequate handwashing facilities. 11. Improper date marking. 21. Improper cold holding temperatures. 25. Toxic substances improperly stored. 26. Not compliant with valid permit. 29. Inadequate equipment for temperature control. 34. No sanitizer. 37. In-use utensils improperly stored. 46. Toilet facilities improperly supplied. 50. Permit not posted. | 2010 Yakima Valley HWY, #14, Sunnyside, WA 98944 |
| MERCADO LATINO II          | 10/17/2023 | Routine Inspection     | Re-inspection Required | 45/45 1. No CFPM on site. 6. Inadequate handwashing facilities. 12. Raw meats above RTE food. 17. Improper hot holding temperatures.  | 718 S. 6TH STREET S, YAKIMA, WA 98901            |
| PLAZA MARKET               | 10/30/2023 | Routine Inspection     | Failed                 | 45/58 - 1. No certified manager. 6. Inadequate handwashing facilities. 14. Raw meats not stored below or away from ready to eat foods. 19. Room temperature storage. 29. Inadequate equipment for temperature control. 37. Improper storage of in-use utensils. 42. Food-contact surfaces not maintained cleaned.   | 1422 3RD AVENUE S, YAKIMA, WA 98902              |
| PARK 'N PAK                | 10/31/2023 | Compliance Inspection  | Passed                 | 25/25. 17. Improper hot holding.  | 905 LINCOLN AVE, Sunnyside, WA 98944             |
| MERCADO LATINO             | 10/25/2023 | Compliance Inspection  | Passed                 | All previous violations corrected.  | 902 N 4TH ST N, YAKIMA, WA 98901                 |
| PARK 'N PAK                | 10/16/2023 | Follow Up Inspection   | Compliance Required    | 50/50. 2. Out of date food worker cards. 17. Improper hot holding temperatures. 21. Improper cold holding temperatures. 25. Improper toxic chemical storage.  | 905 LINCOLN AVE, Sunnyside, WA 98944             |
| VALLEY VIEW MARKET II      | 10/20/2023 | Follow Up Inspection   | Passed                 | All violations have been corrected  | 618 E. TOPPENISH AVE E, Toppenish, WA 98948      |
| MERCADO LATINO             | 10/9/2023  | Follow Up Inspection   | Failed                 | 25/25 - 17. Improper hot holding temperatures with no time as a control procedures in place at time of inspection. All other violations corrected.  | 902 N 4TH ST N, YAKIMA, WA 98901                 |
| VALLEY VIEW MARKET II      | 10/6/2023  | Pre-Opening Inspection | Passed                 | 40/45. 6. Adequate handwashing facilities. 17. Proper hot holding temperatures. 22. Accurate thermometer provided and used to evaluate temperature of TCS foods.  | 618 E. TOPPENISH AVE E, Toppenish, WA 98948      |
| GASCO                      | 10/6/2023  | Routine Inspection     | Passed                 | 25/25 1. No Certified Food Protection Manager on staff. 10. Food adulterated. 17. Improper hot holding. 22. No accurate thermometer.  | 4802 SUMMITVIEW AVE, YAKIMA, WA 98908            |
| T. M. MARKET               | 10/18/2023 | Routine Inspection     | Passed                 | 0/0. no violations  | 417 CEMETERY RD, SUNNYSIDE, WA 98944             |
| AHTANUM FOOD MART (2)      | 10/17/2023 | Routine Inspection     | Passed                 | 10/15 1. No CFPM on site. 22. No thermometer provided. 42. Food-contact surface unclean.  | 207 AHTANUM RD, Union Gap, Wa 98903              |
| YAKIMA CHEVRON             | 10/18/2023 | Routine Inspection     | Passed                 | 0/0 No violations   | 1001 N. 16TH AVE N, Yakima, WA 98902             |
| Valley Wide Cooperative    | 10/23/2023 | Routine Inspection     | Passed                 | 10/10 10. Expired food  | 940 E WINE COUNTRY RD STE A, GRANDVIEW, WA       |
| SAFEWAY FUEL STATION # 462 | 10/10/2023 | Routine Inspection     | Passed                 | 0/0. No violations observed   | 216 N. 5TH AVE N, YAKIMA, WA 98902               |
| The Barndoor Espresso      | 10/24/2023 | 8-Week Inspection      | Passed                 | 0/5   | 1717 FIRST AVE, Zillah, WA 98953                 |
| Taqueria Don Chepes        | 10/24/2023 | 8-Week Inspection      | Passed                 | 10/13. 1. Certified manager on staff. 2. Food workers cards current for all food workers.   | 1001 N 16th AVE, Yakima 98902                    |
| Carnes Asadas Guadalajara  | 10/4/2023  | Mobile Inspection      | Passed                 | 20/20. 1. No Certified Food Protection Manager on staff. 21. Improper cold holding temperature. 22. No accurate thermometer on-site.  | 3202 MAIN ST, UNION GAP, WA 98903                |

|                               |            |                        |                     |   |   |
|-------------------------------|------------|------------------------|---------------------|---|---|
| Fromburgers                   | 10/24/2023 | Pre-Opening Inspection | Passed              | Passed contingent upon photo verification of designated areas in commissary and name on unit.   | 30 Rolling Hills DR, Yakima, WA 98908       |
| Taqueria Cholongo llc         | 10/6/2023  | Pre-Opening Inspection | Passed              | contingent on all other agencies and verification of storage tank.  |   |
| Sushi Ranch                   | 10/18/2023 | Pre-Opening Inspection | Passed              | Photo verification of indirect drain, name on the side of the mobile truck and ANSI within one month  | 1216 E Lincoln AVE, Sunnyside, WA 98944     |
| EL MEJOR TAQUITO (MOBILE)     | 10/16/2023 | Routine Inspection     | Passed              | 15/15 20. Improper reheating procedures.  | 821 S. Yakima Valley Highway, Sunnyside, WA |
| BONNEVILLE SMOKED PRODUCTS    | 10/26/2023 | Routine Inspection     | Passed              | 0/0   | 616 S 20TH AVE, Yakima, WA 98902            |
| TAQUERIA EL TIO CHITO         | 10/30/2023 | Routine Inspection     | Passed              | 5/5 - No certified manager.   | 322 S 1ST ST, YAKIMA, WA 98901              |
| Crafted                       | 10/27/2023 | Routine Inspection     | Passed              | 10/10 #21 - Improper Cold Holding   | 22 N 1st ST, Yakima, wa 98901               |
| Botanas Don Chente            | 10/18/2023 | Routine Inspection     | Re-inspection       | No hot water. Reinspection needed   |   |
| WRAY'S MEADOWBROOK            | 10/9/2023  | Routine Inspection     | Passed              | 20/25. 1. No Certified Food Protection Manager on staff. 2. Food worker cards not current for all food workers. 21. Improper cold holding temperatures. 29. Inadequate equipment for temperature control. | 7200 W. NOB HILL BLVD. W, Yakima, WA 98908  |
| SAFEWAY # 584                 | 10/6/2023  | Routine Inspection     | Passed              | 0/0   | 711 1ST AVENUE W, TOPPENISH, WA 98948       |
| SAFEWAY # 563                 | 10/24/2023 | Routine Inspection     | Passed              | 0/0   | 613 6TH STREET S, SUNNYSIDE, WA 98944       |
| WRAY'S SOUTHGATE              | 10/30/2023 | Routine Inspection     | Passed              | 0/0 Complaint was customer bought expired chicken that smelt weird and tasted weird. All chicken stored below 41 and no expired food on shelves during time of inspection                                 | 401 W. NOB HILL BLVD W, YAKIMA, WA 98902    |
| SAFEWAY # 1593                | 10/23/2023 | Routine Inspection     | Passed              | 10/10 10. Expired food  | 610 E. WINE COUNTRY RD., GRANDVIEW, WA      |
| TAQUERIA EL WERO PAL,LLC      | 10/27/2023 | 8-Week Inspection      | Passed              | 10/20. 14. Raw meats below or away from ready to eats. 17. Proper hot holding temperatures  | 10138 W wine County RD, Grandview, wa 98930 |
| TIENDA LA TAPATIA             | 10/12/2023 | Compliance Inspection  | Passed              | 0/0 - All previous violations corrected.  | 802 W. 1ST AVE. W, Toppenish, WA 98948      |
| Kobe Sushi & Teriyaki Rice    | 10/31/2023 | Compliance Inspection  | Passed              | 0/0. All issues resolved.   | 1905 1 ST ST S, #10, YAKIMA, WA 98903       |
| Mom's Dishes                  | 10/27/2023 | Compliance Inspection  | Passed              | All previous violations corrected - date marking procedures in place.   | 1802 S 1ST STREET STE #2, YAKIMA, WA 98903  |
| WORLD BISTRO                  | 10/10/2023 | Follow Up Inspection   | Compliance Required | 25/25. 17. Improper hot holding.  | 2616 W NOB HILL BLVD., Yakima, WA 98902     |
| TAQUERIA LOS PRIMOS SELAH LLC | 10/2/2023  | Follow Up Inspection   | Passed              | 0/0 All previous problems corrected.  | 103 1ST ST. # H, SELAH, WA 98942            |
| PHO KING CRAB LLC             | 10/12/2023 | Follow Up Inspection   | Passed              | 0/0. All prior issues resolved.   | 1601 WASHINGTON AVE E, #104, UNION GAP, WA  |
| Kobe Sushi & Teriyaki Rice    | 10/18/2023 | Follow Up Inspection   | Compliance Required | 25/25. Room temperature storage.  | 1905 1 ST ST S, #10, YAKIMA, WA 98903       |
| Mom's Dishes                  | 10/10/2023 | Follow Up Inspection   | Compliance Required | 10/10. 11. Improper date marking of foods at high risk for listeria.  | 1802 S 1ST STREET STE #2, YAKIMA, WA 98903  |
| Don Camaron                   | 10/18/2023 | Follow Up Inspection   | Passed              | Indirect drain and hot water available  | 210 S Wapato AVE, Wapato, WA 98951          |
| NORDIC YURT                   | 10/16/2023 | Pre-Opening Inspection | Passed              | Plans Approved contingent on all other agencies approval.   | 48935 HWY 12, Naches, WA 98937              |
| Don Camaron                   | 10/16/2023 | Pre-Opening Inspection | Passed              | Approved to operate contingent on phot verification of indirect drains and hot water at handwash sink   | 210 S Wapato AVE, Wapato, WA 98951          |
| el padrino restaurant llc     | 10/16/2023 | Pre-Opening Inspection | Passed              | Approved to operate   |   |
| GEORGE'S WOK & GRILL          | 10/5/2023  | Routine Inspection     | Passed              | 5/5 1. No Certified food protection manager card  | 1210 S. 80TH AVE.                           |

|                                    |            |                    |        |  |  |
|------------------------------------|------------|--------------------|--------|--|--|
| PIZZA HUT # 11                     | 10/16/2023 | Routine Inspection | Passed | 0/2. 50. Permit not posted.  | 2002 W. NOB HILL BLVD. W, Yakima, WA 98902       |
| EL VALLE FAMILY MEXICAN RESTAURANT | 10/9/2023  | Routine Inspection | Passed | 5/20. 1.Certified manager on staff   | 410 YAKIMA VLY HWY, SUNNYSIDE, WA 98944          |
| BALLESTERI'S CAFE                  | 10/5/2023  | Routine Inspection | Passed | 5/5 22. No thermometer   | 4001 SUMMITVIEW AVE, #3, Yakima, WA 98908        |
| EL CHARRITO #2                     | 10/9/2023  | Routine Inspection | Passed | 20/28. 1. Certified manager on staff. 11. Proper disposition of returned unsafe or contaminated food; proper date marking procedures for food at high risk for listeria. 22. Accurate thermometer provided and used to evaluate temperature of TCS foods.                                      | 2695 E. LINCOLN - BAY "F" E, Sunnyside, WA 98944 |
| RESTAURANTE EL FARO                | 10/9/2023  | Routine Inspection | Failed | 40/45. 1. certified manager on staff. 6. Adequate handwashing facilities. 19. No room temperature storage.   | 111 N. 6TH STREET # C, SUNNYSIDE, WA 98944       |
| RESTAURANTE EL FARO                | 10/27/2023 | Routine Inspection | Passed | violations corrected   | 111 N. 6TH STREET # C, SUNNYSIDE, WA 98944       |
| LITTLE CAESARS # 202               | 10/20/2023 | Routine Inspection | Passed | 5/5. 2. Food worker cards current for all food workers.  | 2301 W. NOB HILL SUITE 6 BLVD W, YAKIMA, WA      |
| FAMOUS BURGER & TERIYAKI SANDWICH  | 10/25/2023 | Routine Inspection | Passed | 10/15. 1. Certified manager on staff. 14. Raw meats below or away from ready to eat food   | 401 W. LINCOLN AVE W, YAKIMA, WA 98902           |
| PANDA EXPRESS #1725                | 10/6/2023  | Routine Inspection | Passed | 0/0. No violations   | 1915 1ST ST S                                    |
| TACOS EL GORDO                     | 10/27/2023 | Routine Inspection | Failed | 45/55. 1. Certified Manager on staff. 6. Adequate handwashing facilities. 16. Proper cooling procedures. 17. Proper hot holding temperatures. 26. Compliance with valid permit.  | 809 YAKIMA VALLEY HIGHWAY, SUNNYSIDE, WA 98944   |
| MC DONALD'S RESTAURANT             | 10/27/2023 | Routine Inspection | Passed | 0/0 - No violations.   | 19 E. YAKIMA AVE E, YAKIMA, WA 98901             |
| CON SABOR A MEXICO                 | 10/24/2023 | Routine Inspection | Passed | 30/35 1. No CFPM on site. 41. Improper use of ware washing facilities. 11. No date marking procedures. 14. Improper species separation. 21. Improper cold holding temperatures.  | 2150 YAKIMA VALLEY HIGHWAY, SUNNYSIDE, WA 98944  |
| Denny's Restaurant #9278           | 10/5/2023  | Routine Inspection | Passed | 10/10 26. Expired food permit  | 3704 FRUITVALE BLVD, YAKIMA, WA 98902            |
| Little Caesars                     | 10/23/2023 | Routine Inspection | Passed | 0/0  | 900 Wine Country RD W, Grandview, WA 98930       |
| Kobe Sushi & Teriyaki Rice         | 10/3/2023  | Routine Inspection | Failed | 80/83. 1. No Certified Food Protection Manager on staff. 6. Inadequate hand washing facilities. 11. No date marking of foods at high risk for listeria. 14. Improper species separation. 17. Improper hot holding. 19. Improper use of room temperature storage. 30. Improper thawing methods. | 1905 1 ST ST S, #10, YAKIMA, WA 98903            |
| LA DOÑA                            | 10/23/2023 | Routine Inspection | Passed | 30/30 1. No CFPM on site. 17. Improper hot holding temperatures.   | 108 E Moxee Ave, #1, Moxee, Wa 98936             |
| TIKKY'S CURRY CORNER               | 10/23/2023 | Routine Inspection | Passed | 10/10 1. No CFPM on site. 21. Improper cold holding temperatures.  | 301 W PROSPECT WAY, MOXEE, WA 98936              |
| RAMEN-YA                           | 10/25/2023 | Routine Inspection | Passed | 5/5 #1- CFPM certification not available   | 3508 SUMMITVIEW, YAKIMA, WA 98902                |
| TAQUERIA EL ANTOJO                 | 10/4/2023  | Routine Inspection | Passed | 25/25 - 11. Improper date marking procedures. 14. Raw meats not species separated. 21. Improper cold holding temperatures.   | 1227 S 1ST ST S, YAKIMA, WA 98901                |
| Anita's Cafe                       | 10/5/2023  | Routine Inspection | Passed | 5/7  | 704 W 1ST AVE, WAPATO, WA 98951                  |
| 5TH LINE BREWING COMPANY           | 10/27/2023 | Routine Inspection | Passed | 5/10 - 14. Raw meats stored above ready to eat foods. 44. Improper backflow devices.   | 1015 E LINCOLN AVE, #SUITE 106, YAKIMA, WA 98901 |

|   |            |                        |        |   |   |
|---|------------|------------------------|--------|---|---|
| Ghost Kitchen LLC                             | 10/27/2023 | Routine Inspection     | Passed | 5/5 #1 - CFPM certification not available   | 11 N 11th AVE, #105, Yakima, WA 98902       |
| Flame & Brew                                  | 10/3/2023  | Routine Inspection     | Passed | 5/5. 1. No Certified Food Protection Manager on staff.  | 302 W Nob Hill BLVD, Yakima, WA 98902       |
| Moxee Pizza WV, LLC                           | 10/4/2023  | Routine Inspection     | Passed | 5/5. 1. No Certified Food Protection Manager on staff.  | 6407 W Nobhill BLVD, #101, Yakima, wa 98908 |
| Lab-Dogz                                      | 10/27/2023 | Routine Inspection     | Passed | 0/5   | 1300 N 40TH AVE, Yakima, WA 98908           |
| Aqua Tequilas Restaurant & Bar llc            | 10/10/2023 | Routine Inspection     | Passed | 30/35 - 1. No certified manager. 2. Food worker cards not current for all workers. 6. Inadequate handwashing facilities. 21. Improper cold holding temperatures. 22. No accurate thermometer provided. 34. Sanitizer concentration not correct. | 1013 N First ST, Yakima, WA 98901           |
| The Willow Cafe & Market                      | 10/12/2023 | 8-Week Inspection      | Failed | 45/45 - 1. No certified manager. 11. Improper date marking. 14. Raw meats not below or away from ready to eat food. 19. Room temperature storage.   | 3512 Tieton DR, Yakima, WA 98902            |
| Jessie's Sushi & Teriyaki LLC                 | 10/6/2023  | Follow Up Inspection   | Passed | 0/0 All previous violations corrected.  | 2304 S 1st AVE, Yakima, WA 98903            |
| The Willow Cafe & Market                      | 10/25/2023 | Follow Up Inspection   | Passed | All previous violations corrected - passed contingent upon CFPM certificate sent after class completed.   | 3512 Tieton DR, Yakima, WA 98902            |
| Abundant tables                               | 10/4/2023  | Pre-Opening Inspection | Passed | Approved to operate contingent on fire marshals inspection.   | 1605 summitview AVE, yakima, wa 98902       |
| Mangoz on the ave                             | 10/4/2023  | Routine Inspection     | Passed | 15/15 1. No Certified Food Protection Manager on staff. 6. Inadequate handwashing facilities.   | 901 W Yakima AVE, #6B, Yakima, WA 98902     |
| HOLIDAY INN YAKIMA DOWNTOWN CONVENTION CENTER | 10/25/2023 | Routine Inspection     | Passed | 40/45. 6. Adequate handwashing facilities. 17. Proper hot holding temperatures 22. accurate thermometer provided and used to evaluate temperatures of TCS foods.  | 802 YAKIMA AVE E, YAKIMA, WA 98901          |
| BUFFALO WILD WINGS                            | 10/2/2023  | Routine Inspection     | Passed | 5/5. 21. Improper cold holding.   | 2529 MAIN ST. (BUFFALO WILD WINGS), Yakima, |
| PJ'S MUSIC BOX                                | 10/5/2023  | Routine Inspection     | Passed | 0/0 No violations   | 13 S. 1ST ST S, YAKIMA, WA 98901            |
| Las 3 Aguilas Mexican Restaurant,LLP          | 10/20/2023 | Routine Inspection     | Passed | 10/15. 1. Certified manager on staff 2. Food worker cards current for all food workers  | 2301 W Nob Hill BLVD, #5, Yakima, WA 98902  |
| TOPPENISH COMMUNITY CHEST                     | 10/30/2023 | Routine Inspection     | Passed | 0/0   | 4 N. "B" STREET N, Toppenish, WA 98948      |
| THOR'S GALLEY                                 | 10/30/2023 | Routine Inspection     | Passed | 25/25 10. Expired food in fridge 14. Raw meat over RTE food 26. Expired permit, operating as level 2 with level 1 permit  | 801 N FIRST                                 |
| SKATELAND FUN CENTER & THE VINE VENUE         | 10/18/2023 | Routine Inspection     | Passed | 5/5 1. No CFPM on site.   | 2506 OLD TOWN RD, Union Gap, WA 98903-1607  |
| MILLER'S T & T LOUNGE                         | 10/25/2023 | Routine Inspection     | Passed | 0/0 No violations   | 307 1ST ST. S, SELAH, WA 98942              |
| THE TAP                                       | 10/12/2023 | Routine Inspection     | Failed | 50/60 2. Expired Food Worker Cards. 4. Hands not washed as required. 6. Inadequate hand washing facilities. 26. Operating out of current hazard level. 31. Improper date marking. 44. Improper plumbing.  | 105 1ST AVE S, YAKIMA, WA 98901             |
| Schab's Bier Den                              | 10/6/2023  | Routine Inspection     | Passed | 10/10 1. No Certified Food Protection Manager on staff. 2. Food worker cards out of date.   | 22 2nd ST N, #100, Yakima, WA 98901         |
| SEVERINO CELLARS                              | 10/6/2023  | Routine Inspection     | Passed | 0/0   | 1717 1ST AVE., Zillah, WA 98953             |
| WHITMAN HILL WINERY                           | 10/6/2023  | Routine Inspection     | Passed | 0/0   | 2911 ROZA DRIVE, ZILLAH, WA 98953           |