

Facility Name	DATE INSPECTION	INSPECTION TYPE	RESULT	COMMENTS RESULT	ADDR FULL LINE#
2FRESH FLAVORS	11/1/2023	Routine Inspection	Passed	10/18 - 6. Inadequate handwashing facilities 29. Inadequate equipment for temperature control 46. Toilet facilities not adequately supplied	815 CUSTER AVE, SUNNYSIDE, WA 98944
AMERICAN LEGION # 36	11/30/2023	Routine Inspection	Passed	15/15 1. No CFPM 22. No metal stem thermometer 23. Consumer advisory missing from breakfast menu	1120 N. 34TH AVE. N, Yakima, WA 98902
BAMBOO THAI RESTAURANT	11/21/2023	Routine Inspection	Passed	1. No CFPM	13 TOPPENISH AVE E, TOPPENISH, WA 98948
Bangkok Asian Market	11/15/2023	8-Week Inspection	Passed	20/20. 10. Food in good condition. 6. Adequate Handwashing Facilities.	1731 S 1st ST, #200, Yakima, wa 98902
BEST WESTERN PLUS YAKIMA HOTEL	11/15/2023	Routine Inspection	Passed	10/10 Violations; #21 - Improper cold holding	1614 N 1ST STREET, YAKIMA, WA 98901
BON VINOS BISTRO & BAKERY	11/1/2023	Routine Inspection	Passed	0/5	122 N 16TH ST, SUNNYSIDE, WA 98935
Bruchi's Cheesesteaks & Subs	11/8/2023	Routine Inspection	Passed	5/5 14. Raw meat storage	5511 Summitview AVE, Yakima, WA 98908
CARNICERIA 2 ESTADOS	11/21/2023	Routine Inspection	Passed	30/30 1. No soap at hand washing station. 25. Hazardous chemicals stored above food. 27. Custom processing of meat/non-compliant with HACCP	602 S. 3RD STREET S, YAKIMA, WA 98901
Carnitas factory for carnitas supreme	11/6/2023	Routine Inspection	Passed	15/15. 1. No Certified Food Protection Manager on staff. 11. Improper date marking for foods at high risk for Listeria	1805 W Lincoln AVE, Yakima, WA 98902
CASINO CARIBBEAN	11/2/2023	Routine Inspection	Passed	15/20 1. No certified food protection manager on staff, 2. Food worker cards not current for all food workers, 22. No metal stem thermometer available, 29. No thermometer in fridge.	1901 BOGGESS LN, YAKIMA, WA 98901
CB Gas & Grocery	11/3/2023	Routine Inspection	Passed	0/0	1023 S 3rd AVE, Yakima, wa 98902
CENADURIA YOLI	11/1/2023	Routine Inspection	Passed	5/5. 1. Certified manager on staff.	1314 Yakima Valley Hwy, Sunnyside, Wa 98944
COFFEE CORRAL	11/22/2023	Routine Inspection	Passed	0/0	802 W. 1ST AVE. AVE W, TOPPENISH, WA 98948
Comalon Express	11/2/2023	8-Week Inspection	Passed	0/0	1123 Fruitvale BLVD, Yakima, WA 98902
COMFORT SUITES	11/15/2023	Routine Inspection	Passed	0/0 No violations	3702 FRUITVALE BLVD, YAKIMA, WA 98902
COTTAGE ESPRESSO	11/16/2023	Routine Inspection	Passed	5/5 Violations: #2 - Missing FWC	1101 W. NOB HILL BLVD.
COTTAGE MART	11/15/2023	Routine Inspection	Passed	25/25 #17 -Improper hot holding	3602 TIETON DR, YAKIMA, WA 98902
CULTURA WINERY	11/6/2023	Routine Inspection	Passed	5/5. 2. No Food Worker Cards.	3601 HIGHLAND DR., zillah, WA 98953
DENNY'S RESTAURANT # 7869	11/8/2023	Routine Inspection	Passed	20/20 10. Expired food 21. Improper cold holding	2603 RUDKIN RD, UNION GAP, WA 98903
Dollar General	11/27/2023	Routine Inspection	Passed	0/0	125 Main ST, Mabton, wa 98935
DOLLAR GENERAL	11/27/2023	Routine Inspection	Passed	0/0	1005 Plaza WAY, Grandview, WA 98930
Don Camaron	11/29/2023	8-Week Inspection	Passed	5/10. 1. No certified manager on staff	210 S Wapato AVE, Wapato, WA 98951
DONALD STORE	11/17/2023	Routine Inspection	Passed	10/10 1. No CFPM 17. Hot hold food out of temp	2600 DONALD-WAPATO RD.
DONALD STORE	11/17/2023	Routine Inspection	Passed	0/0	2600 DONALD-WAPATO RD.
EL COMPADRE SPORTS BAR & FAMILY RESTAURANT	11/17/2023	Routine Inspection	Passed	15/15 1. No CFPM 2. No valid FWC 34. No sanitizing bucket available	220 S. WAPATO AVE. S, Wapato, WA 98951

El Padrino Restaurant llc	11/29/2023	8-Week Inspection	Passed	10/15. 1. Certified manager on staff. 21. Proper cold holding temperatures	208 S Toppenish AVE, Toppenish, WA 98948
EL PORTON RESTAURANT	11/8/2023	Follow Up Inspection	Compliance Required	20/20 - 11. Improper date marking procedures. 21. Improper cold holding temperatures.	4808 TIETON DRIVE., Yakima, WA 98908
Erik the mercedes kid	11/2/2023	8-Week Inspection	Passed	0/0	0 N front ST, Yakima, wa 98902
FIFTH AVE. ONE STOP	11/3/2023	Routine Inspection	Passed	15/15 1. No CFPM on site. 6. Inadequate handwashing facilities.	701 N. 5TH AVE.
FIVE GUYS BURGERS AND FRIES	11/2/2023	Routine Inspection	Passed	0/0	1901 1ST ST #100 S, Yakima, WA 98903
For Heavens Cake	11/21/2023	8-Week Inspection	Passed	10/16 - 25. Toxic substances improperly stored. 37. In-use utensils improperly stored. 46. Toilet facilities improperly supplied.	5621 Summitview AVE, Yakima, WA 98908
GATEWAY 76 STORE # 180	11/2/2023	Routine Inspection	Passed	5/5 1. No certified food protection manager	1802 E NOB HILL BLVD, Yakima, WA 98901
GILBERT CELLARS	11/15/2023	Routine Inspection	Passed	0/0 No violations	2620 DRAPER RD, YAKIMA, WA 98903
GREAT SHANG HAI RESTAURANT	11/8/2023	Routine Inspection	Re-inspection Required	60/60 1. No CFPM card 16. Improper cooling 19. Room temp food 2. Improper cold holding	54 NOB HILL BLVD W, YAKIMA, WA 98902
GROCERY OUTLET	11/30/2023	Routine Inspection	Passed	10/10 10. Observed several damaged and crushed cans on shelves	5801 Summitview AVE, Yakima, WA 98908
Hoptown Pizza	11/8/2023	Follow Up Inspection	Passed	All pre-opening verification items corrected.	400 S 6th St, Sunnyside, wa 98944
HYATT VINEYARDS	11/30/2023	Routine Inspection	Passed	0/0	2020 GILBERT RD, ZILLAH, WA 98953
HY'S SERVICE	11/16/2023	Routine Inspection	Passed	5/5 44. Restroom sink faucet not properly installed	1219 W. LINCOLN AVE W, Yakima, WA 98902
IGLESIA DEL VALLE ASSEMBLIES OF GOD	11/21/2023	Routine Inspection	Passed	0/0 No violations	320 E TOPPENISH AVE, TOPPENISH, WA 98948
JEAN'S COTTAGE INN	11/14/2023	Follow Up Inspection	Passed	0/0	3211 MAIN ST, Union Gap, WA 98903
KRISPY KREME #1246	11/2/2023	Routine Inspection	Passed	0/0	2329 S 1ST STREET S, Yakima, WA 98902
La Familia Cook LLC	11/2/2023	8-Week Inspection	Passed	15/22 Certified manager on staff. 2. food worker cards current 22. Accurate thermometer provided.	1103 Bailey AVE S, Granger, WA 98932
LA PLAZITA TAQUERIA Y ANTOJITOS MEXICANOS	11/30/2023	Routine Inspection	Passed	30/30 2. Expired FWC's 17. Improper hot holding	505 1ST AVE, ZILLAH, WA 98953
La Ranchera	11/27/2023	Routine Inspection	Passed	20 1. No CFPM 2. No valid FWC cards 26. Expired permit	715 WINE COUNTRY RD, GRANDVIEW, WA 98930
LARIAT BAR B Q	11/13/2023	Routine Inspection	Passed	0/0	621 W. YAKIMA AVE, YAKIMA, WA 98902
LAS PALOMAS LLC	11/21/2023	Routine Inspection	Failed	1. No CFPM 6. Access to handwashing sink blocked and filled with dishes 16. Improper cooling methods 37. Ice scoop improperly stored	15 ELM ST S, TOPPENISH, WA 98948
LEWISVILLE	11/15/2023	Routine Inspection	Passed	15/15 1. No CFPM certificate 2. No current FWC 41. Improper use of 3 compartment sink	301 N. 6TH AVENUE, Yakima, WA 98902
LITTLE CAESARS # 205	11/1/2023	Routine Inspection	Passed	0/0 - No violations observed.	2010 YAKIMA VALLEY HWY. # 5, SUNNYSIDE, WA 98944
LONE STAR BOOZE & BITES	11/16/2023	Routine Inspection	Passed	5/5 1. No CFPM card	8807 AHTANUM RD, YAKIMA, WA 98903
LOS HERNANDEZ TAMALES	11/16/2023	Routine Inspection	Passed	15/15. 1. No Certified Food Protection Manager on staff. 26. Improper permitted hazard level.	3706 MAIN ST, Union Gap, WA 98903
MANHATTAN STATION ESPRESSO	11/30/2023	Routine Inspection	Passed	0/0	418 1ST ST S, SELAH, WA 98942

MANHATTAN STATION ESPRESSO	11/8/2023	Routine Inspection	Passed	0/0. No violations observed. Reheating pre packaged breakfast items. Level two not required. AR	418 1ST ST S, SELAH, WA 98942
MANHATTAN STATION ESPRESSO	11/30/2023	Routine Inspection	Passed	0/0	3311 W. NOB HILL BLVD. W, YAKIMA, WA 98902
MANHATTAN STATION ESPRESSO	11/8/2023	Routine Inspection	Passed	0/0. No violations observed. Reheating pre packaged breakfast items. Level two not required. AR	3311 W. NOB HILL BLVD. W, YAKIMA, WA 98902
MANY'S MARKET	11/16/2023	Routine Inspection	Passed	20/20 Violations #1 - Certified Food Protection Mgr Cert not available #14 - Raw eggs and sausage over milk in cooler #21 - Improper cold holding	811 W. MEAD AVE W, Yakima, WA 98902
MCDONALD'S	11/27/2023	Routine Inspection	Passed	10/10 Expired YHD permit	400 Grande Vista WAY, Grandview, WA 98930
MERCADO LATINO II	11/2/2023	Follow Up Inspection	Passed	0/0 All previous high risk violations have been corrected.	718 S. 6TH STREET S, YAKIMA, WA 98901
Mi Haciendita Mexican Restaurant LLC	11/28/2023	Routine Inspection	Passed		330 ST S, MABTON, WA 98935
Mi Haciendita Mexican Restaurant LLC	11/28/2023	Routine Inspection	Passed	10/10 1. No CFPM 2. No valid FWC	330 ST S, MABTON, WA 98935
MINADO BUFFET	11/21/2023	Routine Inspection	Failed	60/66 - 1. No certified manager.16. Improper cooling procedures. 19. Room temperature storage. 21. Improper cold holding temperatures. 30. Improper thawing methods used. 37. In-use utensils improperly stored.	501 Front ST N, YAKIMA, WA 98901
MONGOLIAN GRILL	11/2/2023	Routine Inspection	Passed	15/20 1. No certified food protection manager, 25. Improperly stored chemicals, 33. Potential food contamination not prevented during storage	1628 E. WASHINGTON AVE.
MY BROTHER'S PLACE	11/22/2023	Routine Inspection	Passed	0/0	810 1ST AVE., TOPPENISH, WA 98948
NEW YORK TERIYAKI	11/8/2023	Routine Inspection	Passed	20/20 1. No CFPM certification 21. Improper cold holding 22. No metal stem thermometer	2518 MAIN ST, UNION GAP, WA 98903
NEW YORK TERIYAKI	11/8/2023	Routine Inspection	Passed	20/20 1. No CFPM certification 21. Improper cold holding 22. No metal stem thermometer	210 S. 72ND AVE. SUITE# 150
NEW YORK TERIYAKI	11/8/2023	Routine Inspection	Passed	20/20 1. No CFPM certification 21. Improper cold holding 22. No metal stem thermometer	3710 FRUITVALE BLVD., Yakima, WA 98902
NY TERIYAKI	11/8/2023	Routine Inspection	Passed	20/20 1. No CFPM certification 21. Improper cold holding 22. No metal stem thermometer	822 N 1ST ST. N, Yakima, WA 98901
OASIS 100% NATURAL	11/20/2023	Routine Inspection	Passed	0/0	1704 E MEAD AVE E, Union Gap, WA 98903
OUTBACK ESPRESSO NORTH	11/20/2023	Routine Inspection	Passed		1212 80TH AVE S, YAKIMA, WA 98903
OUTBACK STEAKHOUSE	11/2/2023	Routine Inspection	Passed	0/5. 44. Improper backflow prevention.	2412 RUDKIN RD, UNION GAP, WA 98903
PANADERIA & ANTOJITOS MEXICANOS RODRIGUEZ	11/27/2023	Routine Inspection	Passed	0/0	206 E. WINE COUNTRY RD. E, Grandview, WA 98930
Panaderia Ashley's Botanas	11/14/2023	Routine Inspection	Passed	0/0 No violations	2904 W Nob Hill, Yakima, wa 98902
PANDA GARDEN RESTAURANT	11/1/2023	Routine Inspection	Passed	20/25 - 1. No certified manager. 14. Raw meats not species separated. 21. Improper cold holding temperatures. 23. No consumer advisory for undercooked foods. 34. Sanitizer not available.	3210 PICARD PLACE, SUNNYSIDE, WA 98944
PANERA BREAD #1878	11/1/2023	Routine Inspection	Passed	0/0	21 VALLEY MALL BLVD. E, UNION GAP, WA 98903
PAPA MURPHY'S WA189	11/14/2023	Routine Inspection	Passed	5/5. 1. No Certified Food Protection Manager.	1515 SUMMITVIEW AVE. # 2, Yakima, WA 98902

PARK 'N PAK	11/8/2023	Compliance Inspection	Compliance Required	25/25 - Improper hot holding temperatures.	905 LINCOLN AVE, Sunnyside, WA 98944
PEOPLE FOR PEOPLE - MEALS-ON-WHEELS (GRANDVIEW)	11/9/2023	Routine Inspection	Passed	0/0	812 WALLACE WAY, Grandview, WA 98930
PEOPLE FOR PEOPLE MEALS ON WHEELS (WAREHOUSE)	11/7/2023	Routine Inspection	Passed	0/0 no violations	1008 AHTANUM SUITE 3 RD W, UNION GAP, WA 98903
Pit Stop Pizza & Burgers	11/1/2023	8-Week Inspection	Passed	5/10 - 1. No certified manager 31. Improper date marking	401 S Elm ST, Toppenish, WA 98948
PIZZA HUT #13106	11/30/2023	Routine Inspection	Passed	0/0	3915 N. KERN ROAD
PLAZA MARKET	11/8/2023	Follow Up Inspection	Passed	0/0 - All previous violations corrected.	1422 3RD AVENUE S, YAKIMA, WA 98902
POPEYE'S LOUISIANA KITCHEN	11/1/2023	Routine Inspection	Passed	0/0 - No violations observed.	2490 Yakima Valley Hwy, Sunnyside, WA 98944
PORTEUS WINERY	11/30/2023	Routine Inspection	Passed	0/0	5201 HIGHLAND DR, ZILLAH, WA 98953
QUALITY INN SELAH	11/6/2023	Follow Up Inspection	Compliance Required	45/45. 11. Improper date marking for food at high risk for Listeria. 17. Improper hot holding temperature. 21. Improper cold holding temperature. 26. Invalid permit.	659 Wenas RD N, Selah, WA 98942
QUALITY INN SELAH	11/27/2023	Follow Up Inspection	Re-inspection Required	Date marking carried out for food at high risk for Listeria Improper hold held temps for eggs (119 F) Permit application sent in 11/16/23	659 Wenas RD N, Selah, WA 98942
Quick Trip	11/27/2023	Routine Inspection	Passed	30/30 6. Handwashing sink improperly stocked 14. Raw chicken stored above fresh produce 1. No CFPM 26. No valid YHD permit	201 Ave F, Grandview, WA 98930
RED ROBIN	11/1/2023	Routine Inspection	Passed	5/5 1. No Certified Food Protection Manager.	2702 W. NOB HILL BLVD. - YAKIMA W, Yakima, WA 98902
RIVER CANYON	11/14/2023	Routine Inspection	Passed	10/10 Violations: #21 - Improper cold holding	344 E. GOODLANDER RD E, SELAH, WA 98942
RUSH COFFEE	11/15/2023	Routine Inspection	Passed	0/0 No violations	4801 Nob Hill BLVD W, YAKIMA, WA 98908
SCOTT'S FUEL YARD ESPRESSO	11/14/2023	Routine Inspection	Passed	5/5 No current food worker card	314 1ST AVE, ZILLAH, WA 98953
SELAH CHEVRON	11/14/2023	Follow Up Inspection	Passed	0/0	313 S. 1ST STREET, Selah, WA 98942
SMITTY'S MEAD 6260	11/15/2023	Routine Inspection	Passed	30/30 #1 - No Certified Food Protection Manager on staff #17 - Improper hot holding	304 W. MEAD AVE W, Yakima, WA 98902
Sopho's Mojo	11/20/2023	Routine Inspection	Passed	0/0	0 Annex, W, Nob Hill BLVD, Yakima, wa 98902
SQUEEZE INN	11/4/2023	Routine Inspection	Passed	15/20. 1. No Certified Food Protection Manager on staff. 6. Inadequate handwashing facilities. 31. Food improperly date marked.	611 1ST AVE., ZILLAH, WA 98953
STAGECOACH RV PARK	11/1/2023	Routine Inspection	Passed	0/0 No violations observed	16201 NORTH WENAS RD, Selah, WA 98942
SU MERCADITO # 3	11/27/2023	Routine Inspection	Re-inspection Required	Received Complaint: Bad meat with bad odor. No signs of bad meat seen during inspection. 1. No certified food protection manager. 10. Food in adulterated state. 11. Food at high risk for listeria not date marked. 17. Improper hot holding. 19. Improper room temperature storage. 21. Improper cold holding. 44. Improper plumbing.	110 ASH ST, GRANDVIEW, WA 98930

SUBWAY	11/17/2023	Routine Inspection	Passed	20/20 1. No CFPM 21. Observed vegetables and deli meats out of temperature 22. No metal stem thermometer	631 1ST ST W, Wapato, WA 98951
SUNNYSIDE COMMUNITY CENTER	11/1/2023	Routine Inspection	Passed	10/15 - 26. Not compliant with permit level. 44. Improper backflow devices.	1521 S. S. 1ST STREET, SUNNYSIDE, WA 98944
TACOS EL GORDO	11/8/2023	Follow Up Inspection	Passed	All previous violations corrected	809 YAKIMA VALLEY HIGHWAY, SUNNYSIDE, WA 98944
TACOS LUNA	11/1/2023	Routine Inspection	Passed	5/5 2.Expired FWC	229 DIVISION ST, GRANDVIEW, WA 98930
THE KILN TAPROOM	11/20/2023	Routine Inspection	Passed	5/5 1. No CFPM. Establishments that prepare raw animal products or wash produce must have a CFPM. PIC stated will obtain a CFPM	818 S. 72ND AVE, YAKIMA, WA 98908
THE ORION CINEMA AND MICKEY'S PUB	11/10/2023	Routine Inspection	Passed	10/12 - 1. No certified manager. 21. Improper cold holding temperatures. 50. No permit posted.	202 E CHESTNUT STR
THE PUB	11/15/2023	Routine Inspection	Passed	0/0 No violations	5110 TIETON DR. # 100, YAKIMA, WA 98908
THE TAP	11/1/2023	Follow Up Inspection	Passed	0/0	105 1ST AVE S, YAKIMA, WA 98901
THE WAREHOUSE SPORTSBAR AND GRILL	11/15/2023	Routine Inspection	Passed	5/5 1. No CFPM on site.	402 S. 11TH AVE S, YAKIMA, WA 98902
TIETON CIDER WORKS	11/3/2023	Routine Inspection	Passed	0/0	619 W "J" STREET W, ##102, Yakima, WA 98902
Tortilleria La Miipa	11/13/2023	Routine Inspection	Passed	5/10 - Raw meats not below ready to eat foods. 31. Improper date marking.	101 W WIne County RD, Grandview, WA 98948
UNION GAP CARNICERIA	11/21/2023	Routine Inspection	Passed	10/10 6. No clear access to handwashing sink	909 AHTANUM RD, UNION GAP, WA 98903
VALLEY LANES CAFE	11/11/2023	Routine Inspection	Passed	10/15 - 1. No certified manager. 17. Improper hot holding temperatures. 41. Warewashing facilities improperly used.	1802 E EDISON AVE E, SUNNYSIDE, WA 98944
V'S ROLLIN COFFEE	11/6/2023	Routine Inspection	Passed	0/0	502 TERRACE HEIGHTS DR, YAKIMA, WA 98901
WACKY CRAB SHACK	11/30/2023	Follow Up Inspection	Passed	0/0. All previous issues resolved.	306 S 1st ST, YAKIMA, WA 98901
WACKY CRAB SHACK	11/17/2023	Routine Inspection	Re-inspection Required	60/67. 1. No CFPM on staff. 6. Inadequate handwashing facilities. 11. Improper date marking of food at high risk for Listeria. 14. Improper species separation. 16. Improper cooling. 21. Improper cold holding. 33. Potential for food contamination. 50. Permit not posted.	306 S 1st ST, YAKIMA, WA 98901
WAFFLES CAFFE	11/1/2023	Routine Inspection	Passed	5/5 15. Improper preparation of raw shell eggs.	1510 N. 1ST STREET N, Yakima, WA 98901
WAFFLES CAFFE	11/1/2023	Routine Inspection	Passed	5/5 15. Improper preparation of raw shell eggs.	7200 W. NOB HILL BLVD W, YAKIMA, WA 98908
WHY NOT! MY PHO KITCHEN	11/15/2023	Routine Inspection	Passed	5/5 1. No CFPM certificate	4001 Summitview AVE, #12, Yakima, Wa 98908
WILRIDGE WINERY	11/10/2023	Routine Inspection	Passed	5/5 - Raw meats not below or away from ready to eat foods.	250 EHLER RD., Yakima, WA 98908
YAKIMA AVENUE DAIRY QUEEN	11/15/2023	Routine Inspection	Passed	25/25 #17 - Improper hot holding	801 E YAKIMA AVE, YAKIMA, WA 98901