














A 7 REQUIRED	B 2 REQUIRED	C 2 REQUIRED	D 4 REQUIRED	E 2 REQUIRED	
 M4-9	 M4-9R	 M4-9L	 W8-1	 TYPE III BARRICADE W / TYPE A WARNING LIGHT (L & R)	
F 1 REQUIRED	G 4 REQUIRED	H 1 REQUIRED	J 8 REQUIRED	K 4 REQUIRED	L 1 REQUIRED
 W3-5	 R2-1 (B/W)	 R2-1 (B/W)	 W11-4 (BLACK/ORANGE)	 I2-401 (BLACK/ORANGE)	 M4-9R MOD (BLACK/ORANGE)

- NOTES:
1. ALL SIGNS ARE CLASS A UNLESS OTHERWISE NOTED.
 2. UNLESS OTHERWISE NOTED, SIGNS SHALL MEET THE REQUIREMENTS OF SECTION 9-35.2 OF THE STANDARD SPECIFICATIONS (M41-10) AND THE WASHINGTON STATE SIGN FABRICATION MANUAL (M55-05).
 3. ALL W SERIES SIGNS SHALL HAVE AN ORANGE REFLECTIVE BACKGROUND UNLESS OTHERWISE NOTED.
 4. BARRICADES STAKED AS DIRECTED BY ENGINEER.
 5. ADDITIONAL FLEXIBLE GUIDE POSTS TO BE PLACED ALONG DESIGNATED CURVES AS DIRECTED BY THE ENGINEER.
 6. SEE SPECIAL PROVISION "DETOUR PREPARATION AND REPAIR".



FILE NAME K:\452201\012\16350_US12 Rimrock Vic\Inlty_Emergency Repair\Design\CAD\Sheets\420-DetourPlan\XL6990_PS_DU.dgn		REGION NO. STATE		FED.AID PROJ.NO.						Plot 1	
TIME 9:33:49 AM		10 WASH								PLAN REF NO	
DATE 7/10/2025										DU1	
PLOTTED BY MarshV											
DESIGNED BY A. MERCADO											
ENTERED BY J.RICHARDS											
CHECKED BY M. ROEDIGER											
PROJ. ENGR. K. KING											
REGIONAL ADM. B. WHITE											
		REVISION		DATE		BY				SHEET 39 OF 41 SHEETS	



Washington State
Department of Transportation

US 12
RIMROCK VICINITY
EMERGENCY REPAIR

DETOUR SIGNING PLAN

