

# Monthly Food Inspection Report

## SPECIAL NOTES:

IN THE NOTES PORTION OF THE REPORT THE FIRST NUMBER LISTED IS THE TOTAL POINTS FOR RED/HIGH RISK ITEMS FOUND . THE SECOND NUMBER IS THE TOTAL POINTS FOR HIGH RISK AND LOW RISK ITEMS.

HIGH RISK ITEMS ARE CORRECTED PRIOR TO THE COMPLETION OF THE INSPECTION. 35 OR MORE HIGH RISK POINTS OR 45 OR MORE TOTAL POINTS REQUIRES A FOLLOW-UP INSPECTION.

## Abbreviations

BHC: Bare Hand Contact

DOH: Washington State Department of Health

FDA: Food and Drug Administration

FWC: Food Worker Card

HACCP: Hazard Analysis Critical Control Point

PHF: Potentially Hazardous Food

PIC: Person in Charge

ROP: Reduced Oxygen Packaging

RTE: Ready to Eat

RTS: Room Temperature Storage

USDA: United States Department of Agriculture

WAC: Washington Administrative Code

WSDA: Washington State Department of Agriculture

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
16TH STREET MARKET	Mini-mart	1121 16TH ST S	SUNNYSIDE	12/14/2010	Compliance Inspection	40/51 Missing FWCs, improperly hot holding PHF, unlabeled chemical
7-ELEVEN #2362-14435E	Mini-mart	3908 TERRACE HGTS DR	YAKIMA	12/4/2010	Routine Inspection	0/5 Need an accurate thermometer in one of the refrigerators.
7-ELEVEN STORE 2307-27556G	Mini-mart	1601 FRUITVALE BLVD.	YAKIMA	12/8/2010	Routine Inspection	15/15 Improperly hot holding PHF, improper chemical storage
A C DAVIS HIGH SCHOOL	School	212 S. 6TH AVE	YAKIMA	12/3/2010	Routine Inspection	0/5
ABARROTOS LA COSTENITA	Grocery Store	1401 WINE COUNTRY ROAD	GRANDVIEW	12/1/2010	Routine Inspection	10/15 Potential food contamination during storage.
ABBY'S LEGENDARY PIZZA OF YAKIMA # 57	Restaurant	4804 TIETON DR	YAKIMA	12/17/2010	Routine Inspection	5/10 Missing FWCs, Dishwasher improperly sanitizing

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
ADAMS ELEMENTARY SCHOOL	School	1101 S. CAMAS AVE	WAPATO	12/16/2010	Routine Inspection	0/0
BASKIN-ROBBINS	Ice Cream Parlor	3802 W. NOB HILL BLVD.	YAKIMA	12/1/2010	Follow-Up Inspection	5/5 Missing FWCs
BENCH MARK SHELL	Mini-mart	1202 N 1ST ST.	YAKIMA	12/27/2010	Routine Inspection	No problems.
BERT'S PUB	Restaurant/Loung e	5110 TIETON DR. # 100 - YAKIMA	YAKIMA	12/29/2010	Routine Inspection	20/31 Missing FWCs, hands not washed as required
BEST WESTERN LINCOLN INN	Snack Bar	1614 N. 1ST STREET	YAKIMA	12/2/2010	Routine Inspection	15/33 PIC answered incorrectly, improperly cold holding PHF
BLUE SKY MARKET #2	Grocery Store	330 NORTH STREET	MABTON	12/3/2010	Follow-Up Inspection	45/45 Missing FWCs, BHC with RTE food, improperly hot holding PHF
				12/14/2010	Compliance Inspection	0/0
BUENA TAVERN	Tavern	670 BUENA RD	BUENA	12/30/2010	Follow-Up Inspection	10/10 No soap or hot water at bar hand wash sink
BUENA VISTA MINI MARKET	Mini-mart	701 S. 6TH	SUNNYSIDE	12/30/2010	Routine Inspection	30/30 Improper hot holding of PHF's at 104F, no metal stem thermometer.
CAFE MELANGE	Restaurant/Cateri ng	7 N. FRONT STREET	YAKIMA	12/28/2010	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
CAMAS ELEMENTARY SCHOOL	School	910 S. CAMAS	WAPATO	12/16/2010	Routine Inspection	0/0
CHINA BUFFET	Restaurant	2600 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	12/6/2010	Follow-Up Inspection	30/38 Missing FWCs, RTS of PHF
				12/14/2010	Compliance Inspection	30/33 Missing FWC, RTS of PHF
CHINA WOK	Restaurant	613 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	12/6/2010	Routine Inspection	0/12
COMFORT SUITES	Snack Bar	3702 FRUITVALE BLVD.	YAKIMA	12/3/2010	Routine Inspection	30/39 Missing FWC, improperly cold holding eggs, metal stem thermometer cannot be calibrated, did not wash fruit before slicing
CRUISIN COFFEE SOUTH FIRST	Espresso Stand	111 E. WASHINGTON AVE.	YAKIMA	12/30/2010	Routine Inspection	5/5 Missing FWCs
DALILAH'S KITCHEN	Commissary	1909 MCNAIR AVE	UNION GAP	12/17/2010	Routine Inspection	0/5 inaccurate temp. gauge
DON'S DONUTS & JULIE'S JAVA	Bakery	1024 W. NOB HILL BLVD.	YAKIMA	12/21/2010	Routine Inspection	0/0
EAST VALLEY ELEMENTARY SCHOOL	School	1951 BEAUDRY RD	YAKIMA	12/1/2010	Routine Inspection	0/0 (reminder note)
EAST VALLEY HIGH SCHOOL	School	1900 BEAUDRY	YAKIMA	12/2/2010	Routine Inspection	0/0 (reminder note)

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
EAST VALLEY MIDDLE SCHOOL	School	2010 BEAUDRY RD.	YAKIMA	12/1/2010	Routine Inspection	0/0
EDISON MARKET	Mini-mart	1520 E EDISON	SUNNYSIDE	12/6/2010	Routine Inspection	30/30 - FWC needed and improper hot holding temperatures.
EL CAPORAL	Restaurant	109 E. NACHES AVE.	SELAH	12/9/2010	Routine Inspection	45/45 - BHC with ready to eat food and improper cooling.
EL CHARRO TORTILLAS	Bakery	7-A TOPPENISH AVE.	TOPPENISH	12/16/2010	Routine Inspection	0/0 (look for room temperature stored eggs during next inspection)
EL GRULLENSE RESTAURANT & TAQUERIA #2	Restaurant	1514 S 1ST ST	YAKIMA	12/8/2010	Routine Inspection	0/8 Thermometer missing in one cold holding unit, improper thawing of raw meats.
EL VALLE FAMILY MEXICAN RESTAURANT	Restaurant	410 YAKIMA VLY HWY	SUNNYSIDE	12/29/2010	Routine Inspection	30/30 Expired FHC's, BHC with RTE foods, improper cooling of PHF's, improper cold holding of PHF's, no metal stem thermometer.
FIFTH AVE. ONE STOP	Mini-mart	701 N. 5TH AVE.	YAKIMA	12/8/2010	Routine Inspection	45/61 Improperly stocked hand washed sink, blocked hand wash sink, raw meat stored over RTE food, improperly hot holding PHF, metal stem thermometer dial face is not legible
				12/16/2010	Follow-Up Inspection	35/35 Improperly hot holding PHF, improperly stocked hand wash sink
				12/30/2010	Compliance Inspection	0/0
FUEGO LOUNGE	Restaurant	1600 YAKIMA VALLEY HWY	SUNNYSIDE	12/14/2010	Routine Inspection	0/5 Low risk item: One area of potential food contamination

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
FUENTES DE FRUTAS	Juice Bar	12 1/2 E. WASHINGTON AVE. # 1	YAKIMA	12/30/2010	Routine Inspection	5/5 no sanitizer available
GEORGE'S STEAKHOUSE	Restaurant/Catering	1101 S 3RD AVE.	YAKIMA	12/10/2010	Complaint Inspection	60/60 Missing FWC, hands not washed as required, improperly stocked hand wash sink, cooling PHF improperly, hot foods are more than 140 F except the fried fish at the buffet table, fish will be discarded after buffet is closed at 1:30 pm.
				12/16/2010	Follow-Up Inspection	25/25 RTS of PHF
GOTTA STOP MABTON	Mini-mart	HWY 22 & MAIN	MABTON	12/3/2010	Follow-Up Inspection	0/0
GRAND CINEMAS - YAKIMA VALLEY	Snack Bar	3400 PICARD PLACE	SUNNYSIDE	12/1/2010	Routine Inspection	15/15 - Several FWC needed and refrigerator and food inside at 55 degrees.
HICKORY FARMS # 40117	Deli	2529 MAIN ST. # 183	UNION GAP	12/10/2010	Routine Inspection	5/5 Missing FWCs
JAMES GANG TAVERN	Tavern	2101 S 3RD AVE	YAKIMA	12/20/2010	Routine Inspection	10/10 - FWC and metal stem thermometer needed.
JITTER BEAN ESPRESSO BAR	Espresso Stand	917 S. 1ST STREET	YAKIMA	12/30/2010	Routine Inspection	10/21 Improperly cold holding PHF
JOHN CAMPBELL ELEMENTARY SCHOOL	School	408 N. 1ST ST	SELAH	12/3/2010	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
KENTUCKY FRIED CHICKEN	Restaurant	108 & 110 40TH AV N	YAKIMA	12/8/2010	Routine Inspection	10/10 Improperly stocked hand wash sinks
KERRI'S CAKES	Bakery	1370 NACHES-TIETON RD.	TIETON	12/8/2010	Routine Inspection	0/0
K-MART LITTLE CAESAR'S PIZZA STATION	Restaurant	2304 E NOB HILL BLVD	YAKIMA	12/27/2010	Routine Inspection	0/0
KRACKER BARRELL	Mini-mart	48851 U.S. HWY. 12	NACHES	12/29/2010	Routine Inspection	0/5
LA MILPA MARKET	Mini-mart	602 1/2 W NOB HILL BLVD.	YAKIMA	12/13/2010	Routine Inspection	0/0
LA MORELENSE, SUPER MINI	Restaurant	302 MAIN STREET	GRANGER	12/1/2010	Routine Inspection	25/35 Missing paper towels at handwash sinks, general cleaning needed in kitchen.
LA PACHANGA (MOBILE)	Mobile		TIETON	12/8/2010	Routine Inspection	See closure activity
LA SUPER BAKERY (SUNNYSIDE)	Bakery	111 N. 6TH ST. # B	SUNNYSIDE	12/29/2010	Routine Inspection	10/25 Improper cold holding of PHF's, no sanitizer.
LAS GUACAMAYAS MEXICAN RESTAURANT	Restaurant/Lounge	1010 N. 1ST STREET	YAKIMA	12/17/2010	Routine Inspection	10/10 Missing/expired FWC's, improper cold holding of PHF's at 45F.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
LIBERTY MART	Mini-mart	1803 FRUITVALE BLVD	YAKIMA	12/7/2010	Routine Inspection	50/60 Missing FWCs, improperly stocked hand wash sinks, improperly hot holding PHF, unlabeled chemicals
				12/27/2010	Follow-Up Inspection	10/10 Improperly cold holding PHF
LOS HERNANDEZ	Restaurant	3706 MAIN ST	UNION GAP	12/28/2010	Routine Inspection	0/0
MARIPOSA - SCHMIDT COTTAGE	School	605 SUPERIOR LANE	YAKIMA	12/20/2010	Routine Inspection	0/0
MAVERIK CONVENIENCE STORE	Mini-mart	0 FACTORY RD/MABTON-S	SUNNYSIDE	12/27/2010	Pre-Opening Inspection	Hot water not available in restrooms, temp gauges needed in refrigerators, hand wash stations need soap, paper towels and hand washing signs, employees need FWCs
				12/30/2010	Pre-Opening Inspection	Ok to open.
MC GUIRE'S IRISH RESTAURANT & PUB	Tavern	4807 TIETON DR	YAKIMA	12/22/2010	Routine Inspection	15/23 Raw meats stored above raw beef, improper cold holding of PHF at 52F, broken thermometer, improper thawing of raw meats.
McCLURE ELEMENTARY SCHOOL	School	1222 S. 22ND AVE	YAKIMA	12/9/2010	Routine Inspection	5/5 - Metal stem thermometer was not accurate.
MOXEE ELEMENTARY SCHOOL	School	528 E. SEATTLE	MOXEE	12/1/2010	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
MT. CLEMANS CHEVRON	Mini-mart	9881 U.S. HWY. 12	NACHES	12/15/2010	Routine Inspection	5/5 - FWC needed.
NACHES VALLEY HIGH SCHOOL	School	101 W. 5TH ST.	NACHES	12/1/2010	Routine Inspection	0/0
NACHES VALLEY INTERMEDIATE SCHOOL	School	101 SHAFER AVENUE	NACHES	12/1/2010	Routine Inspection	0/0
NACHES VALLEY MIDDLE SCHOOL	School	32 SHAFER AVENUE	NACHES	12/1/2010	Routine Inspection	0/0
NACHES VALLEY PRIMARY SCHOOL	School	2700 OLD NACHES HWY	YAKIMA	12/15/2010	Routine Inspection	0/0
NEW YORK TERIYAKI & BURGERS	Restaurant	822 N 1ST ST.	YAKIMA	12/13/2010	Routine Inspection	No hot water, they are closed.
				12/15/2010	Routine Inspection	5/5 One employee is missing a FWC. They have fixed the hot water heater. Ok to re-open.
OBENTO HOUSE	Restaurant	11 N. 11TH AVE #105	YAKIMA	12/7/2010	Pre-Opening Inspection	Approved to open.
PACE ALTERNATIVE HIGH SCHOOL	School	310 S. WASCO AVE	WAPATO	12/16/2010	Routine Inspection	0/0



Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
PAPA BAIRD'S RESTAURANT	Restaurant	4108 TERRACE HTS. DR.	YAKIMA	12/9/2010	Routine Inspection	55/68 Missing FWC, hands not washed as required, BHC with RTE food, improperly stocked hand wash sink, inaccurate metal stem thermometer
				12/30/2010	Follow-Up Inspection	0/0
QUICK CHECK	Grocery Store	131 S. 2ND ST.	YAKIMA	12/21/2010	Routine Inspection	There was a taqueria operating out of this market. The taqueria called in two months ago to say they were closing. The mini mart has been operating the taqueria since that time. They are only a level 2. They will be billed for a level 3.
RIMROCK STORE	Grocery Store	34090 HWY 12	NACHES	12/29/2010	Routine Inspection	0/5
RITE AID # 5297	Grocery Store	2519 MAIN STREET	UNION GAP	12/7/2010	Routine Inspection	0/0
RITE AID # 5298	Grocery Store	5606 SUMMITVIEW AVE.	YAKIMA	12/16/2010	Routine Inspection	0/5
ROSAUERS FOOD AND DRUG CENTER #39	Grocery Store	410 S. 72ND AVENUE	YAKIMA	12/13/2010	Routine Inspection	5/15 Improper hot holding of PHF's at 130F. Various refrigerators need thermometers.
RUSH COFFEE	Espresso Stand	4801 W. NOB HILL BLVD.	YAKIMA	12/27/2010	Routine Inspection	5/15 Expired FHC's, thermometer needed inside of refrigerator, ice scoop being stored inside ice chest.
SAFEWAY # 584	Grocery Store	711 W. 1ST AVENUE	TOPPENISH	12/16/2010	Follow-Up Inspection	5/5 Missing FWCs

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SANCHEZ'S MARKET	Mini-mart	502 S. 2ND STREET	YAKIMA	12/20/2010	Routine Inspection	15/27 Paper towels missing at handwash in restroom, hot holding deli foods at 132F, no sanitizer, clean up needed through out facility.
SCRC & RCRC	School	1106 HATHAWAY A & B	YAKIMA	12/20/2010	Routine Inspection	0/0
SENIOR NUTRITION PROGRAM - NACHES LIONS (ST.JOHN'S PARISH)		206 MOXEE AVENUE	NACHES	12/15/2010	Routine Inspection	0/0
SEOUL TERI - HOUSE	Restaurant	8 N 7TH AVE.	YAKIMA	12/8/2010	Routine Inspection	40/48 Missing FWC, raw meat stored above RTE food, improperly cooling PHF
SMITTY'S CAR WASH & MINI MART	Mini-mart	304 W. MEAD AVE.	YAKIMA	12/6/2010	Routine Inspection	5/15 Expired FHC, no sanitizer made up, they remodeled and are now preparing level 2 foods. They will be sent an invoice for the difference.
STANTON HIGH SCHOOL	School	901 N. WHITMAN ST.	YAKIMA	12/9/2010	Routine Inspection	0/0
SUN MART # 21	Mini-mart	10173 HWY 12	NACHES	12/15/2010	Routine Inspection	0/0
SUNNY SPOT	Restaurant	1850 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	12/6/2010	Routine Inspection	5/5 - Missing some FWC.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SWEET TEMPTATIONS ESPRESSO	Espresso Stand	1323 S. 8TH STREET	YAKIMA	12/22/2010	Routine Inspection	5/10 Improper cold holding of milk refrigerator. PHF's were at 44F, unit is missing thermometer, home style refrigerator. They are aware that they need a commercial style unit ASAP.
TACO BELL # 5088	Restaurant	1602 W. NOB HILL BLVD	YAKIMA	12/9/2010	Routine Inspection	5/5 Missing FWC
TACO KING	Mobile	615 YAKIMA VALLEY HWY.	SUNNYSIDE	12/14/2010	Routine Inspection	10/10 missing FWCs, inaccurate thermometer
TACOS ARIEL	Mobile	809 W Nob Hill BLVD	YAKIMA	12/17/2010	Follow-Up Inspection	Items from previous inspection have been corrected. Pictures have been scanned.
TAMMY'S MEXICAN RESTAURANT	Restaurant	1009 N. 1ST STREET	YAKIMA	12/8/2010	Routine Inspection	5/5 missing food thermometer
TAQUERIA URUAPAN	Restaurant	1324 S. 10TH STREET.	YAKIMA	12/2/2010	Routine Inspection	10/10 Refrigerator unit cold holding PHF's at 50F.
TASTE OF WASHINGTON	Winery	312 E. YAKIMA AVE.	YAKIMA	12/10/2010	Routine Inspection	15/15 - Handwash sinks missing soap and paper towels and FWC needed.
TERRACE HEIGHTS ELEMENTARY	School	4300 MAPLE CT.	YAKIMA	12/2/2010	Routine Inspection	0/5 Dishwasher found without sanitizer.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
THE FLOWER GARDEN	Winery	3201 SUMMITVIEW AVE.	YAKIMA	12/1/2010	Routine Inspection	0/0
THE JAMMER	Tavern	2310 RUDKIN RD.	UNION GAP	12/9/2010	Routine Inspection	5/8 Inaccurate metal stem thermometer
TOP FOOD & DRUG # 35	Grocery Store	2203 S 1ST ST.	YAKIMA	12/2/2010	Routine Inspection	10/10 One of the refrigerators in the deli is cold holding PHF's at 50F.
UNION GAP MIDDLE SCHOOL	School	3201 S. 4TH ST.	UNION GAP	12/2/2010	Routine Inspection	0/0
WALGREENS # 09911	Grocery Store	4001 SUMMITVIEW AVE. # 3	YAKIMA	12/20/2010	Routine Inspection	0/0
WALGREENS # 12275	Grocery Store	610 YAKIMA AV W	YAKIMA	12/10/2010	Routine Inspection	0/0
				12/10/2010	Routine Inspection	0/0
WAPATO HIGH SCHOOL	School	1103 S. WASCO AVE	WAPATO	12/16/2010	Routine Inspection	0/0
WAPATO MIDDLE SCHOOL	School	505 DOVE LANE	WAPATO	12/16/2010	Routine Inspection	0/0
WASHINGTON MIDDLE SCHOOL	School	510 S. 9TH ST.	YAKIMA	12/3/2010	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
WESTPARK CHRISTIAN ACADEMY	School	3902 SUMMITVIEW AVE	YAKIMA	12/13/2010	Routine Inspection	0/5 - Need sneeze guards.
WESTSIDE MARKET	Mini-mart	500 E EUCLID	GRANDVIEW	12/6/2010	Compliance Inspection	0/0
WILLY D'S RESTAURANT & IDLE HOUR LOUNGE, L.L.C.	Restaurant/Lounge	GILBERT RD. - YAKIMA	YAKIMA	12/8/2010	Follow-Up Inspection	30/44 Raw meat stored above RTE food, improperly hot holding PHF
				12/16/2010	Compliance Inspection	0/0
WOK TERIYAKI	Restaurant	1601 E. WASHINGTON AVE. # 103	UNION GAP	12/2/2010	Routine Inspection	50/76 Missing FWCs, hands not washed as required, raw meats stored above ready to eat food, RTS of PHF
				12/9/2010	Follow-Up Inspection	15/23 Hands not washed as required
YAKIMA COUNTY DEPARTMENT OF FOOD SERVICES	Jail	1711 ENGLEWOOD AVE.	YAKIMA	12/14/2010	Routine Inspection	0/0 (reminder note regarding thermometer maintenance)
YAKIMA CRAFT BREWING CO.	Restaurant	2920 RIVER RD. # 6	YAKIMA	12/3/2010	Pre-Opening Inspection	Approved to start preparing food.
YAKIMA VALLEY TECHNICAL SKILLS CENTER	Chef's School	1120 S. 18TH ST.	YAKIMA	12/2/2010	Routine Inspection	45/56 Hands not washed as required, BHC with RTE food, improperly stocked hand wash sink, inaccurate metal stem thermometer
				12/16/2010	Follow-Up Inspection	0/5

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
ZINGIS MONGOLIAN B.B.Q.	Restaurant	2810 E. LINCOLN AVE	SUNNYSIDE			
				12/1/2010	Pre-Opening Inspection	Several items still need to be done.
				12/6/2010	Opening Inspection	Approved to open.