

Monthly Food Inspection Report

SPECIAL NOTES:

IN THE NOTES PORTION OF THE REPORT THE FIRST NUMBER LISTED IS THE TOTAL POINTS FOR RED/HIGH RISK ITEMS FOUND . THE SECOND NUMBER IS THE TOTAL POINTS FOR HIGH RISK AND LOW RISK ITEMS.

HIGH RISK ITEMS ARE CORRECTED PRIOR TO THE COMPLETION OF THE INSPECTION. 35 OR MORE HIGH RISK POINTS OR 45 OR MORE TOTAL POINTS REQUIRES A FOLLOW-UP INSPECTION.

Abbreviations

- BHC: Bare Hand Contact
- DOH: Washington State Department of Health
- FDA: Food and Drug Administration
- FWC: Food Worker Card
- HACCP: Hazard Analysis Critical Control Point
- PHF: Potentially Hazardous Food
- PIC: Person in Charge
- ROP: Reduced Oxygen Packaging
- RTE: Ready to Eat
- RTS: Room Temperature Storage
- USDA: United States Department of Agriculture
- WAC: Washington Administrative Code
- WSDA: Washington State Department of Agriculture

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
5 NORTH METROPOLITAN KITCHEN & LOUNGE	Restaurant/Lounge	5 N. FRONT STREET	YAKIMA	4/10/2012	Compliance Inspection	5/5 Missing FWCs
8TH STREET MARKET & DELI	Deli	315 N 8TH ST.	YAKIMA	4/25/2012	Compliance Inspection	5/5 Missing FWC
901 PASTA	Restaurant/Catering	910 SUMMITVIEW AVE. SUITE # 7-A	YAKIMA	4/23/2012	Follow-Up Inspection	10/10 Employee restroom handwash missing paper towels.
ABBY'S LEGENDARY PIZZA OF YAKIMA # 57	Restaurant	4804 TIETON DR	YAKIMA	4/25/2012	Routine Inspection	15/15 Inaccurate metal stem thermometer, unlabeled chemical
AGUILILLA BAKERY	Bakery	3206 MAIN ST.	UNION GAP	4/25/2012	Routine Inspection	10/10 missing & expired FWCs, some PHFs found slightly above maximum cold holding temperature
				4/11/2012	Routine Inspection	10/10 - No paper towels at handwash sink in restroom.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
AHTANUM VALLEY ELEMENTARY SCHOOL	School	3006 S WILEY	YAKIMA	4/12/2012	Routine Inspection	0/0
BILL'S FAMILY RESTAURANT	Restaurant	704 W 1ST ST.	WAPATO	4/19/2012	Routine Inspection	10/13 Cold holding PHF's at 57F. Foods were moved to a different cold holding unit.
BILL'S PLACE	Tavern	206 S 3RD AVE.	YAKIMA	4/13/2012	Routine Inspection	5/5 - 2 FWC have expired.
BLUE CATERING	Restaurant	117 S. WAPATO AVE.	WAPATO	4/4/2012	Routine Inspection	20/20 Missing FWC's, no hot water in restroom, raw meats stored above RTE foods. Also they need to add "Tacos El Michoacan" to their permit.
BLUE MOON BAR & GRILL	Tavern	624 E EDISON AVE.	SUNNYSIDE	4/11/2012	Routine Inspection	25/25 Missing FWC's, raw meats stored above RTE foods, improper cold holding, inaccurate thermometer.
BURGER RANCH	Restaurant	1801 S 1ST STREET	YAKIMA	4/26/2012	Routine Inspection	30/51 Missing FWCs, hands not washed as required, improperly stocked hand wash sinks
CARNECERIA LA IMAS BARATA	Bakery	107 W. 3RD	WAPATO	4/4/2012	Routine Inspection	30/30 Improper hot holding of PHF's, inaccurate thermometer.
CARNITAS SUPREME	Restaurant	5 N. "A" STREET	TOPPENISH	4/14/2012	Routine Inspection	40/40 Missing FWCs, blocked hand wash sink, RTS of PHF
CHANDLER'S CONOCO	Mini-mart	1201 BAILEY AVENUE	GRANGER	4/16/2012	Follow-Up Inspection	15/20 Hands not washed as required

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
COOL MART	Mini-mart	101 E 1ST STREET	GRANGER	4/9/2012	Compliance Inspection	30/35 Missing FWCs, improperly hot holding PHF
COTTONWOOD ELEMENTARY SCHOOL	School	1041 S. 96TH AVE	YAKIMA	4/17/2012	Compliance Inspection	0/0
COUNTRY CAFE'	Restaurant	428 S. "G" STREET	TOPPENISH	4/26/2012	Routine Inspection	0/0
CRAZY COW ICE CREAM	Ice Cream Parlor	2529 MAIN ST. # 183	UNION GAP	4/14/2012	Follow-Up Inspection	25/38 Missing FWCs, hands not washed as required, no metal stem thermometer available
CROSSMARK - WALMART # 2241	Grocery Store	2675 E. LINCOLN AVE.	SUNNYSIDE	4/23/2012	Compliance Inspection	0/0
DAIRY QUEEN BRAZIER	Restaurant	403 W MAIN	GRANDVIEW	4/13/2012	Follow-Up Inspection	15/15 Missing FWCs, improperly hot holding PHF, inaccurate metal stem thermometer
DAIRY QUEEN BRAZIER	Restaurant	403 W MAIN	GRANDVIEW	4/17/2012	Routine Inspection	45/45 Hands not washed as required, improperly hot holding PHF, metal stem thermometer was not used to evaluate temperatures of PHF
DARK HORSE INN	Restaurant	1400 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	4/18/2012	Compliance Inspection	0/0
DARK HORSE INN	Restaurant	1400 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	4/25/2012	Routine Inspection	25/33 Hands not washed as required, improper chemical storage
DARK HORSE INN	Restaurant	1400 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	4/14/2012	Routine Inspection	15/20 Missing FWC, raw meat stored with radishes, inaccurate metal stem thermometer

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
DOMO DOGS	Mobile		WAPATO	4/16/2012	Pre-Opening Inspection	Cart approved as level 1. All foods must be purchased daily. Utensils must be disposable.
EAGLE HIGH SCHOOL	School	143 WARD RD	TOPPENISH	4/23/2012	Routine Inspection	0/0
EISENHOWER HIGH SCHOOL "CONCESSIONS"	Seasonal Concession	702 S. 40TH AVE.	YAKIMA	4/24/2012	Routine Inspection	25/27 Missing FWC, hands not washed as required, no metal stem thermometer available
EL CHARRITO #2	Restaurant	2695 E. LINCOLN - BAY "F"	SUNNYSIDE	4/11/2012	Compliance Inspection	30/30 Improperly cooling PHF
EL FARO TAQUERIA # 3	Mobile		SUNNYSIDE	4/17/2012	Pre-Opening Inspection	
EL IMANANTIAL	Juice Bar	912 E. NOB HILL BLVD. - YAKIMA	YAKIMA	4/10/2012	Routine Inspection	10/10 - Juice with melons in it at 62 degrees.
FRATERNAL ORDER OF EAGLES	Restaurant/Lounge	100 E. SOUTH HILL RD.	SUNNYSIDE	4/11/2012	Follow-Up Inspection	5/5 Missing FWCs
FUEGO LOUNGE	Restaurant	1600 YAKIMA VALLEY HWY	SUNNYSIDE	4/14/2012	Routine Inspection	30/35 Missing FWCs, improperly stocked hand wash sink, inaccurate metal stem thermometer, improper chemical storage
GARCIA'S DRIVE - THRU	Restaurant/Catering	1027 W WINE COUNTRY RD.	GRANDVIEW	4/2/2012	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
GAS MAX	Mini-mart	608 WINE COUNTRY ROAD	GRANDVIEW	4/2/2012	Routine Inspection	25/25 Improper hot holding of PHF
GUERRA'S DELI & CAFE	Deli/Catering	2010 YAKIMA VALLEY HWY. SP# 20	SUNNYSIDE	4/28/2012	Catering Routine Inspectio	0/2
HARRAH ELEMENTARY SCHOOL	School	3851 HARRAH RD	HARRAH	4/25/2012	Routine Inspection	0/0
HOOVER ELEMENTARY SCHOOL	School	400 W. VIOLA	YAKIMA	4/9/2012	Routine Inspection	
IXTAPA RESTAURANT	Restaurant	311 "B" STREET	MABTON	4/14/2012	Routine Inspection	55/65 Missing FWCs, hands not washed as required, BHC with RTE food, improperly stocked hand wash sink, raw meat stored above RTE food
JACK'S PLACE CAFE	Restaurant	3060 BROWNSTOWN RD.	BROWNSTOWN	4/6/2012	Routine Inspection	15/18 BHC with RTE, Lots of repairs needed on non-food-contact surfaces
JAMES GANG TAVERN	Tavern	2101 S 3RD AVE	YAKIMA	4/30/2012	Complaint Inspection	5/15 Patrons were found smoking inside of the tavern.
JIMMY JOHN'S GOURMET SANDWICHES	Restaurant	120 E. YAKIMA AVENUE	YAKIMA	4/20/2012	Pre-Opening Inspection	Approved to open.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
JOHN CAMPBELL ELEMENTARY SCHOOL	School	408 N. 1ST ST	SELAH	4/9/2012	Routine Inspection	0/0
KENTUCKY FRIED CHICKEN/A&W	Restaurant	1928 YAKIMA VALLEY HWY.	SUNNYSIDE	4/11/2012	Routine Inspection	0/0
KIANNA'S	Restaurant	1 TOPPENISH AV S	TOPPENISH	4/14/2012	Routine Inspection	10/10 Improperly stocked hand wash sink
KRACKER BARRELL	Mini-mart	48851 U.S. HWY. 12	NACHES	4/30/2012	Routine Inspection	0/0 No problems.
LA BARATA	Meat Market	317 B ST	MABTON	4/11/2012	Compliance Inspection	60/60 Missing FWCs, improperly stocked hand wash sink, raw meat stored above RTE food, improperly cooling PHF, improper chemical storage
LA CARRETA MEXICAN RESTAURANT & LOUNGE	Restaurant/ Lounge	1006 S. 3RD AVENUE	YAKIMA	4/18/2012	Compliance Inspection	5/5 Missing FWC
LA GUADALUPANA EXPRESS	Restaurant	3990 HARRAH ROAD	HARRAH	4/25/2012	Compliance Inspection	5/5 Missing FWC
LARA'S BAKERY	Bakery	7 WASHINGTON AV	TOPPENISH	4/14/2012	Routine Inspection	35/45 Missing FWCs, RTS of PHF, no metal stem thermometer was available
				4/9/2012	Compliance Inspection	0/0
				4/9/2012	Pre-Opening Inspection	

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
LATINO MARKET	Mini-mart	502 W. 1ST STREET	TOPPENISH	4/30/2012	Routine Inspection	10/10 inadequately stocked hand sink
LEWISVILLE	Tavern	301 N. 6TH AVENUE	YAKIMA	4/12/2012	Follow-Up Inspection	5/5 Missing FWC
LOS MARIACHIS	Rest/Lounge/Cater ring	1026 1ST ST N	YAKIMA	4/18/2012	Compliance Inspection	0/0
MAMA J'Z	Restaurant	330 MAIN ST	MABTON	4/9/2012	Catering Routine Inspection	They were found catering at the Sundome. Need FWC, copy of license, handwash setup, metal stem thermometer.
MANY'S MARKET	Mini-mart	811 W. MEAD	YAKIMA	4/18/2012	Compliance Inspection	0/0
MARTIN LUTHER KING, Jr.	School	2000 S. 18TH ST	YAKIMA	4/23/2012	Follow-Up Inspection	No problems.
MC DONALD'S	Restaurant	499 S 1ST STREET	SELAH	4/9/2012	Routine Inspection	0/0
MC DONALD'S - WAL-MART	Restaurant	1600 E. CHESTNUT	YAKIMA	4/24/2012	Routine Inspection	25/33 Missing FWCs, improperly stocked hand wash sink, improper chemical storage
MC DONALD'S OF SUNNYSIDE	Restaurant	2200 YAKIMA VLY HWY	SUNNYSIDE	4/6/2012	Routine Inspection	0/0
				4/20/2012	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
McCLURE ELEMENTARY SCHOOL	School	1222 S. 22ND AVE	YAKIMA	4/9/2012	Routine Inspection	0/0
MEXICAN FRUIT	Mobile	2201 E. EDISON - SUNNYSIDE SCHUCK'S PARKING LOT	GRANDVIEW	4/11/2012	Routine Inspection	0/0 No problems.
MEXICAN FRUIT # 2	Mobile	8 RANCHRITE RD. - YAKIMA	GRANDVIEW	4/11/2012	Pre-Opening Inspection	
MI PUEBLO SUPER MARKET	Grocery Store	511 N 1ST ST.	YAKIMA	4/26/2012	Routine Inspection	15/25 A few employees missing FW/C's, labels needed on repacked foods, no sanitizer in meat department.
MOJO'S CAFE	Espresso Stand	1008 E. NOB HILL BLVD.	YAKIMA	4/16/2012	Pre-Opening Inspection	
MONGOLIAN GRILL	Restaurant	1628 E. WASHINGTON AVE.	UNION GAP	4/16/2012	Routine Inspection	15/33 Missing FW/Cs, unlabeled chemical
MOUNTAINVIEW ELEMENTARY SCHOOL	School	830 STONE RD	YAKIMA	4/26/2012	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
NOB HILL MINI MART & SMOKE SHOPPE	Mini-mart	814 W NOB HILL BLVD	YAKIMA	4/9/2012	Follow-Up Inspection	15/15 Missing FWCs, improperly stocked hand wash sink
				4/17/2012	Compliance Inspection	15/15 Missing FWCs, improperly stocked hand wash sink
				4/26/2012	Compliance Inspection	10/15 Blocked hand wash sink
ON THE GO - SENIOR CAFE (SOUTHEAST COMMUNITY CENTER)	Serving Site	1211 S. 7TH ST.	YAKIMA	4/23/2012	Follow-Up Inspection	They need to keep temperature logs when sealing and freezing hot PHF's.
ONE STOP MINI MART & SMOKE SHOP	Mini-mart	921 SUMMITVIEW AVE	YAKIMA	4/3/2012	Routine Inspection	25/30 Improper hot holding of PHF's, no sanitizer available.
				4/5/2012	Follow-Up Inspection	They have corrected all the problems from previous inspection.
OUTBACK ESPRESSO NORTH	Espresso Stand	1212 S. 80TH AVE	YAKIMA	4/13/2012	Follow-Up Inspection	15/18 Missing FWC, improperly stocked hand wash sink
				4/24/2012	Compliance Inspection	0/0
PIT STOP	Mini-mart	10121 HWY 12	NACHES	4/12/2012	Routine Inspection	40/48 Improperly stocked hand wash sink, food not in good condition, improperly hot holding PHF, inaccurate metal stem thermometer, improper chemical storage, unlabeled chemical
				4/17/2012	Follow-Up Inspection	0/5
PIZZA HUT	Restaurant	304 S. 1ST STREET SUITE # 1	SELAH	4/10/2012	Routine Inspection	0/0
				4/25/2012	Routine Inspection	0/0 No problems.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
PRIME CUT MEATS & DELI	Deli	140 S. 72ND AVE.	YAKIMA	4/23/2012	Routine Inspection	5/5 Inaccurate metal stem thermometer
QUESERIA BENDITA		512 S 3RD ST	YAKIMA	4/2/2012	Routine Inspection	0/0
R. C.'S	Restaurant/Lounge	31 A RAY RD.	SUNNYSIDE	4/14/2012	Routine Inspection	20/30 Missing FWC, improperly reheating PHF
RAMOS SEAFOOD	Commissary	6450 YAKIMA VALLEY HWY.	WAPATO	4/27/2012	Routine Inspection	0/0 All cold holding was at 38F. They were just receiving shipment when I inspected.
ROADRUNNER GAS	Mini-mart	1820 S. 3RD AVE.	YAKIMA	4/2/2012	Routine Inspection	5/8 inaccurate thermometer, excessive clutter and neglect of cleaning
ROBERT S. LINCE ELEMENTARY SCHOOL	School	316 W NACHES	SELAH	4/17/2012	Routine Inspection	0/0
SAFEWAY # 502	Grocery Store	5702 SUMMITVIEW AVE.	YAKIMA	4/23/2012	Routine Inspection	30/45 Potential food contamination, no hand washing, improper cold holding of PHF's, no sanitizer. Follow up required.
SELAH INTERMEDIATE SCHOOL	School	1401 W. FREMONT	SELAH	4/9/2012	Routine Inspection	0/0
SPORTS CENTER	Restaurant/Lounge	214 E YAKIMA AVE.	YAKIMA	4/17/2012	Routine Inspection	0/10

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
STOP N' GO DRIVE IN	Restaurant	2820 FRUITVALE BLVD.	YAKIMA	4/17/2012	Follow-Up Inspection	30/30 Missing FWC, hands not washed as required, unlabeled chemical
SU MERCADITO #2	Grocery Store	108 MAIN ST S	GRANGER	4/26/2012	Compliance Inspection	0/0
SUB SHOP OF YAKIMA	Restaurant	6 N. FAIR AVE. SP# 109	YAKIMA	4/9/2012	Compliance Inspection	5/5 Missing FWCs
SUBWAY # 36788	Restaurant	210 S. 72ND AVE. SUITE # 100	YAKIMA	4/2/2012	Routine Inspection	0/0
SUMMITVIEW ELEMENTARY SCHOOL	School	6305 W. CHESTNUT	YAKIMA	4/9/2012	Routine Inspection	0/0
SUNNYSIDE HIGH SCHOOL	School	16TH & EDISON AVE	SUNNYSIDE	4/26/2012	Routine Inspection	0/0
T. M. MARKET	Mini-mart	417 N CEMETERY RD	SUNNYSIDE	4/25/2012	Routine Inspection	0/0
T. W. MARKET	Mini-mart	1143 TACOMA AVENUE	SUNNYSIDE	4/11/2012	Routine Inspection	0/0
TACO BORRACHO RESTAURANT	Rest/Lounge/Cate ring	503 S. FAIR AVE. SUITE # 100	YAKIMA	4/11/2012	Routine Inspection	5/5 Inaccurate metal stem thermometer
				4/11/2012	Compliance Inspection	5/5 Inaccurate metal stem thermometer
				4/16/2012	Compliance Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
TACOS BETHEL	Mobile	O'REILLY AUTO PARTS - SUNNYSIDE	SUNNYSIDE	4/11/2012	Pre-Opening Inspection	Not ready to open yet. They still need a fourth sink in the unit.
TACOS CHAVA	Restaurant	2529 MAIN ST. SUITE# 266	UNION GAP	4/19/2012	Routine Inspection	0/5 Need to fix one of the 3 compartment sinks.
TACOS EL GRULLO	Restaurant/Catering	102 N. ILLER STREET	MOXEE	4/9/2012	Routine Inspection	20/25 Missing FWC, raw meat stored above ready to eat food, unlabeled chemical, improper chemical storage
TAQUERIA DELICIAS	Mobile	1402 S. 1ST ST.- YAKIMA	SELAH	4/20/2012	Routine Inspection	35/35 - FWC needed, BHC with ready to eat food, no hot water at hand wash sink, and no metal stem thermometer.
TAQUERIA LOS PRIMOS # 3	Restaurant/Catering	1001 N. 16TH AVE.	YAKIMA	4/17/2012	Routine Inspection	0/0 No problems observed.
TEA GARDEN	Restaurant	110 S. 4TH STREET	YAKIMA	4/10/2012	Follow-Up Inspection	25 Improper hot holding. Issue on previous inspection that has not been corrected. Third inspection is necessary.
TERRACE HEIGHTS ELEMENTARY	School	4300 MAPLE CT.	YAKIMA	4/11/2012	Routine Inspection	0/3
THE DOG HAUS	Mobile		YAKIMA	4/17/2012	Routine Inspection	0/0
				4/25/2012	Pre-Opening Inspection	Approved to open.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
TIENDA LA TAPATIA	Restaurant	802 W. 1ST AVE.	TOPPENISH	4/23/2012	Routine Inspection	45/45 Missing FWC, improperly stocked hand wash sinks, blocked hand wash sink, improperly hot holding PHF, inaccurate metal stem thermometer
TINY'S TAVERN	Tavern	501 W. 1ST STREET	WAPATO	4/4/2012	Routine Inspection	0/3 Non-food contact surfaces in disrepair
TREVERI CELLARS WAPATO	Winery	71 GANGLE RD.	WAPATO	4/25/2012	Pre-Opening Inspection	
UNION GAP FOOD MART	Mini-mart	3312 MAIN ST	UNION GAP	4/17/2012	Compliance Inspection	25/25 Improperly hot holding PHF
UNION GAP MIDDLE SCHOOL	School	3201 S. 4TH ST.	UNION GAP	4/12/2012	Routine Inspection	0/0
WASHINGTON ELEMENTARY SCHOOL	School	800 JACKSON	SUNNYSIDE	4/25/2012	Routine Inspection	0/0
WEST VALLEY CHURCH OF THE NAZARENE	Church Kitchen	7109 NOB HILL BLVD, W	YAKIMA	4/21/2012	Routine Inspection	No problems.
WHITE SWAN HIGH SCHOOL	School	621 SIGNAL PEAK	WHITE SWAN	4/25/2012	Routine Inspection	0/5 Improperly sanitizing dishwasher
WHITNEY ELEMENTARY SCHOOL	School	4411 W. NOB HILL BLVD	YAKIMA	4/9/2012	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
WOODSHED RESTAURANT & LOUNGE	Restaurant/Lounge	8590 HWY 410	NACHES	4/12/2012	Compliance Inspection	45/45 Hands not washed as required, improperly cooling PHF
				4/26/2012	Compliance Inspection	0/5
YOGURT SHACK	Ice Cream Parlor	110 S. 72ND AVE. SUITE # 100	YAKIMA	4/9/2012	Routine Inspection	0/3