

# Monthly Food Inspection Report

**SPECIAL NOTES:**

IN THE NOTES PORTION OF THE REPORT THE FIRST NUMBER LISTED IS THE TOTAL POINTS FOR RED/HIGH RISK ITEMS FOUND . THE SECOND NUMBER IS THE TOTAL POINTS FOR HIGH RISK AND LOW RISK ITEMS.

HIGH RISK ITEMS ARE CORRECTED PRIOR TO THE COMPLETION OF THE INSPECTION. 35 OR MORE HIGH RISK POINTS OR 45 OR MORE TOTAL POINTS REQUIRES A FOLLOW-UP INSPECTION.

**Abbreviations**

- BHC: Bare Hand Contact
- DOH: Washington State Department of Health
- FDA: Food and Drug Administration
- FWC: Food Worker Card
- HACCP: Hazard Analysis Critical Control Point
- PHF: Potentially Hazardous Food
- PIC: Person in Charge
- ROP: Reduced Oxygen Packaging
- RTE: Ready to Eat
- RTS: Room Temperature Storage
- USDA: United States Department of Agriculture
- WAC: Washington Administrative Code
- WSDA: Washington State Department of Agriculture

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
16TH STREET MINUTE MART	Mini-mart	1121 S. 16TH ST.	SUNNYSIDE	9/5/2012	Routine Inspection	5/5 Expired FWC
1885 BAR & GRILL @ VAN'S	Restaurant/Catering	208 NACHES AVENUE	NACHES	9/26/2012	Routine Inspection	30/46 Missing FWCs, improperly stocked hand wash sink, inaccurate metal stem thermometer, unlabeled chemical
410 MARKET	Grocery Store	1301 YAKIMA VALLEY HWY.	SUNNYSIDE	9/5/2012	Routine Inspection	35/35 Food not in good condition, improperly hot holding PHF
A & A MINI MART & SMOKE SHOP	Mini-mart	708 N. 5TH AVE.	YAKIMA	9/5/2012	Routine Inspection	20/20 inadequate handwashing facilities, spoiled foods
APPLE BARREL SHELL GAS	Mini-mart	2021 FRUITVALE BLVD.	YAKIMA	9/4/2012	Routine Inspection	40/53 Expired FHC, improper cooling for PHF's, improper in-use utensil storage. Follow-up required.
BLUE HILLS TAQUERIA	Restaurant	1509-B TIETON DR. - YAKIMA	YAKIMA	9/11/2012	Routine Inspection	0/5 They need to hook up to city sewer.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
BLUE SKY MARKET #2	Grocery Store	330 NORTH STREET	MABTON	9/5/2012	Routine Inspection	0/0
CAFE AMORE	Espresso Stand	14 N. 7TH AVE	YAKIMA	9/19/2012	Routine Inspection	0/0 No problems.
CLAAR CELLARS	Winery	1001 VINTAGE VALLEY PARKWAY	ZILLA	9/7/2012	Routine Inspection	0/0
COFFEE AT TIFFANY'S	Espresso Stand	402 S 1ST ST.	SELAH	9/17/2012	Routine Inspection	0/0
COFFEE CRAVINGS	Espresso Stand	118 W. YAKIMA AVE.	YAKIMA	9/18/2012	Routine Inspection	0/0
CONQUISTADOR	Restaurant	214 S. 6TH ST. UNIT # 7	SUNNYSIDE	9/17/2012	Routine Inspection	15/20 Missing FWC's, raw meats stored above RTE foods, improper cold holding.
DOUBLE BARREL BAR & GRILL	Restaurant/Lounge	115 E. NACHES AVE.	SELAH	9/13/2012	Routine Inspection	30/35 Blocked hand wash sink, raw meats stored above RTE food, inaccurate metal stem thermometer, unlabeled chemical
EAST VALLEY HIGH SCHOOL CONCESSIONS	Seasonal Concession	1900 BEAUDRY ROAD	MOXEE	9/7/2012	Routine Inspection	25/27 PIC did not answer correctly, missing FWCs, improperly stocked hand wash sink, no metal stem thermometer was available

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
EL CHARRITO #2	Restaurant	2695 E. LINCOLN - BAY "F"	SUNNYSIDE	9/5/2012	Routine Inspection	5/5/55 Missing FWCs, improperly stocked hand wash sink, RTS of PHF, inaccurate metal stem thermometer, improperly labeled chemical
EL CHICKEN ROBIN	Mobile		WAPATO	9/28/2012	Follow-Up Inspection	30/38 Improperly cooling PHF
EL MEJOR TAQUITO	Mobile	821 Yakima Valley HWY Sunnyside	SUNNYSIDE	9/10/2012	Routine Inspection	0/8 dirty surfaces on both food contact and non-food contact areas
EL PARRILLON LOCO DE TOM AND JERRY	Restaurant	808 N 1ST ST.	YAKIMA	9/19/2012	Routine Inspection	35/43 Missing FWCs, hands not washed as required, blocked hand wash sink, inaccurate metal stem thermometer
FIESTA FOODS	Grocery Store	1008 E. NOB HILL BLVD.	YAKIMA	9/19/2012	Pre-Opening Inspection	
FRATERNAL ORDER OF EAGLES		515 S. DIVISION	TOPPENISH	9/19/2012	Routine Inspection	10/15 Missing sanitizer in bakery dept., improper cold holding of PHF, recent complaint unsubstantiated
FRATERNAL ORDER OF EAGLES #289	Restaurant/Lounge	307 W. CHESTNUT	YAKIMA	9/26/2012	Routine Inspection	5/5 Raw meats stored above RTE foods.
GENERAL STORE	Mini-mart	505 W. 1ST STREET	TOPPENISH	9/7/2012	Routine Inspection	5/15 Raw meat stored above RTE food in reachin refrigerator
				9/10/2012	Routine Inspection	0/0 No problems

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
GLACIER'S FROZEN YOGURT, L.L.C.	Ice Cream Parlor	4040 TERRACE HEIGHTS DR. # 140	YAKIMA	9/10/2012	Routine Inspection	0/0
HEBREWS 11:1	Espresso Stand	326 N. 1ST ST.	YAKIMA	9/20/2012	Routine Inspection	10/17 Unlabeled chemical
HY'S SERVICE	Mini-mart	1219 W. LINCOLN	YAKIMA	9/25/2012	Routine Inspection	45/48 - FWC needed, improper handwash facilities, improper hot holding temperatures, and inaccurate metal stem thermometer.
IN & OUT MINI MART	Mini-mart	1513 TIETON DR	YAKIMA	9/18/2012	Routine Inspection	45/45 Missing FWC, improperly stocked hand wash sink, improperly hot holding PHF, inaccurate metal stem thermometer
JITTER BEAN ESPRESSO BAR dba YAKIMA'S BEST ESPRESSO	Espresso Stand	401 W. NOB HILL BLVD.	YAKIMA	9/4/2012	Routine Inspection	0/15 No sanitizer made up, facility very dirty, plumbing problems.
JITTER BUG ESPRESSO	Espresso Stand	11 PENCE RD	YAKIMA	9/26/2012	Routine Inspection	0/0
JUNGAPETY	Mobile		WAPATO	9/10/2012	Routine Inspection	25/25 Handwash faucet not working, improper cold holding of PHF's, no thermometer.
KANA WINERY	Winery	6 S 2ND ST.	YAKIMA	9/20/2012	Routine Inspection	0/0 No problems.
LA BARATA	Meat Market	317 B ST	MABTON	9/19/2012	Routine Inspection	40/50 Missing FWC, raw meat stored next to ready to eat food, improperly hot holding PHF, inaccurate metal stem thermometer

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
LA BARATA MEAT MARKET	Grocery Store	1103-B E. YAKIMA VALLEY HWY.	SUNNYSIDE	9/7/2012	Routine Inspection	55/68 Hands not washed as required, raw meat stored next to RTE food, improperly hot holding PHF, improperly cold holding PHF
LA CASITA	Mobile	Borton's at 8:20AM then Gilbert warehouse in Wiley City	UNION GAP	9/13/2012	Follow-Up Inspection	15/15 Hands not washed as required
LA FOGATA MEXICAN GRILL	Restaurant/Lounge	1204 YAKIMA VALLEY HWY.	SUNNYSIDE	9/28/2012	Compliance Inspection	10/15 Improperly stocked hand wash sink
LA FONDA	Restaurant	606 S 36TH AVE	YAKIMA	9/11/2012	Routine Inspection	0/0 No problems
LA GUADALUPANA	Restaurant	3990 HARRAH ROAD	HARRAH	9/28/2012	Routine Inspection	55/60 Missing FWCs, improperly stocked hand wash sink, raw meat stored next to RTE food, improperly cooling PHF, inaccurate metal stem thermometer
LARA'S BAKERY	Bakery	7 WASHINGTON AV	TOPPENISH	9/26/2012	Follow-Up Inspection	0/0 They have corrected all problems from previous inspection.
LEWISVILLE	Tavern	301 N. 6TH AVENUE	YAKIMA	9/12/2012	Routine Inspection	10/23 Unlabeled chemical
MAJOR'S	Restaurant	1705 W. LINCOLN AVE.	YAKIMA	9/13/2012	Routine Inspection	85/101 Missing FWCs, hands not washed as required, BHC with RTE food, raw meat stored above RTE food, improperly cooling PHF, inaccurate metal stem thermometer

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
MAMA J'Z	Restaurant	330 MAIN ST	MABTON	9/19/2012	Routine Inspection	30/38 Missing FWC, hands not washed as required, improperly stocked hand wash sink
MARISCOS MAR & TIERRA # 3	Mobile		WAPATO	9/12/2012	Routine Inspection	25/25 Improperly hot holding PHF
MARISCOS MAR & TIERRA # 4	Mobile		WAPATO	9/14/2012	Routine Inspection	0/0
MARISCOS MAR & TIERRA # 5	Mobile		WAPATO	9/7/2012	Follow-Up Inspection	40/40 Improperly stocked hand wash sink, improperly hot holding PHF, inaccurate metal stem thermometer
MOJO'S CAFE	Espresso Stand	1008 E. NOB HILL BLVD.	YAKIMA	9/17/2012	Compliance Inspection	40/40 Hands not washed as required, improperly hot holding PHF
NOB HILL CONOCO	Mini-mart	1023 S 3RD AVE.	YAKIMA	9/26/2012	Compliance Inspection	25/28 Improperly hot holding hamburgers and ham & cheese sandwiches
NOB HILL MINI MART & SMOKE SHOPPE	Mini-mart	814 W NOB HILL BLVD	YAKIMA	9/15/2012	Routine Inspection	20/20 missing FWCs, inadequate hand washing facilities, improper hot holding of PHF
				9/19/2012	Routine Inspection	0/0
				9/12/2012	Follow-Up Inspection	30/30 Improperly hot holding PHF, inaccurate metal stem thermometer
				9/19/2012	Routine Inspection	0/5

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
NORTH AVENUE MARKET	Mini-mart	701 NORTH AVENUE	SUNNYSIDE	9/5/2012	Routine Inspection	5/10 Expired FWC, no sanitizer available.
PANADERIA LA MORENITA	Bakery	117 E WALNUT	YAKIMA	9/12/2012	Routine Inspection	0/5 Bread needs to be covered.
PANDA GARDEN RESTAURANT	Restaurant	3210 PICARD PLACE	SUNNYSIDE	9/5/2012	Compliance Inspection	0/3
PAPA JOHN'S PIZZA	Restaurant	3508 SUMMITVIEW	YAKIMA	9/11/2012	Routine Inspection	5/5 Missing FWCs
PAPA MURPHY'S PIZZA	Restaurant	205 S. 1ST	SELAH	9/27/2012	Routine Inspection	0/0
PARK 'N PAK	Mini-mart	905 LINCOLN AVE.	SUNNYSIDE	9/17/2012	Routine Inspection	15/15 Missing FWC's, Missing metal stem thermometer.
PEPE'S BAKERY OF YAKIMA	Bakery	605 E. NOB HILL BLVD.	YAKIMA	9/24/2012	Routine Inspection	0/0
PIETY FLATS WINERY	Winery	2560 DONALD/WAPATO O ROAD	WAPATO	9/7/2012	Routine Inspection	0/0
PIZZA HUT # 46022	Restaurant/Catering	6 N. FAIR AVE. # 115	YAKIMA	9/26/2012	Follow-Up Inspection	0/2
				9/26/2012	Catering Routine Inspection	15/17 Improperly stocked hand wash sink, inaccurate metal stem thermometer

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
PUPUSERIA RESTAURANT	Restaurant/Catering	2695 E. LINCOLN AVE # E	SUNNYSIDE	9/12/2012	Follow-Up Inspection	10/10 Raw meat stored above RTE food, inaccurate metal stem thermometer
QUALITY INN	Continental Brkfst	12 VALLEY MALL BLVD.	UNION GAP	9/12/2012	Routine Inspection	10/25 Improper cold holding temps of PHF's, no sanitizer, improper warewashing.
RAINIER PLACE	Mini-mart	1811 RAINIER PL	UNION GAP	9/13/2012	Routine Inspection	5/5 Expired FWC's.
SALSITA ANTOJITOS MEXICANOS	Restaurant	902 S. FAIR AVE.	YAKIMA	9/20/2012	Routine Inspection	0/0 No problems.
SHARI'S RESTAURANT - N. YAKIMA	Restaurant	1401 LAKESIDE COURT	YAKIMA	9/19/2012	Routine Inspection	20/25 Improperly cold holding PHF's, thermometers missing, improper hot holding of PHF's
SPUDAWGY	Restaurant	1215 E. WASHINGTON	UNION GAP	9/13/2012	Routine Inspection	10/10 Improper cold holding of PHF's.
STATE FAIR RACEWAY	Catering	1301 FAIR AVE.	YAKIMA	9/25/2012	Routine Inspection	20/35 Missing FWCs, improperly stocked hand wash sink, metal stem thermometer was not used,
SU MERCADITO #2	Grocery Store	108 MAIN ST S	GRANGER	9/7/2012	Routine Inspection	60/65 Missing FWCs, raw meats stored next to and above ready to eat food, improperly hot held PHF, RTS of PHF



Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SUNNYSIDE CHEVRON	Mini-mart	1805 S. 1ST STREET	SUNNYSIDE	9/5/2012	Compliance Inspection	30/30 Missing FWC, improperly hot holding PHF
				9/19/2012	Compliance Inspection	0/0
SUNTOWN COFFEE CO.	Espresso Stand	1829 S 1ST STREET SUITE "B"	SUNNYSIDE	9/17/2012	Routine Inspection	5/5 Two employees need FWC's.
SUPERMEX OF YAKIMA	Grocery Store	316 3RD ST S	YAKIMA	9/10/2012	Routine Inspection	40/43 Missing FWC, improperly stocked hand wash sink, improperly hot holding PHF
SWEET BEEZ CAFE	Restaurant/Cateri ng	130 E NACHES	SELAH	9/26/2012	Catering Routine Inspectio	10/10 Missing FWC, inaccurate metal stem thermo meter
TACO TIME	Restaurant	701 W YAKIMA AVE.	YAKIMA	9/19/2012	Routine Inspection	0/0 No problems.
TACOS ISABEL 2	Mobile	VARIOUS FIELD LOCATIONS.	SUNNYSIDE	9/19/2012	Routine Inspection	30/32 Missing FWCs, improperly hot holding PHF
TAQUERIA LA CABANA	Restaurant	1205 N. 1ST STREET	YAKIMA	9/18/2012	Follow-Up Inspection	30/30 Improperly cooling PHF's. Compliance inspection needed.
TAQUERIA LOS PRIMOS # 3	Restaurant/Cateri ng	1001 N. 16TH AVE.	YAKIMA	9/27/2012	Routine Inspection	15/20 Expired FWC, Handwash sink had hot water valve shut off.
TEN-FOUR CAFE	Restaurant	703 WINE COUNTRY RD.	GRANDVIEW	9/12/2012	Routine Inspection	25/30 Missing FWCs, hands not washed as required, inaccurate metal stem thermo meter

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
THE COFFEE SHACK	Espresso Stand	7111 POSTMA RD	MOXEE	9/6/2012	Routine Inspection	0/0 No problems
THE ELMS BED & BREAKFAST	Bed & Breakfast	1000 BLAINE AVE.	SUNNYSIDE	9/7/2012	Routine Inspection	0/0
THE NINETEENTH HOLE CAFE	Snack Bar	1107 S. 18TH STREET - YAKIMA	YAKIMA	9/6/2012	Routine Inspection	0/0
THE SODA FOUNTAIN	Restaurant	2105 TIETON DR	YAKIMA	9/11/2012	Routine Inspection	20/20 Missing FWC, inaccurate metal stem thermometer, unlabeled chemical
TIETON MARKET	Mini-mart	6003 TIETON DR	YAKIMA	9/11/2012	Routine Inspection	5/10 Raw meats stored above other foods, no sanitizer made up.
TREVERI CELLARS WAPATO	Winery	71 GANGLE RD.	WAPATO	9/26/2012	Routine Inspection	5/5 Missing thermometer.
VALLEY VIEW MARKET	Mini-mart	107 W. LINCOLN	SUNNYSIDE	9/5/2012	Routine Inspection	45/45 Missing FWC, food not in good condition, improperly hot holding PHF, inaccurate metal stem thermometer
WAPATO XPRESS MART	Mini-mart	631 1ST ST W	WAPATO	9/28/2012	Follow-Up Inspection	15/20 Hands not washed as required
WEST VALLEY DAIRY QUEEN	Restaurant	7410 W. NOB HILL BLVD.	YAKIMA	9/10/2012	Routine Inspection	0/0 No problems
				9/5/2012	Routine Inspection	15/15 - Improper storage of ice scoop.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
WEST VALLEY HIGH SCHOOL CONCESSION STAND	Seasonal Concession	9800 ZIER RD.	YAKIMA	9/7/2012	Routine Inspection	0/0
WHITLIN' JACK LODGE	Restaurant/Lounge	20800 HWY 410	NACHES	9/14/2012	Compliance Inspection	70/78 Hands not washed as required, BHC with RTE food, RTS of PHF, improperly cold holding PHF with ice, no metal stem thermometer was available
WINDY POINT VINEYARDS	Winery	420 WINDY PT DR	WAPATO	9/26/2012	Routine Inspection	No problems.
YAKIMA AVENUE DAIRY QUEEN	Restaurant	801 E YAKIMA AVE.	YAKIMA	9/12/2012	Routine Inspection	0/10 Thermometer needed in refrigerator, various utensils need general cleaning.
YAKIMA CRAFT BREWING CO.	Restaurant	2920 RIVER RD. # 6	YAKIMA	9/17/2012	Routine Inspection	0/5 Refrigerator missing thermometer.
ZILLA HIGH SCHOOL A.S.B. (ATHLETIC EVENTS)	Seasonal Concession	1602 2ND AVE	ZILLA	9/28/2012	Routine Inspection	15/20 Improperly stocked hand wash station, improperly hot holding PHF