

Monthly Food Inspection Report

SPECIAL NOTES:

IN THE NOTES PORTION OF THE REPORT THE FIRST NUMBER LISTED IS THE TOTAL POINTS FOR RED/HIGH RISK ITEMS FOUND . THE SECOND NUMBER IS THE TOTAL POINTS FOR HIGH RISK AND LOW RISK ITEMS.

HIGH RISK ITEMS ARE CORRECTED PRIOR TO THE COMPLETION OF THE INSPECTION. 35 OR MORE HIGH RISK POINTS OR 45 OR MORE TOTAL POINTS REQUIRES A FOLLOW-UP INSPECTION.

Abbreviations

- BHC: Bare Hand Contact
- DOH: Washington State Department of Health
- FDA: Food and Drug Administration
- FWC: Food Worker Card
- HACCP: Hazard Analysis Critical Control Point
- PHF: Potentially Hazardous Food
- PIC: Person in Charge
- ROP: Reduced Oxygen Packaging
- RTE: Ready to Eat
- RTS: Room Temperature Storage
- USDA: United States Department of Agriculture
- WAC: Washington Administrative Code
- WSDA: Washington State Department of Agriculture

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
3D AM/PM	Mini-mart	1801 E NOB HILL	YAKIMA	10/1/2012	Routine Inspection	0/0
41ST STREET ESPRESSO	Espresso Stand	4112 1/2 TERRACE HGTS. DR.	YAKIMA			
ADAMS ELEMENTARY	School	723 S. 8TH ST.	YAKIMA	10/16/2012	Routine Inspection	0/0
AIR LINE MARKET	Mini-mart	1002 W. WASHINGTON AVE.	YAKIMA	10/25/2012	Routine Inspection	0/0
ARBY'S RESTAURANT	Restaurant	1227 S 15T ST.	YAKIMA	10/16/2012	Routine Inspection	40/40 Missing FWC, food not in good condition, RTS of PHF
ARCTIC CIRCLE	Restaurant	3912 W NOB HILL	YAKIMA	10/11/2012	Routine Inspection	0/0
BONAIR WINERY	Winery	500 BONAIR RD.	ZILLAH	10/15/2012	Routine Inspection	0/0
				10/17/2012	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
BUENA TAVERN	Tavern	670 BUENA RD	BUENA	10/26/2012	Routine Inspection	10/15 Improper cold holding of PHF's.
CABIN ESPRESSO	Espresso Stand	6301 AHTANUM RD	YAKIMA	10/5/2012	Routine Inspection	0/0 No problems.
CAFFE BREWLATTE	Espresso Stand	2800 TERRACE HTS DRIVE	YAKIMA	10/4/2012	Routine Inspection	0/0
CARNICERIA COALCOMAN	Meat Market	229 DIVISION ST.	GRANDVIEW	10/24/2012	Surveillance Inspection	Chorizo made with vinegar. They store the chorizo in the refrigerator.
CLUB 2103 ON LINCOLN	Tavern	2103 W LINCOLN AVE.	YAKIMA	10/24/2012	Surveillance Inspection	The chorizo is not placed into casings. They sell bulk and keep it refrigerated.
COFFEE CORRAL	Espresso Stand	802 W. 1ST AVE.	TOPPENISH	10/24/2012	Routine Inspection	0/3 Kitchen needs a thorough cleaning.
DAWN TIL DUSK ESPRESSO	Espresso Stand	9918 U. S. HWY. 12	NACHES	10/30/2012	Routine Inspection	15/15 - Ice scoop improperly stored.
DINEEN FAMILY VINEYARDS	Winery	2980 GILBERT RD. - ZILLAH	ZILLAH	10/15/2012	Routine Inspection	0/0
DOLLAR TREE #4985	Mini-mart	300 W 1ST AVE	TOPPENISH	10/26/2012	Routine Inspection	0/0
				10/2/2012	Pre-Opening Inspection	CLEARED TO OPEN

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
DOMINO'S PIZZA # 7171	Restaurant	420 S. 72ND AVE.	YAKIMA	10/5/2012	Routine Inspection	15/20 Expired FWC's, improper cold holding of PHF's, sanitizer not at right concentration.
DRIFT INN	Restaurant	10450 HWY 12	NACHES	10/10/2012	Pre-Opening Inspection	Approved to open. Handwashing sink needs plumbing maintenance ASAP.
EL CHARRITO #2	Restaurant	2695 E. LINCOLN - BAY "F"	SUNNYSIDE	10/17/2012	Compliance Inspection	0/0
EL MIRADOR MEXICAN RESTAURANT	Restaurant	418 W. WALNUT	YAKIMA	10/25/2012	Routine Inspection	35/43 - Several FWC needed and improper cooling.
EL PARRILLON LOCO DE TOM AND JERRY	Restaurant	808 N 1ST ST.	YAKIMA	10/18/2012	Routine Inspection	30/32 - Several FWC needed, ice scoop laying in ice machine, no paper towels in restroom.
ESPRESSO ETC.	Espresso Stand	2600 W NOB HILL	YAKIMA	10/1/2012	Routine Inspection	0/0
GILBERT ELEMENTARY SCHOOL	School	4400 DOUGLAS DRIVE	YAKIMA	10/19/2012	Routine Inspection	0/0
GOLDEN COIN RESTAURANT	Restaurant	1606 W. NOB HILL BLVD.	YAKIMA	10/29/2012	Routine Inspection	0/0
				10/24/2012	Routine Inspection	30/38 - Vegetables stored next to raw chicken and food at room temperature.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
GRANGER TRAVEL PLAZA	Mini-mart	1221 BAILEY AVE	GRANGER	10/12/2012	Routine Inspection	65/75 Expired FWC's, improper hot holding/room temperature storage, inaccurate thermometer, no sanitizer.
GRINDER'S ESPRESSO	Espresso Stand	903-A VINTAGE VALLEY PARKWAY	ZILLA	10/4/2012	Routine Inspection	No hot water, closed until hot water is available. Spoke with owner and who said they'd install a new water heater today.
GRIZZLY ESPRESSO	Espresso Stand	3602 FRUITVALE BLVD	YAKIMA	10/12/2012	Follow-Up Inspection	They have installed a new hot water heater.
HARRAH ELEMENTARY SCHOOL	School	3851 HARRAH RD	HARRAH	10/15/2012	Routine Inspection	0/5 Need to keep bucket of sanitizer.
HIGHWAY ESPRESSO	Espresso Stand	10118 U.S. HIGHWAY 12	NACHES	10/22/2012	Routine Inspection	0/0
HYATT VINEYARDS	Winery	2020 GILBERT RD	ZILLA	10/15/2012	Routine Inspection	10/15 - Need hot water in restroom.
HY'S SERVICE	Mini-mart	1219 W. LINCOLN	YAKIMA	10/17/2012	Routine Inspection	0/0
IN & OUT MINI MART	Mini-mart	1513 TIETON DR	YAKIMA	10/16/2012	Routine Inspection	10/10 - Metal stem thermometer not accurate and improper hot holding temperatures.
JACK IN THE BOX # 8300	Restaurant	2317 S 15T STREET	YAKIMA	10/12/2012	Follow-Up Inspection	0/0
				10/31/2012	Routine Inspection	0/5 Various refrigerators in need of cleaning.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
JAMIMIN JAVA	Espresso Stand	16981 SUMMITVIEW RD	COWICHE	10/31/2012	Routine Inspection	0/5 No sanitizer available.
JAN MELHORN'S CATERING ETC	Catering	1408 CITY RESERVOIR RD	YAKIMA	10/11/2012	Routine Inspection	0/0
KENTUCKY FRIED CHICKEN	Restaurant	415 SELM	TOPPENISH	10/30/2012	Routine Inspection	0/0
LA BARATA	Meat Market	317 B ST	MABTON	10/17/2012	Follow-Up Inspection	30/35 Missing FWCs, improperly hot holding carnitas
LA BARATA MEAT MARKET	Grocery Store	1103-B E. YAKIMA VALLEY HWY.	SUNNYSIDE	10/17/2012	Follow-Up Inspection	25/25 Improperly hot holding carnitas
LA GUADALUPANA	Restaurant	3990 HARRAH ROAD	HARRAH	10/18/2012	Follow-Up Inspection	10/10 Improperly stocked hand wash sink
LA GUADALUPANA EXPRESS	Mobile		HARRAH	10/12/2012	Routine Inspection	40/40 Improperly stocked hand wash sink, improperly hot holding PHF, no metal stem thermometer was available
LA MAS BARATA	Meat Market	111 N 6TH ST. #A	SUNNYSIDE	10/17/2012	Routine Inspection	25/25 - Improper hot holding temperatures.
LA SUPER BAKERY (GRANDVIEW)	Bakery	210 W. 2ND STREET	GRANDVIEW	10/17/2012	Routine Inspection	5/13 Expired FWC's, evidence of rodents present, general cleaning needed through out facility.
LAREDO DRIVE-IN	Restaurant	9921 HWY. 12	NACHES	10/15/2012	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
LINCOLN AVENUE ESPRESSO BAR	Espresso Stand	1801 W LINCOLN AVE	YAKIMA	10/22/2012	Routine Inspection	0/0
MABTON HIGH SCHOOL - CONCESSION STAND	Seasonal Concession	500 E B STREET, MABTON	MABTON	10/5/2012	Routine Inspection	15/15 No hand wash setup available, inaccurate metal stem thermometer available
MAJOR'S	Restaurant	1705 W. LINCOLN AVE.	YAKIMA	10/5/2012	Follow-Up Inspection	5/5 Raw meat stored above RTE food
MAMA J'Z	Restaurant	330 MAIN ST	MABTON	10/17/2012	Follow-Up Inspection	15/20 Improperly stocked hand wash sink, raw meat stored above RTE food
MARTIN LUTHER KING, Jr.	School	2000 S. 18TH ST	UNION GAP	10/25/2012	Routine Inspection	0/5
NEW YORK TERIYAKI	Restaurant	3710 FRUITVALE BLVD.	YAKIMA	10/25/2012	Routine Inspection	10/15 Handwash sink being used to store items in it and it was not connected to pipe drain. Ice machine needs cleaning.
NOB HILL CONOCO	Mini-mart	1023 S 3RD AVE.	YAKIMA	10/29/2012	Routine Inspection	15/20 Expired FWC's, improper cold holding of PHF's, improper thawing.
				10/5/2012	Compliance Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
ON THE GO - SENIOR CAFE (SOUTHEAST COMMUNITY CENTER)	Serving Site	1211 S. 7TH ST.	YAKIMA	10/10/2012	Routine Inspection	30/30 They are cooling PHF's improperly. Follow up required.
OUR KITCHEN	Catering	28 N 2ND ST.	YAKIMA	10/31/2012	Follow-Up Inspection	0/0 They are cooling correctly.
PANADERIA & ANTOJITOS MEXICANOS RODRIGUEZ	Restaurant	206 E. WINE COUNTRY RD.	GRANDVIEW	10/4/2012	Pre-Opening Inspection	Approved to open.
PANDA EXPRESS # 1881	Restaurant	6560 W. NOB HILL BLVD.	YAKIMA	10/24/2012	Routine Inspection	80/95 Missing FWC, improperly stocked hand sinks, blocked hand wash sinks, washing hands in the food prep. sink, improperly hot held PHF, RTS of PHF, inaccurate metal stem thermometer
PAPA MURPHY'S PIZZA	Restaurant/Catering	64 W. NOB HILL BLVD.	YAKIMA	10/9/2012	Routine Inspection	25/25 inadequate hot holding of PHF
RIDGEVIEW ELEMENTARY SCHOOL	School	609 W. WASHINGTON AVE	UNION GAP	10/5/2012	Routine Inspection	0/0
ROBERTSON ELEMENTARY SCHOOL	School	2807 W. LINCOLN	YAKIMA	10/18/2012	Routine Inspection	0/5
ROOSEVELT ELEMENTARY	School	120 N. 16TH AVE	YAKIMA	10/26/2012	Routine Inspection	0/0
				10/29/2012	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
RUBEN'S TORTILLERIA	Bakery	1518 S. 1ST STREET	YAKIMA	10/31/2012	Routine Inspection	45/50 missing/expired FWCs, improperly processed and room temperature stored meat, metal stem thermometer not available, improper storage of chemicals, insufficient sanitizer present in food preparation areas. Follow-up necessary.
SELAH JUNIOR HIGH SCHOOL	School	411 N. 1ST ST.	SELAH	10/10/2012	Routine Inspection	0/0
SKATELAND FUN CENTER	Snack Bar	2506 OLD TOWN RD	UNION GAP	10/6/2012	Routine Inspection	5/10 Inaccurate thermometers, ice scoop being stored in ice. Only 1 out of 4 handwash outside of restroom is properly working.
ST. JOSEPH - MARQUETTE SCHOOL	School	202 N. 4TH ST.	YAKIMA	10/29/2012	Routine Inspection	0/0
SU MERCADITO #2	Grocery Store	108 MAIN ST S	GRANGER	10/19/2012	Follow-Up Inspection	30/30 Improperly cooling beef tongue
SUBWAY # 46331	Restaurant	4001 SUMMITVIEW AVE. # 12	YAKIMA	10/19/2012	Routine Inspection	0/0
SUGAR SHACK	Espresso Stand	1302 FAIR AVE.	YAKIMA	10/15/2012	Routine Inspection	5/10 - Both workers need FWC.
SUMMITVIEW BURGER RANCH	Restaurant	911 SUMMITVIEW AVE.	YAKIMA	10/4/2012	Follow-Up Inspection	5/15 Inaccurate metal stem thermometer

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SUNNYSIDE HIGH SCHOOL CONCESSIONS	Seasonal Concession	1110 S. 6TH ST.	SUNNYSIDE	10/19/2012	Routine Inspection	20/20 Missing FWCs, improperly stocked hand wash sink, inaccurate metal stem thermometer
SUPER "D" BINGO SNACK BAR	Snack Bar	1414 S. 3RD. AVE.	YAKIMA	10/17/2012	Routine Inspection	0/0
SUPERMEX OF YAKIMA	Grocery Store	316 3RD ST S	YAKIMA	10/3/2012	Follow-Up Inspection	45/53 Improperly stocked hand wash sink, food is not in good condition, RTS of drying chorizo
T.L.C. CAFE	Restaurant	428 S. "G" STREET	TOPPENISH	10/22/2012	Compliance Inspection	10/10 Improperly stocked hand wash sinks
TACO BELL # 5089	Restaurant	716 E YAKIMA AVE ²	YAKIMA	10/18/2012	Routine Inspection	50/60 Missing FWC, hands not washed as required, BHC with RTE food, inaccurate metal stem thermometer, unlabeled chemicals
TACO BELL #27609	Restaurant	230 S. 72ND AVE.	YAKIMA	10/10/2012	Routine Inspection	No problems observed.
TACO TIME	Restaurant	2111 S 1ST ST.	YAKIMA	10/5/2012	Routine Inspection	0/0 No problems.
TACOS EL GRULLO (MOBILE)	Mobile	VARIES BY SEASON	MOXEE	10/3/2012	Complaint Inspection	Food worker handled broom and did not wash hands before putting on gloves to handle ready to eat food
				10/3/2012	Routine Inspection	35/35 Missing FWCs, hands not washed as required, inaccurate metal stem thermometer, improper chemical storage
				10/22/2012	Follow-Up Inspection	5/5 Missing FWC
				10/31/2012	Routine Inspection	5/5 No metal stem thermometer was available

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
TACOS EL PAIZZA	Mobile	CPC in Tieton, Evans, 3rd & Nob Hill	TIETON	10/10/2012	Pre-Opening Inspection	Approved to open. Menu must be limited because of small size.
TAJ PALACE	Restaurant/Catering	2710 W. NOB HILL BLVD.	YAKIMA	10/31/2012	Routine Inspection	0/0 No problems.
TAMMY'S MEXICAN RESTAURANT	Restaurant	1010 N. 1ST STREET	YAKIMA	10/19/2012	Routine Inspection	65/65 Missing FWCs, BHC with RTE food, raw meat stored above ready to eat food, improperly cooling menudo, unlabeled chemical
TAQUERIA DELICIAS	Mobile	1402 S. 1ST ST. - YAKIMA	SELAH	10/22/2012	Complaint Inspection	Owner explained that menudo is rubbering and difficult to eat when raw.
TAQUERIA LA CABANA	Restaurant	1205 N. 1ST STREET	YAKIMA	10/16/2012	Routine Inspection	No sanitizer. She is parked at an auto repair shop in Cowiche on Cowiche Rd.
TAQUERIA LOS PRIMOS # 2	Mobile	404 N. 1ST ST. - YAKIMA	YAKIMA	10/10/2012	Compliance Inspection	They have corrected all the problems from the previous inspection.
TAQUERIA LOS PRIMOS # 4	Restaurant	103 N. 1ST ST. # H	SELAH	10/16/2012	Routine Inspection	The water heater keeps tripping the breaker. They will need a bigger refrigerator for their usage needs at this location.
				10/23/2012	Follow-Up Inspection	They now have a reliable power source.
				10/16/2012	Routine Inspection	25/40 Raw meat stored above RTE food, improperly cold holding PHF, unlabeled chemical

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
TAQUERIA SAHUAYO	Mobile	BORTON'S 8:30-9:00 AM & EVANS 10:00-10:15 AM FRONTERAS DEL NORTHE NOON-7:30 PM	UNION GAP	10/3/2012	Routine Inspection	5/5 Missing FWC
THE MARKET PLACE DELI / TOM TOM ESPRESSO	Deli/Catering	304 E YAKIMA AVE.	YAKIMA	10/15/2012	Follow-Up Inspection	They have installed sanitizer to dishwasher.
TIENDA DEL PUEBLO	Grocery Store	530 FRANKLIN AVE.	SUNNYSIDE	10/17/2012	Routine Inspection	0/0
UNION GAP DISTRICT# 2 SCHOOL	School	3201 S. 4TH ST.	UNION GAP	10/17/2012	Routine Inspection	0/0
VFW POST #3482	Restaurant/Lounge	615 NORTH AVE.	SUNNYSIDE	10/19/2012	Routine Inspection	5/5 Missing FWCs
WAFFLE CAFE	Restaurant	1510 N. 1ST STREET	YAKIMA	10/19/2012	Routine Inspection	0/3
WAFFLES CAFE	Restaurant	7200 W. NOB HILL BLVD.	YAKIMA	10/19/2012	Complaint Inspection	Manager checked the other tomatoes and they were fine.
				10/24/2012	Routine Inspection	10/13 - Missing FWC and lettuce stored on top of a container of raw meat.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
WAL-MART # 5078-01 (NOB HILL BLVD.)	Grocery Store	6600 W. NOB HILL BLVD.	YAKIMA	10/30/2012	Routine Inspection	10/10 Handwash water is very hot.
WASHINGTON MIDDLE SCHOOL	School	510 S. 9TH ST.	YAKIMA	10/26/2012	Routine Inspection	0/0
WEST VALLEY BAR & GRILL	Tavern	1212 S. 80TH AVE.	YAKIMA	10/31/2012	Complaint Inspection	Did not see any dogs in facility but PIC did concur that dogs were being allowed in the facility. They were notified by YHD that is practice is not allowed.
WHISTLIN' JACK LODGE	Restaurant/Lounge	20800 HWY 410	NACHES	10/31/2012	Routine Inspection	10/10 Improper cold holding of PHF's. Foods were moved to a properly working refrigerator.
WHITE SWAN HIGH SCHOOL	School	621 SIGNAL PEAK	WHITE SWAN	10/5/2012	Compliance Inspection	5/5 Inaccurate metal stem thermometers
WHITNEY ELEMENTARY SCHOOL	School	4411 W. NOB HILL BLVD	YAKIMA	10/22/2012	Routine Inspection	0/0
WINEGLASS CELLARS	Winery	260 N BONAIR	ZILLA	10/29/2012	Routine Inspection	0/0
WRAY'S MEADOWBROOK	Grocery Store	7200 W. NOB HILL BLVD.	YAKIMA	10/26/2012	Routine Inspection	0/0
				10/9/2012	Routine Inspection	10/33 Improper cold holding of PHF's, missing thermometers in island refrigeration, in-use utensils improperly stored.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
Y.V.C.C. ATHLETICS CONCESSIONS	Seasonal Concession	1015 S. 16TH AVE.	YAKIMA	10/5/2012	Routine Inspection	10/15 Missing FWCs, no accurate metal stem thermometer was available