

# Monthly Food Inspection Report

## SPECIAL NOTES:

IN THE NOTES PORTION OF THE REPORT THE FIRST NUMBER LISTED IS THE TOTAL POINTS FOR RED/HIGH RISK ITEMS FOUND . THE SECOND NUMBER IS THE TOTAL POINTS FOR HIGH RISK AND LOW RISK ITEMS.

HIGH RISK ITEMS ARE CORRECTED PRIOR TO THE COMPLETION OF THE INSPECTION. 35 OR MORE HIGH RISK POINTS OR 45 OR MORE TOTAL POINTS REQUIRES A FOLLOW-UP INSPECTION.

## Abbreviations

BHC: Bare Hand Contact

DOH: Washington State Department of Health

FDA: Food and Drug Administration

FWC: Food Worker Card

HACCP: Hazard Analysis Critical Control Point

PHF: Potentially Hazardous Food

PIC: Person in Charge

ROP: Reduced Oxygen Packaging

RTE: Ready to Eat

RTS: Room Temperature Storage

USDA: United States Department of Agriculture

WAC: Washington Administrative Code

WSDA: Washington State Department of Agriculture

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
40TH AVE. ESPRESSO	Espresso Stand	1207 N 40TH AVE	YAKIMA	2/18/2014	Routine Inspection	5/12 - Several FWC needed and floor needs to be repaired.
7-ELEVEN #2307- 27470C	Mini-mart	810 YAKIMA AV E	YAKIMA	2/14/2014	Routine Inspection	5/5 - FWC needed.
A & A MINI MART & SMOKE SHOP	Mini-mart	708 N. 5TH AVE.	YAKIMA	2/28/2014	Routine Inspection	15/15 Inadequate handwashing facilities, No metal stem thermometer
ABBY'S LEGENDARY PIZZA OF YAKIMA # 57	Restaurant	4804 TIETON DR	YAKIMA	2/12/2014	Routine Inspection	0/0
AM/PM UNION GAP	Mini-mart	20 E. VALLEY MALL BLVD.	UNION GAP	2/10/2014	Routine Inspection	5/5 Expired FWC's.
AMERISTAR #19	Mini-mart	3602 TIETON DR	YAKIMA	2/10/2014	Routine Inspection	10/5 Missing FWCs, inadequate 3-compartment sink

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
AMERISTAR STORE # 8	Mini-mart	1005 W. WALLACE WAY	GRANDVIEW	2/12/2014	Routine Inspection	5/10 Missing FWCs
APPLE BIN SHELL	Mini-mart	3707 W. NOB HILL BLVD.	YAKIMA	2/13/2014	Routine Inspection	0/5 No sanitizer made up.
APPLEBEE'S NEIGHBORHOOD GRILL & BAR	Restaurant/Lounge	1505 E. WASHINGTON AVE.	UNION GAP	2/25/2014	Routine Inspection	10/15 Improper cold holding of PHF's, missing thermometers in cold holding units.
BEEM'S NUTRITION AT CHESTERLY PARK	Grocery Store	3715 W RIVER ROAD	YAKIMA	2/27/2014	Routine Inspection	0/0
BEEM'S VALLEY NUTRITION	Grocery Store	2415 S 14TH STREET	UNION GAP	2/4/2014	Routine Inspection	0/0
BIRRIERIAS LA CHULA	Restaurant	306 S. 1ST ST.	YAKIMA	2/10/2014	Routine Inspection	40/55 Hands not washed as required, RTS of PHF
BLACK BEAR YOGURT		4001 SUMMITVIEW AVE. SUITE # 11	YAKIMA	2/13/2014	Routine Inspection	15/15 - 3 of 4 workers need FWC and hand wash sink without hot water and paper towels.
BRUCHI'S CHEESESTEAKS & SUBS	Restaurant	2529 MAIN ST. # 254	UNION GAP	2/7/2014	Routine Inspection	15/27 Missing FWC, unlabeled chemical

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
CACTUS JUICE CAFE	Deli/Catering	632 DECATUR	SUNNYSIDE	2/28/2014	Routine Inspection	0/0
CATHOLIC FAMILY & CHILD SERVICE	Cafeteria	5301 TIETON DR. SUITE "C"	YAKIMA	2/28/2014	Routine Inspection	10/15 Inadequate handwashing facilities, no sanitizer present
CHINA WOK	Restaurant	613 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	2/19/2014	Routine Inspection	20/28 Improperly stocked hand wash sink, raw meats stored above RTE food, inaccurate metal stem thermometer
COCO'S AHTANUM	Mini-mart	1504 LOWER AHTANUM RD.	UNION GAP	2/11/2014	Routine Inspection	0/0
CORVID COFFEE COMPANY	Espresso Stand	3203 SUMMITVIEW AVE.	YAKIMA	2/7/2014	Routine Inspection	15/20 - Food from unapproved source.
CRAZY COW ICE CREAM	Ice Cream Parlor	2529 MAIN ST. # 183	UNION GAP	2/7/2014	Routine Inspection	5/5 Inaccurate metal stem thermometer
CRUISIN COFFEE SOUTH FIRST	Espresso Stand	111 E. WASHINGTON AVE.	YAKIMA	2/13/2014	Routine Inspection	5/5 Expired FWC's.
DAIRY QUEEN/ORANGE JULIUS - VALLEY MALL	Restaurant	2515 MAIN ST	UNION GAP	2/3/2014	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
DOLLAR TREE # 4295	Grocery Store	140 S. 72ND AVE.	YAKIMA	2/3/2014	Routine Inspection	0/0
DOLLAR TREE #4985	Mini-mart	300 W 1ST AVE	TOPPENISH	2/10/2014	Routine Inspection	0/0
EDISON MARKET	Mini-mart	1520 E EDISON	SUNNYSIDE	2/19/2014	Routine Inspection	0/8
EL CHARRITO #2	Restaurant	2695 E. LINCOLN - BAY "F"	SUNNYSIDE	2/26/2014	Routine Inspection	35/53 Improperly cooling PHF, improper chemical storage
EL GRULLENSE RESTAURANT & TAQUERIA #2	Restaurant	1514 S 1ST ST	YAKIMA	2/12/2014	Routine Inspection	50/40 No glove use, inoperable handwashing facilities, inaccurate thermometers, dishwasher not sanitizing properly.
				2/25/2014	Follow-Up Inspection	0/0
EL PORVENIR	Bakery	209 S. TOPPENISH AVE.	TOPPENISH	2/10/2014	Routine Inspection	5/10 - Some expired FWC and floor needs to be repaired.
ESTUDILLO'S FOOD STORES	Grocery Store	2601 SHELLER RD	SUNNYSIDE	2/28/2014	Routine Inspection	0/0
FAMOUS DAVE'S	Rest/Lounge/Catering	1504 E WASHINGTON AVE. - UNION GAP	UNION GAP	2/24/2014	Routine Inspection	15/10 inadequate handwashing facilities, overnight cooking temperature monitoring issues

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
FLYIN PIG B.B.Q	Restaurant	2810 W WASHINGTON AVE.	YAKIMA	2/10/2014	Pre-Opening Inspection	
GRANDVIEW CHURCH OF THE NAZARENE	Rest - Seasonal	500 N. ELM STREET	GRANDVIEW	2/19/2014	Routine Inspection	0/5
GRANDVIEW HIGH SCHOOL DECA STORE	Snack Bar	1601 W. 5TH ST.	GRANDVIEW	2/19/2014	Routine Inspection	5/5 Missing FWCs
JEAN'S COTTAGE INN	Restaurant/Catering	3211 MAIN ST	UNION GAP	2/11/2014	Routine Inspection	0/0
LITTLE DUTCH INN	Tavern	214 N 6TH AVE.	YAKIMA	2/5/2014	Follow-Up Inspection	They have corrected all problems from previous inspection.
MANHATTAN STATION ESPRESSO	Espresso Stand	416 S. 1ST STREET	SELAH	2/20/2014	Routine Inspection	0/0
MANY'S 5TH AVE. MARKET	Mini-mart	202 S. 5TH AVE.	YAKIMA	2/3/2014	Routine Inspection	0/2
MARISCOS MARY TIERRA # 13	Mobile		WAPATO	2/28/2014	Follow-Up Inspection	0/0
MC DONALD'S	Restaurant	820 ZILLAH WEST RD.	ZILLAH	2/20/2014	Routine Inspection	5/5 PIC did not answer correctly
				2/24/2014	Routine Inspection	0/0 No problems.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
MERCADO LOS AMIGOS	Grocery Store	1409 FRUITVALE BLVD.	YAKIMA	2/20/2014	Routine Inspection	10/15 - Several expired FWC, metal stem thermometer needed, and ice machine needs to be cleaned.
MY BROTHER'S PLACE	Mini-mart	810 W. 1ST AVE.	TOPPENISH	2/25/2014	Routine Inspection	0/0
NACHES VALLEY H.S. BOOSTER CLUBS	Seasonal Concession	101 5TH ST W	NACHES	2/7/2014	Routine Inspection	0/0
NEW CHEN'S CHINA BUFFET	Restaurant	2616 W NOB HILL BLVD.	YAKIMA	2/10/2014	Complaint Inspection	0/5 Pest company had sprayed for cockroaches on January 27, 2014. They spray the restaurant every 2 weeks. Found dead cockroaches in the cabinet area at the waiter station. No live cockroaches were seen. Zheng said she will seal holes where the cockroaches may live and have the pest company come in to spray again.
NEW HONG KONG RESTAURANT	Restaurant	918 W. HIGHWAY 12	GRANDVIEW	2/12/2014	Routine Inspection	40/40 Blocked hand wash sink, improperly cooling PHF
NEW YORK TERIYAKI	Restaurant	3710 FRUITVALE BLVD.	YAKIMA	2/3/2014	Follow-Up Inspection	5/5 Still missing FWC's.
NEW YORK TERIYAKI - SELAH	Restaurant	723 NORTH PARK CENTER	SELAH	2/4/2014	Routine Inspection	40/43 - FWC needed, BHC with ready to eat food, no paper towels at handwash sink, improperly thawing chicken.
OUTBACK ESPRESSO	Espresso/Catering	8803 AHTANUM RD.	YAKIMA	2/19/2014	Routine Inspection	5/5 - FWC needed.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
OXFORD INN	Continental Brkfst	1603 E YAKIMA AVE	YAKIMA	2/20/2014	Routine Inspection	0/0
PANDA GARDEN RESTAURANT	Restaurant	3210 PICARD PLACE	SUNNYSIDE	2/27/2014	Routine Inspection	30/48 Missing FWCs, RTS of PHF
PIZZA HUT	Restaurant	304 S. 1ST STREET SUITE # 1	SELAH	2/12/2014	Routine Inspection	5/8 Missing FWCs
PRONTO MARKET	Grocery Store	103 S. MAIN	GRANGER	2/13/2014	Routine Inspection	0/0
R. C.'S	Restaurant/Lounge	31 A RAY RD.	SUNNYSIDE	2/19/2014	Routine Inspection	25/35 Missing FWC, raw meats stored above RTE food, improperly reheating PHF
REXFORD MANOR RETIREMENT COMMUNITY	Retirement Housing	1010 N. 34TH AVENUE	YAKIMA	2/21/2014	Complaint Inspection	No bad odors detected by smell. Administrator said that they are aware of the smells and have been flushing the drains on a monthly basis. She said that the flushing happens at the beginning of the month. She will have the drains flushed bimonthly.
RITE AID # 5300	Grocery Store	2010 YAKIMA VALLEY HWY,SUITE C-1	SUNNYSIDE	2/28/2014	Routine Inspection	0/0
ROY'S MARKET	Mini-mart	201 S 6TH ST.	YAKIMA	2/5/2014	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SELAH SAVE-ON-FOODS	Grocery Store	800 NORTH PARK CENTRE	SELAH	2/14/2014	Follow-Up Inspection	20/39 Missing FWCs, improperly cold holding PHF, inaccurate metal thermometer
SHARI'S RESTAURANT - UNION GAP	Restaurant	16 E VALLEY MALL BLVD.	UNION GAP	2/26/2014	Complaint Inspection	0/10 Floor sink drains and air conditioning vents have not been cleaned thoroughly, pipe under the server's hand wash sink is leaking, ceiling in the dining area has been damaged by water from the roof.
SILVER CREEK BAR & GRILL	Tavern	108 ILER ST.	MOXEE	2/4/2014	Routine Inspection	20/36 Blocked hand wash sink, raw meat stored above RTE food, inaccurate metal stem thermometers
				2/4/2014	Complaint Inspection	Pipe broke and one faucet has been plugged. All other sinks are functioning satisfactorily.
SPUR TAVERN	Tavern	3980 HARRAH RD.	HARRAH	2/18/2014	Routine Inspection	10/20 Missing FWCs, inaccurate metal stem thermometer
SUBWAY # 18869	Restaurant	1300 N. 40TH AVE. # 117	YAKIMA	2/12/2014	Routine Inspection	0/0
SUBWAY # 46232 (WAL-MART)	Restaurant	6600 W. NOB HILL BLVD.	YAKIMA	2/21/2014	Routine Inspection	10/13 Missing paper towels at handwash sink.
SUMMITVIEW BURGER RANCH	Restaurant	911 SUMMITVIEW AVE.	YAKIMA	2/25/2014	Follow-Up Inspection	20/23 Missing FWC, no metal stem thermometer was available, unlabeled chemical



Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SUMMITVIEW STATION	Mini-mart	4802 SUMMITVIEW AVE.	YAKIMA	2/27/2014	Routine Inspection	5/5 - Several FWC needed.
SUNDQUIST CAFE	Snack Bar	1015 S. 16TH AVE.	YAKIMA	2/5/2014	Routine Inspection	0/0
TACO BORRACHO RESTAURANT	Rest/Lounge/Catering	503 S. FAIR AVE. SUITE # 100	YAKIMA	2/27/2014	Routine Inspection	15/20 Missing FWC, blocked hand wash sink, no paper towels were available at kitchen hand wash sink
TACOS DEL NORTE	Mobile	401 S Wapato Ave. Wapato	WAPATO	2/18/2014	Routine Inspection	20/20 BHC with RTE food, inaccurate metal stem thermometer
TAQUERIA CAMINO REAL	Restaurant	1112 1/2 TIETON DR.	YAKIMA	2/24/2014	Routine Inspection	0/0
TAQUERIA EL TAPATIO RESTAURANT	Restaurant	330 MAIN ST	MABTON	2/6/2014	Routine Inspection	65/78 BHC with RTE food, improperly stocked hand wash sink, raw meat stored above RTE food, improperly cooling PHF, inaccurate metal stem thermometer
				2/24/2014	Follow-Up Inspection	25/25 No hot water available in restaurant-Restaurant was closed, missing FWC, raw meat stored next to RTE food, inaccurate metal stem thermometer
TAQUERIA LOS PRIMOS # 4	Restaurant	103 N. 1ST ST. # H	SELAH	2/11/2014	Routine Inspection	55/60 Missing FWCs, hands not washed as required, BHC with RTE food
				2/25/2014	Follow-Up Inspection	30/30 Missing FWC, improperly cooling PHF

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
TAQUITOS GALLEGOS	Restaurant	107 W. 3RD	WAPATO	2/25/2014	Routine Inspection	25/35 Missing paper towels at HW sink, improper cooling.
TEN-FOUR CAFE	Restaurant	703 WINE COUNTRY RD.	GRANDVIEW	2/24/2014	Routine Inspection	90/116 PIC did not answer correctly, missing FWCs, hands not washed as required, improperly cooling PHF, RTS of eggs in shell, inaccurate metal stem thermometer
THE FARMHOUSE CAFE	Restaurant	4081 HARRAH RD.	HARRAH	2/14/2014	Routine Inspection	0/8
THE RIDGE STUDENT STORE @ WEST VALLEY HIGH SCHOOL	Snack Bar	9800 ZIER RD.	YAKIMA	2/19/2014	Routine Inspection	10/10 - FWC needed and metal stem thermometers were inaccurate.
THOR'S GALLEY	Snack Bar	801 N FIRST	SELAH	2/12/2014	Routine Inspection	0/0
VALLEY VIEW MARKET	Mini-mart	107 W. LINCOLN	SUNNYSIDE	2/19/2014	Routine Inspection	35/35 Improperly stocked hand wash sink, improperly hot holding PHF
VILLAGE CENTER CAFE	Retirement Housing	215 N. 40TH AVE.	YAKIMA	2/28/2014	Routine Inspection	0/0
WALGREENS # 09911	Grocery Store	4001 SUMMITVIEW AVE. # 3	YAKIMA	2/1/2014	Routine Inspection	0/0 No problems.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
WALKABOUT CREEK SALOON	Restaurant/Lounge	9990 U.S. HWY. 12	NACHES	2/28/2014	Routine Inspection	45/63 Missing FWCs, hands not washed as required, blocked hand wash sink, no metal stem thermometer was available
WAL-MART # 5078-01 (NOB HILL BLVD.)	Grocery Store	6600 W. NOB HILL BLVD.	YAKIMA	2/21/2014	Routine Inspection	0/0 No problems observed.
WAPATO HIGH SCHOOL	School	1103 S. WASCO AVE	WAPATO	2/6/2014	Pre-Opening Inspection	New school cafeteria. Approved to use once a few things are done.
WAREHOUSE DEMO SERVICES # 1013	Grocery Store	2310 LONGFIBER RD. - UNION GAP	UNION GAP	2/7/2014	Routine Inspection	0/0
WRAY'S FOOD & DRUG	Grocery Store	5605 SUMMITVIEW	YAKIMA	2/14/2014	Routine Inspection	40/56 Missing FWCs, raw meat stored next to RTE food, improperly hot holding PHF, inaccurate metal stem thermometer
Y.V.C.C. ATHLETICS CONCESSIONS	Seasonal Concession	1015 S. 16TH AVE.	YAKIMA	2/8/2014	Routine Inspection	0/0
Y.V.C.C. DINING SERVICES (HUB)	Restaurant	1015 S. 16TH AVENUE	YAKIMA	2/5/2014	Routine Inspection	0/0
YAKIMA CHEVRON	Mini-mart	1001 N. 16TH AVE.	YAKIMA	2/4/2014	Routine Inspection	5/5 - FWC needed.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
YAKIMA VALLEY TECHNICAL SKILLS CENTER	Chef's School	1120 S. 18TH ST.	YAKIMA	2/27/2014	Routine Inspection	0/0