

# Food Facility Inspections Completed

## City

|                 |           |                    |     |
|-----------------|-----------|--------------------|-----|
| TACOS DON CHAYO | 9/21/2015 | Routine Inspection | 0/0 |
|-----------------|-----------|--------------------|-----|

|              |           |                    |     |
|--------------|-----------|--------------------|-----|
| ZAYCON FOODS | 9/23/2015 | Routine Inspection | 0/0 |
|--------------|-----------|--------------------|-----|

## City GRANDVIEW

|          |          |                    |     |
|----------|----------|--------------------|-----|
| EL COMAL | 9/4/2015 | Routine Inspection | 0/0 |
|----------|----------|--------------------|-----|

## City GRANGER

|               |           |                    |   |
|---------------|-----------|--------------------|---|
| THE DINOSTORE | 9/30/2015 | Routine Inspection | Attempted inspection but facility was not open. |
|---------------|-----------|--------------------|---|

## City MABTON

|              |           |                    |   |
|--------------|-----------|--------------------|---|
| C & D MARKET | 9/17/2015 | Routine Inspection | 5/8 Expired FWC. Owner is using facility as storage for numerous random miscellaneous items throughout store and outside, including golf-cart, empty milk cartons, washing machine, pool table. |
|--------------|-----------|--------------------|---|

## City NACHES

|             |           |                    |   |
|-------------|-----------|--------------------|---|
| CAMO COFFEE | 9/16/2015 | Routine Inspection | 10/12 No papertowels at handwash sink. Ice-machine has no door/lid. |
|-------------|-----------|--------------------|---|

|                            |           |                    |     |
|----------------------------|-----------|--------------------|-----|
| MARGARET'S APPLE CART DELI | 9/24/2015 | Routine Inspection | 0/0 |
|----------------------------|-----------|--------------------|-----|

|                       |           |                    |   |
|-----------------------|-----------|--------------------|---|
| NACHES CHINOOK CENTER | 9/16/2015 | Routine Inspection | 0/10 No refrigerator thermometer. No sanitizer. |
|-----------------------|-----------|--------------------|---|

|                                      |           |                       |   |
|--------------------------------------|-----------|-----------------------|---|
| NACHES CHINOOK CENTER SUBWAY # 61572 | 9/28/2015 | Pre-Opening Inspectio | Facility must have paper towel dispenser and soap dispenser at handwash sink, and sanitizer dispenser at 3-compartment sink (according to approved plans) before opening. |
|--------------------------------------|-----------|-----------------------|---|

|             |           |                    |   |
|-------------|-----------|--------------------|---|
| TROUT LODGE | 9/30/2015 | Routine Inspection | Attempted inspection but facility was closed. Called and person stated they have new winter hours. Will attempt again in October. |
|-------------|-----------|--------------------|---|

## City SELAH

|                  |           |                        |   |
|------------------|-----------|------------------------|---|
| DANIEL'S KITCHEN | 9/26/2015 | Catering Routine Inspe | 15/18 Improperly stocked hand wash sink, no metal stem thermometer being used |
|------------------|-----------|------------------------|---|

|             |           |                    |   |
|-------------|-----------|--------------------|---|
| MC DONALD'S | 9/10/2015 | Routine Inspection | 40/40 Missing FWCs, hands not washed as required, improper chemical storage |
|-------------|-----------|--------------------|---|

|             |           |                        |   |
|-------------|-----------|------------------------|---|
| NANA KATE'S | 9/11/2015 | Catering Routine Inspe | 0/0 Owner of Groovn' Grounds found operating under Nana Kates Catering License at the Chinook Fest. This will not be allowed in the future. |
|-------------|-----------|------------------------|---|

|                              |           |                    |     |
|------------------------------|-----------|--------------------|-----|
| NORTH TOWN COFFEEHOUSE SELAH | 9/10/2015 | Routine Inspection | 0/0 |
|------------------------------|-----------|--------------------|-----|

|                              |                  |                       |   |
|------------------------------|------------------|-----------------------|---|
| SWEET TREATS BAKERY          | 9/16/2015        | Routine Inspection    | 25/32 No FWC available. No paper towels at handwash sink. PHF improperly cold held. Refrigerator missing thermometer. Facility does not have adequate space for scope of business.  |
| TAQUERIA LOS PRIMOS # 4      | 9/2/2015         | Routine Inspection    | 5/8 PHF improperly cold held. Ice-scoop stored on dirty surface.  |
| <b>City</b>                  | <b>SUNNYSIDE</b> |                       |   |
| "HOLY" PIES! DELI AND COFFEE | 9/23/2015        | Pre-Opening Inspectio | Need bare wood painted and covered with smooth surfaces and a large ice scoop for ice machine. Fees are due also.   |
| BUENA VISTA MINI MARKET      | 9/23/2015        | Routine Inspection    | 0/0   |
| CHINA BUFFET                 | 9/30/2015        | Routine Inspection    | 90/103 PIC requirement not met, missing FWCs, improperly stocked hand wash sinks, improperly handling pooled eggs, improperly hot holding PHF, RTS of PHF, improperly cold holding PHF, metal stem thermometer was not being used to evaluate PHF temperatures. Follow-up inspecton is necessary. |
| COCINA ISABEL                | 9/1/2015         | Routine Inspection    | 5/5 Missing FWC   |
| EL FARO TAQUERIA # 1         | 9/1/2015         | Routine Inspection    | 0/0   |
| EL FARO TAQUERIA # 4         | 9/1/2015         | Routine Inspection    | 0/0   |
| FRUTILANDIA LA HUERTA        | 9/23/2015        | Routine Inspection    | 0/8 One refrigerator is missing thermometer. On refrigerator has inaccurate thermometer. No paper towels or handwash sign in restroom.  |
| RESTAURANTE EL FARO          | 9/4/2015         | Complaint Inspection  | Complaint that there is cockroach infestation. Owners are aware of the infestation and will contract with an exterminator to address problem.   |
| TACOS ISABEL 2               | 9/30/2015        | Routine Inspection    | 10/10 Refrigerator found cold holding PHF inadequately.   |
| TIENDA DEL PUEBLO            | 9/29/2015        | Routine Inspection    | 0/0   |
| <b>City</b>                  | <b>TIETON</b>    |                       |   |
| ROBERT'S MARKET              | 9/4/2015         | Routine Inspection    | 0/5   |
| <b>City</b>                  | <b>TOPPENISH</b> |                       |   |
| 24 PIZZA                     | 9/29/2015        | Routine Inspection    | 15/15 Improper cold holding of PHF's, inaccurate thermometer.   |
| 7-ELEVEN STORE #2362-25128D  | 9/17/2015        | Routine Inspection    | 0/0   |
| BRITO'S CHICHARRONES         | 9/10/2015        | Routine Inspection    | 0/0   |
| EL CANTARITO MEXICAN FOOD    | 9/10/2015        | Routine Inspection    | 0/3 Improper thawing of PHF's   |

|                                  |           |                      |  |
|----------------------------------|-----------|----------------------|--|
| LA LUMBRE                        | 9/10/2015 | Routine Inspection   | 55/55 Improper cooling of PHF's, room temperature storage of PHF's, inaccurate thermometers. Follow up needed.                       |
| MT. ADAMS COUNTRY CLUB SNACK BAR | 9/17/2015 | Routine Inspection   | 10/21 Improperly stocked handwash sink. No thermometer in refrigerator. Improper storage of ice scoop. No handwash sign in restroom. |
| TIENDA LA TAPATIA                | 9/29/2015 | Routine Inspection   | 25/28 Room temperature storage of PHF's, dirty walk-in cooler.   |
| VILLASENOR'S MEXICAN RESTAURANT  | 9/17/2015 | Complaint Inspection | 35/56 Missing FWCs, raw meat stored above RTE food, improperly cooling chicken (see inspection sheet for complaint information)      |

**City UNION GAP**

|   |           |                    |  |
|---|-----------|--------------------|--|
| AGUILILLA BAKERY                        | 9/2/2015  | Routine Inspection | 10/15 Food not in good condition   |
| AHTANUM FOOD MART (2)                   | 9/15/2015 | Routine Inspection | 0/13 Missing and inaccurate refrigerator thermometers. Improper use of warewashing facilities and no sanitizer. Dirty surfaces throughout. |
| DAIRY QUEEN/ORANGE JULIUS - VALLEY MALL | 9/10/2015 | Routine Inspection | 10/10 Missing FWCs, improper hot holding of PHF  |
| OLD COUNTRY BUFFET # 811                | 9/30/2015 | Routine Inspection | 0/0  |
| SUPER 8 YAKIMA                          | 9/17/2015 | Routine Inspection | 0/0  |

**City WAPATO**

|                    |           |                    |   |
|--------------------|-----------|--------------------|---|
| B.J.'S COFFEE BARN | 9/30/2015 | Routine Inspection | 0/0   |
| CASTRO'S CAFE      | 9/30/2015 | Routine Inspection | 10/13 Raw meats stored by RTE foods. Inaccurate metal stem thermometer. Dirty nonfood-contact surfaces. |
| LA MAZORCA         | 9/30/2015 | Routine Inspection | 10/20 Improperly stocked handwash sink. Missing labels on foods.  |

**City YAKIMA**

|                                      |           |                        |   |
|--------------------------------------|-----------|------------------------|---|
| ANTOJITOS LUCY                       | 9/12/2015 | Catering Routine Inspe | 15/20 Improperly re-heating PHF's on steam table.                       |
| BASKIN-ROBBINS # 4314 - SO. 1ST STR. | 9/22/2015 | Routine Inspection     | 0/0   |
| BENCH MARK SHELL                     | 9/22/2015 | Routine Inspection     | 0/5 Refrigerated sandwiches missing package-on/sell-by dates.           |
| BI-MART # 605                        | 9/22/2015 | Routine Inspection     | 0/3 No handwash sign in restroom.                                       |
| BLUE HILLS TAQUERIA                  | 9/2/2015  | Routine Inspection     | 0/0   |
| CENTERPLATE                          | 9/12/2015 | Catering Routine Inspe | Catering inspection at Zillah's Not Just A Farmers Market. NO problems. |
| CHIPOTLE MEXICAN GRILL               | 9/23/2015 | Pre-Opening Inspectio  | Pre-opening inspection passed.  |

|  |           |                        |   |
|--|-----------|------------------------|---|
| COCINA JALICIENSE                        | 9/14/2015 | Routine Inspection     | 5/5 Raw meats stored above other foods.   |
| ECONOLODGE                               | 9/23/2015 | Routine Inspection     | 10/10 Hand sink missing paper towels.   |
| EL JALICIENCE                            | 9/14/2015 | Routine Inspection     | 0/0   |
| EL NUEVO AMANECER #2 B41850P             | 9/10/2015 | Pre-Opening Inspectio  |   |
| FIESTA FOODS                             | 9/21/2015 | Routine Inspection     | 50/45 Inaccessible hand washing stations, improper hot holding of PHF (El Pastor), improper cold holding of PHF, missing sanitizer in bakery area.                    |
| GLESENNERS MARKET                        | 9/17/2015 | Routine Inspection     | 10/10 Food not in good condition  |
| HOKUS POKUS BEER & DELI                  | 9/30/2015 | Routine Inspection     | 0/5 No thermometer in sandwich refrigerator.  |
| JACK IN THE BOX # 8494                   | 9/8/2015  | Routine Inspection     | 25/25 BHC w/RTE foods   |
| JACK-SON'S SPORTS BAR & RESTAURANT       | 9/2/2015  | Routine Inspection     | 25/25 Improperly cooling PHF  |
| JnT CONCESSIONS                          | 9/11/2015 | Routine Inspection     | Inspected them at Chinook Fest. No problems.  |
| KENTUCKY FRIED CHICKEN / A&W             | 9/18/2015 | Routine Inspection     | 10/13 Improperly stocked hand wash sinks  |
| KYOTO STEAKHOUSE                         | 9/25/2015 | Pre-Opening Inspectio  | Approved to open.   |
| LA OAXAQUENA                             | 9/1/2015  | Routine Inspection     | 0/0   |
| LA PETUNIA # 2                           | 9/15/2015 | Routine Inspection     | 40/63 Improperly stocked hand wash sink, raw meat stored above RTE food, improper handling of pooled eggs, improperly cold holding PHF, improper storage of chemicals |
| MC DONALD'S                              | 9/3/2015  | Routine Inspection     | 55/58 Missing FWCs, BHC with RTE food, improper use of time as a control  |
| MR. PIZZA                                | 9/28/2015 | Routine Inspection     | 10/18 Improper chemical storage. Improper use of warewash facility. Missing handwash sign in restroom.  |
| NORTH TOWN COFFEEHOUSE                   | 9/10/2015 | Routine Inspection     | 0/0   |
| QUIZNO'S SUB                             | 9/3/2015  | Routine Inspection     | 5/10 Missing FWCs   |
| RICH SISTERS                             | 9/16/2015 | Catering Routine Inspe | 0/0   |
| SECOND STREET GRILL                      | 9/17/2015 | Routine Inspection     | 25/33 Improperly cooling PHF  |
| SENIOR NUTRITION PROGRAM - RESPITE ADULT | 9/24/2015 | Routine Inspection     | 0/0   |
| SHARKY'S PIZZA SHACK                     | 9/30/2015 | Routine Inspection     | 0/5 Inaccurate thermometer in walk-in refrigerator.   |
| SMITTY'S MARKET & DELICATESSAN           | 9/8/2015  | Routine Inspection     | 15/15 Missing FWCs, improperly cold holding PHF   |

|   |           |                       |  |
|---|-----------|-----------------------|--|
| ST. JOHN'S CHEESECAKES                  | 9/26/2015 | Routine Inspection    | 5/5 Missing FWCs   |
| SUBWAY # 27775                          | 9/24/2015 | Routine Inspection    | 5/10 Missing FWC. Broken thermometer in refrigerator.  |
| TAQUERIA EL ESCORPION                   | 9/22/2015 | Routine Inspection    | 25/31 Blocked handwash sink. Improper cold holding of PHF. Inaccurate metal stem thermometer. Improper storage of in-use utensil. Very dirty nonfood-contact surfaces. |
| TAQUERIA LOS PRIMOS # 2                 | 9/24/2015 | Routine Inspection    | 35/35 BHC with RTE food. Improper cold holding of PHF.   |
| THE END ZONE SPORTS BAR & GRILL         | 9/10/2015 | Pre-Opening Inspectio | Approved to open after application and payment have been submitted.  |
| TIETON FOOD MART                        | 9/28/2015 | Routine Inspection    | 35/45 Blocked handwash sink. Improper cold holding of PHF. Inaccurate thermometer in refrigerator. Improper use and storage of wiping cloths.                          |
| TITO'S JUICE PLACE                      | 9/30/2015 | Routine Inspection    | Attempted inspection but mobile was not on site.   |
| WEST VALLEY HIGH SCHOOL CONCESSION STAN | 9/18/2015 | Routine Inspection    | 0/0  |
| <b>City</b>                             |           |                       | <b>ZILLAH</b>  |
| DINEEN FAMILY VINEYARDS                 | 9/11/2015 | Routine Inspection    | 0/0  |
| EL PORTON                               | 9/22/2015 | Routine Inspection    | 10/10 Improper washing of produce in 3-compartment sink.   |
| MAISON DE PADGETT WINERY                | 9/11/2015 | Routine Inspection    | 0/5 Need dish washer rinse temperature test strips.  |
| TANJULI WINERY                          | 9/11/2015 | Routine Inspection    | 0/0  |